(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 14 March 2002 (14.03.2002)

PCT

(10) International Publication Number WO 02/20814 A1

C12N 15/86, (51) International Patent Classification7: 15/861, 5/10, 15/11, 15/63, 15/64, 15/65, A61K 48/00

(21) International Application Number: PCT/US01/27682

(22) International Filing Date:

7 September 2001 (07.09.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

8 September 2000 (08.09.2000) US 60/231,053 60/246,904 8 November 2000 (08.11.2000) US

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier applications:

US 60/231.053 (CON) Filed on 8 September 2000 (08.09.2000) US 60/246,904 (CON) Filed on 8 November 2000 (08.11.2000)

(71) Applicant (for all designated States except US): THE **GENERAL HOSPITAL CORPORATION** [US/US]; 55 Fruit Street, Boston, MA 02214 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): SEED, Brian [US/US]; 9 Hawthorne Place #5J, Boston, MA 02114 (US). WRIGHT FREEMAN, Mason [US/US]; 203 Lincoln Road, Lincoln, MA 01773 (US). KOVTUN, Alexander [US/US]; 156 Arlington Street, Acton, MA 01720 (US). MURAKAWA, Masahiro [JP/US]; 506 Beacon Street, Apt. 6, Boston, MA 02115 (US). PARK,

Eun-Chung [KR/US]; 91 Waltham Street #1, Boston, MA 02118 (US). WANG, Xinzhong [CN/US]; 4 Woodmere Road, Framingham, MA 01701 (US).

- (74) Agent: ELBING, Karen, L.; Clark & Elbing LLP, 176 Federal Street, Boston, MA 02110-2214 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments
- with sequence listing part of description published separately in electronic form and available upon request from the International Bureau

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



(57) Abstract: Disclosed are replicatable viral DNA vectors encoding a site-specific DNA-altering enzyme and a DNA target recognized by the enzyme, the enzyme selectively converting, in a cell expressing the enzyme, the DNA vector to a rearranged form. The invention further relates to methods for assembling recombinant adenoviral DNAs. These methods include the steps of: providing a first linearized DNA vector including a restriction site and a cos site and a second linearized DNA vector including the restriction site, an adenoviral nucleic molecule, and a cos site; and ligating the first and second linearized DNA vectors, the ligation assembling a recombinant adenoviral DNA.





5

10

15

20

25

30

35

SELF-REARRANGING DNA VECTORS

Background of the Invention

The invention relates to DNA vectors.

Mammalian cell expression vectors based on DNA viruses have been widely discussed as gene delivery vehicles for genetic therapy. Among the different DNA viruses proposed for this purpose have been adenoviruses, baculovirus, Epstein Barr virus, and herpes simplex virus. In addition other smaller viruses that have an intranuclear phase in which the viral genome is present as a double stranded DNA, such as retroviruses and parvoviruses, have been proposed as gene delivery vehicles.

Adenoviral vectors (AdV), for example, have a recognized potential for gene delivery, founded in their broad host range, robust growth in culture, and capacity to infect mitotically quiescent cells (Graham and Prevec, Manipulation of adenovirus vectors, p. 109-128, In E. J. Murray (ed.), Methods in Molecular Biology, vol. 7, Humana, Clifton, NJ, 1991; Trapnell and Gorziglia, Curr. Opin. Biotechnol. 5:617-625, 1994). AdV can be propagated in a helper cell line, 293, a human embryonic kidney cell line transformed by adenovirus type 5 (Graham et al., J. Gen. Virol. 36:59-72, 1994). 293 cells express the viral E1 gene products (E1a and E1b) that are the master regulatory proteins for subsequent viral gene expression. E1 deleted viruses can propagate in 293 cells, but not in other cells. Although it would be expected that E1 deleted viruses lack the machinery to express viral genes, several studies have demonstrated that cellular E1like components can stimulate viral gene expression (Imperiale et al., Mol. Cell. Biol. 4:867-74, 1984; Onclercq et al., J. Virol. 62:4533-7,1988; Spergel et al., J. Virol. 66:1021-30, 1992). The expression of these viral genes results in the relatively rapid elimination of transduced cells in vivo as a result of cytotoxic T cell responses (Yang et al., Immunity 1:433-42, 1994;. Yang et al., Gene Ther. 3:137-44, 1996; Yang et al., J. Virol. 69:2004-15, 1995).

Thus attention has been focused on eliminating the remaining vestiges of viral expression. Viral genes that have been deleted for this purpose include the gene for E4 proteins (Armentano et al., Hum. Gene Ther. 6:1343-53, 1995; Kochanek et al., Proc.

Natl. Acad. Sci. USA 93:5731-6, 1996; and Yeh et al., J. Virol. 70:559-565, 1996), DNA binding protein (Engelhardt et al., Proc. Natl. Acad. Sci. USA 21:6196-6200, 1994; and Gorziglia et al., J. Virol. 70:4173-8, 1996), DNA polymerase (Amalfitano et al., J. Virol. 72:926-33, 1998), and the preterminal protein (Schaack et al., Proc. Natl. Acad. Sci. USA 93:14686-91, 1996). The most aggressive approach has been the creation of helper virus-dependent vectors that lack all viral genes (Hardy et al., J. Virol. 71:1842-9, 1997; Kochanek et al., Proc. Natl. Acad. Sci. USA 93:5731-6, 1996; Lieber et al., J. Virol. 70:8944-60, 1996; Mitani et al., Proc. Natl. Acad. Sci. USA 92:3854-8, 1995; and Parks et al., Proc. Natl. Acad. Sci. USA 93:13565-13570, 1996). These vectors have high capacity, evoke reduced cellular immune responses and show prolonged expression *in vivo* (Morsy et al., Proc. Natl. Acad. Sci. USA 95:7866-71, 1998). However to deploy these viruses on the scale required for human clinical application presents major challenges because a cesium chloride (CsCl) gradient is needed to remove the helper virus.

15

20

25

30

10

5

Summary of the Invention

In one aspect, the invention features a replicatable viral DNA vector encoding a site-specific DNA-altering enzyme and a DNA target recognized by said enzyme, said enzyme selectively converting, in a cell expressing said enzyme, said DNA vector to a rearranged form.

In preferred embodiments, the rearranged form includes an autonomously replicating episome and a linear DNA product. In other preferred embodiments, the vector comprises adenoviral DNA.

In yet other preferred embodiments, the vector includes a genetically-engineered recombination site (such as a target of Cre or FLP). Preferably, such a recombination site includes a recognition sequence of a site-specific DNA altering enzyme.

In another preferred embodiment, the site-specific DNA altering enzyme is a recombinase (such as Cre or FLP) or an integrase. Preferably, such an enzyme is functional in a mammalian cell. Preferred embodiments of the vector also include an origin of replication that functions in a mammalian cell (such as an Epstein Barr Virus replicon). Moreover, the vector typically includes a gene of interest (such as a therapeutic gene that encodes a protein or polypeptide or an RNA product).

5

10

15

20

25

30

In another aspect, the invention features a method for assembling a recombinant adenoviral DNA. The method, in general, includes the steps of: (a) providing a first linearized DNA vector comprising a restriction site and a cos site and a second linearized DNA vector comprising the restriction site, an adenoviral nucleic acid molecule, and a cos site; and (b) ligating the first and second linearized DNA vectors, the ligation assembling a recombinant adenoviral DNA.

In preferred embodiments, the first linearized DNA vector comprises a selectable marker (such as a gene encoding a polypeptide that confers, on a host cell expressing such a polypeptide, resistance to an antibiotic). In other preferred embodiments, the first linearized DNA vector includes an adenoviral left-end inverted terminal repeat; a gene of interest; or both. In still other preferred embodiments, the second linearized DNA vector includes a selectable marker. Preferably, the second linearized DNA vector includes an adenoviral right-end inverted terminal repeat.

The method further includes packaging the assembled adenoviral DNA into a phage and infecting a host cell. Typically the first and second linearized DNAs include cosmid vector DNA. In addition, such adenoviral DNA is typically flanked by cleavage sites (such as intron endonuclease cleavage sites).

In another aspect, the invention features an adenovirus producer cell having a nucleic acid molecule that expresses a dominant negative site-specific DNA-altering enzyme. In preferred embodiments, the site-specific DNA altering enzyme is a dominant negative recombinase (for example, a Cre recombinase such as CreY324C or a Flp recombinase). Exemplary adenovirus producer cells include, without limitation, 293 human embryonic kidney cells, per.C6 cells, and N52 cells.

In yet another aspect, the invention features a vector comprising, in the 5' to 3' direction, a first genetically engineered *cis*-acting target recognized by a site-specific DNA altering enzyme; a gene of interest; a lineage-specific gene promoter; a second genetically engineered *cis*- acting target recognized by a site-specific DNA altering enzyme; and a nucleic acid molecule encoding a site-specific DNA altering enzyme.

In still another aspect, the invention features a vector including, in the 5' to 3' direction, a first genetically engineered *cis*-acting target recognized by a site-specific DNA altering enzyme; a gene of interest; a bi-directional promoter, comprising a second genetically engineered *cis*-acting target recognized by a site-specific DNA altering enzyme; and a nucleic acid molecule encoding a site-specific DNA altering enzyme.

5

10

15

20

25

30

In related aspects, the invention features a method of gene therapy including the administration to a patient in need of gene therapy a therapeutically effective amount of the vector of the invention, which is expressed in the patient. The invention further relates to a population of cells transfected with the vector of the invention.

Accordingly, the invention further relates to the use of a recombinant viral vector or use of a recombinant viral particle for gene therapy. Such vectors and viral particles may be introduced either *in vitro* into a host cell removed from the patient, or directly *in vivo*, into the body to be treated, according to standard methods known in the art.

The invention also relates to a pharmaceutical composition that includes a therapeutically effective amount of a recombinant viral vector or viral particle prepared according to the methods disclosed herein, in combination with a vehicle that is acceptable from a pharmaceutical standpoint. Such a pharmaceutical composition may be prepared according to the techniques commonly employed and administered by any known administration route, for example systemically (in particular, by intravenous, intratracheal, intraperitoneal, intramuscular, subcutaneous, intratumoral, or intracranial routes) or by aerosolization or intrapulmonary administration.

One skilled in the art will appreciate that suitable methods of administering a vector (particularly an adenoviral vector) of the present invention to an animal for purposes of gene therapy, chemotherapy, and vaccination are available, and, although more than one route can be used for administration, one particular route may provide a more immediate and more effective reaction than another. Pharmaceutically acceptable excipients also are well known to those who are skilled in the art, and are readily available. The choice of excipient will be determined, in part, by the particular method used to administer the recombinant vector or particle. Accordingly, there are a wide variety of suitable formulations for use in the context of the present invention.

By "recombinant DNA vector" is meant a DNA sequence containing a desired sequence (such as a gene of interest) and an appropriate regulatory element(s) necessary for the expression of the operably linked sequence in a particular host organism (such as a mammal).

By "operably linked" is meant that a gene and a regulatory element(s) are connected to permit gene expression when the appropriate molecules (for example, transcriptional activator proteins) are bound to the regulatory sequence(s).

By "regulatory element" is meant a genetic element that controls some aspect of the expression of a nucleic acid sequence. For example, a promoter is a regulatory element that facilitates the initiation of transcription of an operably linked coding region. Other genetic regulatory elements include, without limitation, splicing signals, polyadenylation signals, and termination signals. For example, transcriptional regulatory elements in eukaryotes include promoter and enhancer elements. Promoters and enhancers include arrays of DNA sequences that interact directly or indirectly with cellular proteins involved in transcription. Promoter and enhancer elements have been isolated from a variety of eukaryotic sources including genes in mammalian cells and viruses.

5

10

15

20

25

30

By "transfection" is meant the introduction of foreign DNA into eukaryotic cells. Transfection is typically accomplished by a variety of means known in the art including, without limitation, calcium phosphate-DNA co-precipitation, DEAE-dextran-mediated transfection, electroporation, microinjection, liposome fusion, lipofection, protoplast fusion, and biolistics.

By "stably transfected" is meant the introduction of foreign DNA into the genome of the transfected cell. In general, transfer and expression of transgenes in mammalian cells are now routine practices to those skilled in the art, and have become major tools to carry out gene expression studies and to generate vectors useful in gene therapy.

By "gene of interest" is meant a gene inserted into a vector whose expression is desired in a host cell. Genes of interest include, without limitation, genes having therapeutic value, as well as reporter genes. A variety of such genes are useful in the invention, including genes of interest encoding a protein, which provides a therapeutic function. In addition, the gene of interest, if a therapeutic gene, can render its effect at the level of RNA, for instance, by encoding an antisense message or ribozyme, a protein which affects splicing or 3' processing (e.g., polyadenylation), or it can encode a protein which acts by affecting the level of expression of another gene within the cell (i.e., where gene expression is broadly considered to include all steps from initiation of transcription through production of a processed protein), for example, by mediating an altered rate of mRNA accumulation, an alteration of mRNA transport, and/or a change in post-transcriptional regulation.

By "reporter gene" is meant a gene sequence that encodes a reporter molecule (including an enzyme). A "reporter molecule" is detectable in any detection system, including, but not limited to, enzyme (e.g., ELISA, as well as enzyme-based histochemical assays), fluorescent, radioactive, and luminescent systems. Exemplary reporter gene systems include the *E. coli* beta-galactosidase or glucuronidase genes, green fluorescent protein (GFP), blue fluorescent protein (BFP), the human placental alkaline phosphatase gene, the chloramphenicol acetyltransferase (CAT) gene; other reporter genes are known in the art and may be employed as desired.

By "transgene" is meant any piece of DNA, which is inserted by artifice into a cell, and becomes part of the genome of the organism, which develops from that cell. Such a transgene may include a gene that is partly or entirely heterologous (i.e., foreign) to the transgenic organism, or may represent a gene homologous to an endogenous gene of the organism.

10

15

20

25

30

By "transgenic" is meant any cell that includes a DNA sequence, which is inserted by artifice into a cell and becomes part of the genome of the organism, which develops from that cell.

By "polypeptide" is meant any chain of amino acids, regardless of length or post-translational modification (for example, glycosylation or phosphorylation).

By "derived from" is meant isolated from or having the sequence of a naturally occurring sequence (e.g., a cDNA, genomic DNA, synthetic, or combination thereof).

By "nucleic acid" is meant a polynucleotide (DNA or RNA).

By "gene" is meant any nucleic acid sequence coding for a protein or an RNA molecule.

By "gene product" is meant either an untranslated RNA molecule transcribed from a given gene or coding sequence (such as, mRNA or antisense RNA) or the polypeptide chain translated from the mRNA molecule transcribed from the given gene or coding sequence. Nucleic acids according to the invention can be wholly or partially synthetically made, can comprise genomic or complementary DNA (cDNA) sequences, or can be provided in the form of either DNA or RNA.

The presently claimed invention affords a number of advantages. For example, applicants' gene therapy vehicles particularly those based on recombinant adenoviruses, minimize the propensity of the vectors to activate host immune surveillance, and thereby maximize the persistence for the DNA transduced. The invention therefore facilitates

5

10

15

20

25

30

the development of gene delivery vectors designed to enhance persistence of virally delivered genes and evade the cellular immune response by severing the connection between the sole adenoviral enhancer and the sequences encoding potentially antigenic viral proteins.

As described in more detail below, the mechanism by which this is accomplished differs significantly from any other previous approaches. For example, to reduce the immunogenicity of vectors it is widely acknowledged that some intervention, such as the removal of key genes, or the prevention of their expression in the cells targeted for therapy, is important; however, many related approaches are directed at the host and have generally focused on the selective induction of tolerance to adenoviral antigens, or similar strategies directed at inducing a temporally restricted or antigen-specific compromise of the immune system.

In addition, the poor persistence of transduced DNA appears to be due in part to immunological rejection of transduced cells and to the inability of the viral DNA to replicate, a feature generally inherent in the design of adenoviral vectors, but one which is not associated with applicants' claimed gene therapy vehicles.

Moreover, some contemporary adenoviral vectors are designed to propagate in specific host cells which provide essential replication factors *in trans*. These vectors are typically based on cell lines which express the master regulatory proteins of the E1 complex, which are required for induction of adenoviral DNA replication. In cells expressing E1 genes, the best studied of which is a human embryonic kidney cell line transformed by DNA from human adenovirus 5 (called HEK293, or simply 293), viruses lacking E1 genes propagate well. Such viruses do not propagate on cell lines which do not express E1, and do not generally propagate well in the target cells to which the therapeutic gene is to be delivered. Cells transduced with E1-deleted adenovirus vectors also do not express high levels of viral genes in the absence of E1. However, the weak residual expression that remains in such vectors appears to be sufficient to induce cellular immune responses that contribute to the destruction of the transduced cells.

In addition, the gene therapy vectors claimed herein are hybrid vectors capable of self-rearrangement to form circular and linear DNA products. The linear DNA has a compromised ability to express adenoviral genes, and therefore has a lower immunological profile. And the circular DNA behaves like a mammalian plasmid, encoding the gene of interest and persisting by autonomous replication in the nucleus.

5

10

15

20

25

30

For example, the circularization of an adenoviral vector via the action of Cre recombinase beneficially places a gene of interest (for example, a therapeutic gene) on a self-replicating episome. Vector circularization occurs in a tissue-targeted manner, for example, as a result of the activation of a synthetic liver-specific promoter upstream of the recombinase Cre. Once circularized, the EBV replicon in the episome confers improved persistence on the therapeutic gene as detected by reporter gene expression and direct assay for the presence of vector DNA sequences.

Furthermore, the invention eliminates the requirement for a helper virus, thus avoiding two potential limitations of that system. First, the continuous expression of Cre recombinase may lead to toxicity in host cells, either as a direct consequence of the protein's activity or via its immunogenicity. Second, the Cre helper virus may itself produce antigenic viral proteins that contribute to the immunologic elimination of infected host cells. In contrast, the self-resolving adenovirus/EBV vector system disclosed herein advantageously provides no alternative source of viral proteins, and Cre expression is terminated upon rearrangement.

In addition, the invention described herein provides tools for analyzing the roles of the enhancer in viral gene regulation and virus growth.

The invention also provides a convenient general system for creating recombinant adenoviruses, which increase their attractiveness as gene transduction tools for basic research. The system, for example, employs two conventional plasmid vectors and a λ phage packaging step. The entire recombinant AdV genome is assembled into a single cosmid that is easily amplified in E.coli. The use of intron endonuclease recognition sequences flanking the ITRs enhances virus production while simplifying insertion of therapeutic gene sequences into the pLEP shuttle plasmid. The convenience of this vector system has facilitated the construction of over two hundred recombinant viruses to date.

Other embodiments and advantages of the invention will be apparent from the detailed description thereof, and from the claims.

Brief Description of the Drawings

FIGURE 1A is a schematic diagram of the structure of an adenoviral type A vector and its fate in a target cell. enh refers to the Ad2 enhancer; GFP refers to the marker gene green fluorescent protein; EBV refers to the Epstein Barr Virus replicon;

5

10

15

20

25

30

TetO₇ refers to a heptamer of Tet operator; TetR refers to the Tet repressor; VP16 refers to the viral protein 16 of Herpes simplex virus, SD refers to the splice donor site; and SA refers to the splice acceptor site.

FIGURE 1B is a schematic diagram of the structure of an adenoviral type B vector and its fate in a target cell. enh refers to the Ad2 enhancer; GFP refers to the marker gene green fluorescent protein; EBV refers to the Epstein Barr Virus replicon; SD refers to the splice donor site; and SA refers to the splice acceptor site.

FIGURE 2A shows a schematic diagram of the pLEP cosmid polylinker region and its position relative to the adenoviral left ITR. The adenovirus enhancer/packaging sequence (ψ) is boxed.

FIGURE 2B is a schematic diagram showing the generation of a single cosmid encoding the AdV genome by the direct ligation of two smaller plasmids. A gene expression unit, CMVGFP, was inserted into the pLEP cosmid at the polylinker region. pLEP and pREP cosmids were digested with an intron endonuclease (PI-PspI), ligated, and packaged *in vitro* to generate pAd2CMVGFP. This DNA was then digested with another intron endonuclease (I-CeuI) to expose the ITRs at both ends of the viral genome. Finally, cosmid digestion mixtures were transfected into 293 cells. Plaques generated by recombinant viruses are detected in 7-10 days.

FIGURE 3A shows the restriction analysis of cosmids carrying the full length AdV DNA showing uniform generation of the desired vector DNA. 2 μ g DNA samples from four pAd2-7CMVGFP colonies were digested with Bgl II, resolved on a 1% agarose gel and stained with ethidium bromide. The predicted sizes of the DNA fragments are: 13261, 7684, 5228, 5088, 2284, 1757, 1549, 1270, 351, and 275 base pairs (bp). The 5228 and 5088 fragments appear as a doublet, and the 351 and 275 bp fragments are too small to be seen on the gel.

FIGURE 3B shows the release of the recombinant Ad DNA from cosmids by I-CeuI digestion. 2 μ g of pAd2-7CMV DNA from two clones was digested with I-CeuI. Arrows indicated the position of the released recombinant AdV DNA and the vector fragments of approximately 35 kb and 5 kb, respectively.

FIGURE 4A shows the appearance of plaques in 293 cells transfected with 10 μ g of pIAdGFPB with no ITR exposed (undigested), one ITR exposed (BsaBI or I-CeuI), or both ITRs exposed (BsaBI plus I-CeuI). Values represent the mean plaque counts per

5

25

30

dish and the time required for plaque development in 293 cells from three separate experiments. "I" designates I-CeuI; and "B" designates Bsa BI.

FIGURE 4B shows the viral titers obtained from plaques that were allowed to grow over 10 days after transfection. Viruses were harvested and the titer of each virus stock was determined by a GFP based semi-quantitative titration procedure described herein. Values represent the mean ± SE of three independent determinations.

FIGURE 5 is a schematic diagram showing a linear AdV that resolves into a circular episome. The elements involved in the self-directed rearrangement of the vector are shown schematically in pLEP1BHCRGFP/EBV and in the corresponding AdV. 10 Starting from the left ITR, the elements are shown as following sequence: left ITR, 147 bp; first 34 bp loxP site; 185 bp enhancer/packaging signal; 64 bp splicing acceptor (SA) from EF1 a gene first intron; 720 bp GFP cDNA; 230 bp SV40 poly(A); 1.7 kb TK-EBNA-1/OriP; 970 bp HCR12 promoter; 1 kb EF1α gene first intron containing splicing donor (SD) and acceptor (SA) sites with the second loxP site inserted at 64 bp upstream 15 of the 3'end; 1.2 kb Cre gene tagged with AU1 and a nuclear localization signal; ~120bp poly(A) signal and PI-PspI site. After infection of liver cells, the HCR12 promoter drives the expression of Cre which results in the cleavage of the two loxP sites. This results in the circularization of the fragment containing the EBV replicon. The excision severs the connection between the enhancer/packaging signals and the remainder of the AdV genome. The Cre gene becomes promoterless and is left on the AdV genome 20 fragment. After excision, the HCR12 promoter drives the expression of the GFP reporter gene. The EBV replicon maintains the excised circle as an episome in host cells.

FIGURE 6A is a schematic representation of the loxP sites and EBNA-1 locations in the AdV genome. The relevant Bgl II site is also shown.

FIGURE 6B shows the time course of rearrangement in HepG2 and Hela cells at an equal multiplicity of infection (moi) of 1,000 particles per cell. Cells were infected with Ad2HCRGFP/EBV viruses for 2 hours at 37 °C. Hirt DNA samples were extracted from the cells. ~5 μ g of Hirt DNA samples were digested with Bgl II, fractionated on a 1% agarose gel, and analyzed by Southern blot techniques using a ³²P-labeled EBNA-1 fragment as the hybridization probe.

5

10

15

20

25

30

FIGURE 6C shows the DNA blot results obtained from Hela cells infected at a moi of 10,000; and HepG2 at 1,000. The upper bands (4915 bp) represent the circularized DNA fragments whereas the lower bands (3162 bp) represent the non-circularized AdV.

FIGURE 7A shows green fluorescent protein (GFP) expression in liver and non-liver cells infected with the Ad2HCRGFP/EBV viruses. Cells were cultured in 35 mm dishes and infected with the Ad2HCRGFP/EBV virus at desired moi. HepG2 cells were infected with 1,000 particles per cell, whereas Hela cells were infected with a moi of 10,000. GFP expression was examined at the indicated time points after infection. Fluorescent cells were photographed using an Olympus SC35mm camera mounted on an Olympus IX70 fluorescent microscope, at 200x magnification, using a filter with peak

FIGURE 7B shows the expression of GFP in HepG2, Hela, A431, and HT29 cells. Cells were seeded in 35 mm dishes and infected with the Ad2HCRGFP/EBV virus at a moi of 10,000 particles per cell. GFP expression was examined at 72 hours after infection.

excitation and emission wavelengths of 450 nm and 510 nm, respectively.

FIGURE 7C shows the expression of GFP in human primary hepatocytes. These cells were photographed under bright field (left) and fluorescent conditions (right).

FIGURE 8A shows the results of RT-PCR that was performed to detect the tripartite leader sequence (upper panel) for virus late gene expression; and PCR was performed in the DNA samples for detection of the AdV genomes. The specific target sequences are described in detail *infra*. PCR analyses of adenovirus late gene expression in cells infected with the first generation AdVs or the self-resolving Ad2HCRGFP/EBV was analyzed. HepG2 cells were cultured in 35 mm dishes and infected with increasing moi (0, 10, 100, 1000, 10,000, and 100,000) of adenoviral vectors. RNA and DNA were isolated in parallel from the cells at 72 hours after infection.

FIGURE 8B shows a summary of quantitative RT-PCR and PCR results. Each determinant was the average of three experiments.

FIGURE 9A is a schematic diagram depicting the deletion analysis of the OriP and EBNA-1 regions of the EBV replicon. Structures of the deletions in EBNA-1 and OriP are schematically represented. Elements considered important for episomal maintenance are indicated. FR refers to the family of repeats; DS designates the region

of dyad symmetry; LR1 refers to the so-called linker region 1; GA refers to gly-ala repeats; LR2 refers to linker region 2; and Dimerization designates the dimerization domain.

FIGURE 9B is a graph depicting fractions of GFP positive cells carrying the EBV replicons represented in Figure 9A.

5

10

15

20

25

30

FIGURE 10A shows the positions and identities of Cre mutants tested for their dominant negative Cre activities.

FIGURE 10B is a schematic diagram of the substrate Cre plasmid (ad2239) used to test dominant negative functions of Cre mutants.

FIGURE 10C shows GFP expression in cells cotransfected with the substrate Cre plasmid (ad2239) and the indicated Cre mutants.

FIGURES 10D and 10E show Cre mutants tested for their ability to inhibit rearrangement. Only those showing the strongest inhibitory activities were retested in Fig. 10E. GFP intensity was normalized to that of cells in the absence of inhibition.

FIGURE 11 shows GFP expression in 293 TetON cells and #17 cells transfected with ad2239. The ability of #17 cells to inhibit Cre activity is demonstrated by the weak \cdot GFP signal in cells treated with 2 μ M doxycycline.

FIGURE 12 is a schematic diagram depicting the tetracycline mediated autoregulatory circuit.

FIGURES 13A and 13B show the effects of different basal elements on synthetic TetO promoter activity. FIGURE 13A shows a schematic diagram of the components of various auto-regulatory synthetic TetO promoters. FIGURE 13B shows a comparison of the strength of auto-regulatory synthetic TetO promoters bearing different basal elements, in the presence and absence of tetracycline, using GFP as a marker in HepG2 cells.

FIGURE 14 shows the structure of a Cre substrate plasmid (ad2265). The promoter, Ef1α, and the gene, BFP, are interrupted by two loxP sites, which can be joined by Cre-mediated recombination. PA stands for poly A; BFP for blue fluorescent protein.

FIGURES 15A and 15B show the estrogen regulation of Cre recombinase activity. 293 cells infected with type B virus, AD121.5, in which the Cre enzyme is fused with estrogen ligand binding domain at both the N- and C-termini were cultured in the presence or absence of 1 μ M estrogen. Cre-mediated rearrangement in the presence

of estrogen is shown in Figure 15A, whereas blot analysis of extrachromosomal DNA from the same cells is shown in Figure 15B. L represents the position corresponding to the unrearranged adenoviral DNA; and C represents the position corresponding to the circular form of DNA.

FIGURE 16 shows the rearrangement of adenoviral sequences *in vivo*. Extrachromosomal DNA from the livers of Rag-2 mice sacrificed 2.5 hrs post injection of type A adenovirus, AD102.7, was analyzed by DNA blot. L represents the size corresponding to linear adenoviral DNA; and C represents the size corresponding to rearranged circular DNA.

FIGURE 17 is a photomicrograph depicting high level GFP expression in Rag2 mouse hepatic tissues 48 hrs post type A adenovirus (AD102.7) injection.

FIGURE 18A and 18B show schematic diagrams of the structures of adenoviral vectors and their fates in target cells. enh refers to Ad2 enhancer; GFP refers to green fluorescent protein; EBV refers to Epstein Barr Virus replicon; TetO₇ refers to heptamer of Tet operator; TetR refers to Tet repressor; VP16 refers to transcriptional activator domain from HSV protein 16; SD refers to splice donor site; and SA refers to splice acceptor site.

FIGURE 19A shows the structure of a FLP substrate plasmid, ad2879. The promoter, Ef1 α , and the gene, GFP, are interrupted by 2 FRT sites, which can be joined by the FLP-mediated recombination. PA stands for poly A; BFP for blue fluorescent protein.

FIGURE 19B shows the structure of a cre substrate plasmid, ad2204.

FIGURE 20 shows the structures of several FLPe anti-sense plasmids.

FIGURE 21 is a panel of photomicrographs showing inhibition of FLP enzyme activity by anti-sense FLP. 293 cells were transfected with FLP substrate (Figure 12) and plasmids indicated in each photo. High GFP intensity indicate the higher expression of FLP and less inhibition by the anti-sense expressed.

FIGURE 22 shows a schematic diagram of FRT/Cre and loxP/FLP adenovirus.

30

5

10

15

20

25

5

10

15

20

25

30

Detailed Description

Described herein are systems for the regulated self-rearrangement of DNA vectors, for example, gene therapy vectors. Such regulated self-rearrangement has the potential to prevent unwanted expression of vector genes not required for a therapeutic effect, and to allow the stable association of the therapeutic gene with the target cell.

The essential elements of the regulated DNA rearrangement system are a gene which encodes one or more proteins which induce DNA rearrangement, a method for regulating the activity of those proteins or their abundance, and a target DNA sequence on which those proteins act. Particularly desirable are methods for regulating the activity of the proteins or their abundance which can be easily carried out on an intact organism, such as administration or withdrawal of a drug, hormone, or environmental stimulus such as heat or irradiation, which induces the activity or abundance of the proteins which cause DNA rearrangement.

Especially desirable are regulated DNA rearrangement systems in which all of the components can be delivered in a single vector. An example of this is a virus which bears both the cis-acting sequences for DNA rearrangement as well as the protein or proteins which act on those sequences, and the regulatory apparatus which controls the activity or abundance of those proteins. However, it is not necessary that the different elements be encoded in a single nucleic acid.

The important elements of this strategy are: the compromise of vector gene function by regulated rearrangement of DNA topology, the generation of plasmid circles from vector DNA in a regulated manner, and the removal of enhancer or promoter elements from the vector DNA by regulated excision. It is also important that the circular DNA generated by site-specific recombination possesses a mechanism for stable association with the host genome in some form, here conferred by the EBV replicon. In other embodiments, the circular DNA might possess the ability to direct its integration into the host chromosomes by a site-specific integration. Site-specific integration into the host chromosomes may also be generated by the action of a regulated site-specific recombinase on a linear template without passing through a circular intermediate.

Also described herein is one particular self-rearranging vector that begins as a hybrid adenovirus vector which is capable of converting itself into two unlinked molecules, a circular and a linear DNA. After this event the linear DNA product is deleted for two important cis-acting sequences: the packaging signals, which are

5

10

15

20

25

30

required for insertion of the viral DNA into the viral capsid, and the enhancer, which increases the expression of other promoters encoded in the viral DNA. The remaining linear DNA is thereby compromised in its ability to express adenoviral genes, endowing the vector with a lower immunological profile. The circular DNA generated by the excision event is a mammalian cell plasmid which has the capacity to persist by autonomous replication in the nucleus. This capacity is encoded in genetic elements derived from the Epstein Barr virus (EBV). A schematic diagram of such a vector is illustrated in Figure 5.

Epstein Barr virus is a human herpes virus which is the etiologic agent of infectious mononucleosis and which has been implicated in the genesis of Burkitt's lymphoma, a B cell neoplasm, and is thought to be a predisposing factor for some forms of nasopharyngeal carcinoma. Approximately 85% of the adult Western population has a persistent population of B cells which contain a circular latent form of the viralgenome, maintained in cells by the action of Epstein Barr Nuclear Antigen 1 (EBNA1), a DNA replication protein that acts on the viral latent phase origin of replication, OriP. EBNA1 in and of itself is not thought to promote neoplasia; current thinking places greater weight on the actions of the EBNA2 proteins and LMP, latent membrane protein, in the inception of EBV-associated neoplasm.

Mammalian cell plasmids have been created which bear the EBNA1 gene and OriP. In nonrodent cells, these plasmids persist by replication with each transit of the cell cycle. Multiple transcription units can be borne by these plasmids, allowing regulated expression of diverse gene products.

Preferred adenoviral vectors, shown in Figures 1A and 1B, are linear forms of an EBV plasmid flanked by loxP sites, cis-acting sequences required for site-specific recombination directed by the bacteriophage P1 cre protein. To prepare an adenovirus bearing both the cre protein and loxP sites, it is necessary to insure that the cre protein is not expressed while the vector is being propagated in 293 cells. To lower the immunological profile of the vector, it is also desirable that the cre protein not be expressed after the vector delivered its payload to the target cell and the cre protein performed its function.

To accomplish these objectives, two general approaches have been developed for the production of adenoviral chromosomes that circularize following the regulated expression of site-specific recombinases. In each case, the vector is engineered to allow

5

10

15

20

25

30

for the production of viruses in 293 cells, and to provide transitory expression of recombinase that induces rearrangement in target tissues. The major difference between the two strategies lies in the way the deinduction of recombinase is achieved.

In the first approach, adenoviral vectors are engineered to turn an activating transcription factor into a repressor upon chromosomal rearrangement. Vectors employing this approach are referred to herein as type A vectors (Figure 1A). In the second approach, the recombinase promoter is redirected following chromosomal rearrangement. Vectors utilizing the second approach are referred to as type B vectors (Figure 1B). In both cases a linear chromosome is converted to its circular episomal form and a resulting deleted linear form. The circular DNA contains an Epstein Barr virus (EBV) replicon, which allows synchronous replication of the episome with the host mitotic cycle (Reisman et al., Mol. Cell Biol. 8: 1822-32, 1985; Yates et al., Nature 313: 812-15, 1985). The linear DNA is deleted for the enhancer and E1 genes.

One self-regulated gene switch, employing the type A vector strategy, was designed based on the bacterial transposon Tn10 tetracycline repressor (tetR) gene. In its natural context, the tetR protein binds to specific sequences (tet operator sequences) upstream of a tetracycline resistance gene, preventing transcription of the gene unless tetracycline is present. To adapt this protein for eukaryotic gene regulation, a gene fusion is created between tetR and an active portion of a strong eukaryotic transcriptional activator, the herpes simplex virus VP16 protein. The fusion protein exerts its action on a synthetic promoter created by the insertion of multiple tet operator sequences upstream of a basal promoter element. This configuration allows high-level gene expression whenever the tetR-VP16 fusion protein binds to its cognate operator sequences. Because the tetR protein normally does not bind to its operator in the presence of tetracycline, the activity of this synthetic promoter is high in the absence of tetracycline and low in its presence.

One example of a type A vector is shown in Figure 1A. This self-regulated gene expression cassette, present in a hybrid adenovirus, consists of a bi-directional promoter element in which central tetR binding sites are flanked by divergently oriented basal promoter elements. In one direction the promoter directs the formation of a transcript encoding the cre protein; in the other direction, the promoter directs the formation of a tetR-VP16 fusion protein. The latter differs from the conventional version in bearing a loxP site between the tetR component and the VP16 component. When tetracycline is

present this gene switch is silent. As shown in Figure 1A, upon introduction into a target cell in the absence of tetracycline, the tetR-loxP-VP16 fusion protein is produced, stimulating further production of the fusion protein, and the cre protein. The cre protein then acts to promote site specific recombination between the loxP site in the tetR-loxP-VP16 coding sequences, and a distant loxP site. As a result of this recombination, the fusion protein coding sequence is disrupted so that the promoter no longer directs the formation of a tetR-loxP-VP16 fusion protein, but gives rise to an inert tetR-loxP-VP16 fusion protein for binding to the promoter upstream elements, thereby extinguishing promoter activity.

As shown in Figure 1A, the excised circular DNA element contains at least two transcription units. In addition, other transcription units or internal ribosome entry site elements may be used to allow the coexpression of gene products which are useful for extending the persistence of the delivered DNA, regulating expression of the gene of interest, or providing for ablation of the transduced cells once their presence is no longer desirable. In addition, the linear DNA remaining after excision of the circular gene expression plasmid lacks both viral packaging sequences and the cis-acting enhancer. Within this linear DNA, additional loxP sites may be placed to provide for the rearrangement of the remaining vector DNA in the target cell, disrupting the normal topology of the genes, and further thwarting expression.

Using the type B vector design strategy, described in greater detail below, a recombinant adenoviral gene delivery system that is capable of undergoing growth phase-dependent site-specific recombination has also been constructed.

The following examples are presented for the purpose of illustrating, not limiting, the invention.

25

30

5

10

15

20

TYPE B VECTORS - EXPERIMENTAL RESULTS

Several experimental examples for constructing type B vectors and for carrying out the general approaches of the invention are now described below.

Two-Cosmid System for Efficient Construction of Recombinant AdV

To simplify and facilitate the generation of recombinant AdV, a system was established to assemble the desired AdV genome in a single plasmid by ligation (shown in Figures 2A, 2B). The system consists of two component vectors, a left end plasmid,

5

10

15

20

25

30

pLEP, and a right end plasmid, pREP. The left end Ad sequences (nt 1-376) in pLEP include the viral inverted terminal repeat, the cis-acting packaging sequences, and the viral enhancer. Nucleotide (nt) positions described herein refer to the wild type Ad2 sequence in GenBank (J019017). The Ad sequences are followed by the gene expression unit intended for delivery and an intron endonuclease (PI-PspI) cleavage site. The right end plasmid contains a PI-PspI site followed by the Ad2 genome from the end of the E1 locus rightward (nt 3527-35937).

pLEP is a small tractable vector for cloning, whereas pREP is much larger and contains less frequently manipulated genes. Both pLEP and pREP contain a bacteriophage λ cos site, oriented to generate a single cosmid of appropriate length for *in vitro* packaging following ligation of the two plasmids at the PI-PspI cleavage site. pLEP is tetracycline resistant (Tet^r) and pREP is ampicillin (Amp^r) resistant, allowing the recombinants to be selectively isolated by co-selection for both markers. In the resulting assembled cosmid, the adenoviral sequences are closely flanked by cleavage sites for the intron endonuclease I-CeuI. Digestion with I-CeuI liberates the entire recombinant AdV genome from the parent cosmid (see Figure 2B).

Three classes of pREP have been constructed to allow the preparation of AdVs bearing E1 (pREP7; SEQ ID NO.: 2), E1 and E3 (pREP8; SEQ ID NO.: 3), or E1, E3, and E4 (pREP12; SEQ ID NO.: 4) deletions. pREP7 (SEQ ID NO.: 2) contains nt 3527-35937 of the Ad2 genome, and pREP8 (SEQ ID NO.: 3) carries an additional deletion in the E3 region (Δ nt 27901-30841). pREP12 (SEQ ID NO.: 4) has deleted open reading frames (ORF) 1-4 of the E4 region (Δ nt 34121-35469, 1348 bp). AdV generated with these cosmids should be able to accommodate 5, 8, and 10 kb inserts, respectively.

These aforementioned vectors were constructed as follows. The EcoRI to BsaI fragment that spans the ampicillin resistance gene in pBR322 was deleted and replaced by a synthetic adapter, and the bacteriophage λ cos site was inserted between the unique StyI and BsmI sites. A PCR amplified Ad2 fragment containing the left end ITR (L.ITR), enhancer elements, and the encapsidation signal (nt 1-376) was created and inserted into the adapter (Figures 2A, 2B) to yield the tetracycline-resistant left-end plasmid pLEP. The right end of Ad2 from the AfIII site to the right end (nt 3527-35937) was assembled into an ampicillin resistant cosmid vector, pACKrr3 (SEQ ID NO.: 1), by multiple steps of PCR amplification and fragment interchange. The resultant cosmid

5

10

15

20

25

30

was termed pREP7 (SEQ ID NO.: 2). To expand vector capacity, two deletions were incorporated into the pREP7 (SEQ ID NO.: 2) cosmid, an E3 gene deletion (nt 27901-30841, 2840 bp); cosmid pREP8 (SEQ ID NO.: 3) and a 1.3 kb deletion (nt 34121-35469) in the E4 region of the Ad2 region; pREP12 (SEQ ID NO.: 4)

An example of the construction of an AdV carrying a CMV-GFP expression unit is outlined in Figure 2. pLEPCMVGFP (Tet^{r}) was digested with PI-PspI and ligated to the pREP7 (SEQ ID NO.: 2; Δ E1, Amp^{r}) digested with the same enzyme. The ligation mixture was packaged with λ phage extracts (MaxPlax lambda packaging extracts, Epicentre Technologies) and a fraction of the packaged phage was used to infect a recombination-deficient *E. coli* host, with selection for the assembled plasmid on Amp/Tet plates. Transductants containing pLEP fused to pREP were selected on agar containing 25 μ g/ml ampicillin and 12.5 μ g/ml tetracycline (Amp/Tet). Colonies were selected and DNA isolated (Qiagen). DNA was used either for restriction analysis or for transection of 293 cells as described herein.

Figure 3A shows typical results for the Bgl II digestion pattern of a pLEP3CMVGFP/pREP7 hybrid cosmid, pAd2-7CMVGFP DNA. Because of the size minimum (~40 kbp) for λ phage *in vitro* packaging and the double antibiotic selection, most of the colonies growing on Amp/Tet plates were the desired hybrid cosmids, and undesired rearrangements were rarely seen. In the present example, all four pAd2-7CMVGFP clones exhibited the digestion pattern predicted from the inferred sequence. The entire recombinant AdV genome was then released from the cosmid by I-CeuI digestion (Figure 3B). I-CeuI digestion leaves ten nucleotides to the left of the left ITR and eight nucleotides to the right of the right ITR. Short flanking sequences have been reported to be eliminated during replication of recombinant viruses after transfecting the DNA into 293 (human embryonic kidney) cells (Hanahan et al., Mol. Cell. Biol. 4:302-309, 1984).

The digestion reaction can be transfected into 293 cells without purification as follows. 293 cells, obtained from Microbix Bisosystems (Ontario, Canada), were cultured in 10 cm dishes in complete Dulbecco's Modified Eagle's Medium (DMEM) supplemented with 10% FBS, 2mM glutamine and penicillin/streptomycin (Gibco BRL), and maintained at 37 °C and 5% CO₂ atmosphere incubator. Cells were grown to ~50% confluence on the day of transfection. Ten μ g of cosmid DNA were digested with I-CeuI in a volume of 50 μ l. The reaction mixture was transfected into 293 cells by

5

10

15

20

25

30

calcium phosphate precipitation (Graham and Prevec, Manipulation of adenovirus vectors, p. 109-128, In E. J. Murray (ed.), Methods in Molecular Biology, vol. 7, Humana, Clifton, NJ, 1991) without purification. After transfection, cells were cultured and examined daily for the appearance of cytopathic effects (CPE). Virus propagation, purification, plaque assay, and viral DNA isolation were performed using established protocols (Graham and Prevec, supra). At day six post-transfection, 5-30 viral plaques/10 cm dish /10 μ g DNA were usually apparent, which compared favorably with the 30-50 plaques/10 cm dish /10 μ g DNA found for 293 cells transfected with purified wild type Ad2 DNA.

To compare the efficiency of recombinant virus production, similar viruses were also generated by homologous recombination. 20 μ g of pREP7 (SEQ ID NO.: 2) was co-transfected into 293 cells with 10 μ g of a plasmid encoding the left end of the adenoviral genome and a green fluorescent reporter gene (pLITREF1 α GFP). pLITREF1 α GFP contained the Ad2 left end nt 1-376, an EF1 α promoter/GFP expression unit and Ad2 sequence (from 3525-8120) that overlaps with the same sequence in pREP7 (SEQ ID NO.: 2). This overlap fragment served as the region for homologous recombination. Each co-transfection was performed in duplicate. Initial plaques took longer to appear (14 days post transfection) and were less abundant (0-3 plaques per plate).

Data in the literature suggest that exposed ITR ends favor efficient virus production (Hanahan et al., *supra*). To assess the importance of this effect, an AdV cosmid, pIAdEF1\aarta GFPB, in which the AdV ITRs were flanked with a different restriction site at each end was constructed. pIAdEF1\aarta GFPB DNA was digested with BsaBI to expose the right ITR, I-CeuI to expose the left ITR, or the two enzymes were used together to expose both ends. Digested cosmid DNA samples were transfected into 293 cells and plaques were allowed to develop. Virus propagation, purification, plaque assay, and viral DNA isolation were performed using established protocols described in Graham and Prevec. (Manipulation of adenovirus vectors, *In* E. J. Murray (ed.), Methods in Molecular Biology, vol. 7. Humana, Clifton, NJ., pp. 109-128, 1991).

Ten days after transfection the viruses were harvested and viral titers were determined. The average titer for the viral stocks (Figures 4A, 4B) was 1.3×10^4 pfu/ml from transfection with undigested DNA; 2.4×10^5 pfu/ml from BsaBI linearized DNA (free right ITR); 1.1×10^5 pfu/ml from I-CeuI linearized DNA (free left ITR); and 2.7×10^5

10⁶ pfu/ml for the BsaBI/I-CeuI double digested DNA (both ITRs free). Thus liberation of each end resulted in an approximate increase in the efficiency of generating virus by a factor of ten (Figures 4A, 4B).

5 Construction of an AdV Capable of Self-Rearrangement

10

15

20

25

30

One approach to attenuating adenoviral gene expression and improving transgene persistence is the creation of viruses capable of undergoing internal, self-directed rearrangement upon delivery to the target tissue. In principle, this objective can be achieved through the regulated expression of site-specific recombinases in vectors that contain the cis-acting target of recombinase action. To allow such vectors to be created, the recombinase activity must be suppressed during propagation in the packaging cell line. As described in more detail below, the use of a lineage-specific promoter to control recombinase expression has been successfully employed to achieve this end.

An example of this is shown in Figure 5. The expression of Cre recombinase was controlled by a liver-specific promoter constructed as follows. The human hepatic control region 1 and 2 (HCR1 and 2) of the ApoE/C gene locus (Allan et al., J. Biol. Chem. 270:26278-81, 1995; and Dang et al., J. Biol. Chem. 270:22577-85, 1995) were amplified by PCR using 293 cell genomic DNA as the template. The following primers were used to amplify both HCR1 and HCR2 fragment: HCRtop-

5'gcggaattcggcttggtgacttagagaacagag 3' (SEQ ID NO.:5); HCRbot – 5' gcgggatccttgaacccggaccctctcacacta 3' (SEQ ID NO.:6). The amplified PCR fragments (~0.39 kb) were cloned into pUC19. The HCR1 and HCR2 sequences were confirmed by dideoxy DNA sequencing. The two fragments were assembled in a head to tail orientation, fused with a synthetic basal TATA element and cloned in a parental pLEP vector containing a GFP reporter gene. The resultant plasmid was named pLEPHCR12GFP. The synthetic liver-specific, as demonstrated below, provided a means to control Cre recombinase expression during propagation of the vector in 293 cells, and allowed for testing the consequences of abstracting the enhancer from the linear vector DNA upon delivery of the DNA to the target cells.

In 293 cells, this promoter is silent, allowing the viral chromosome to be propagated with minimal rearrangement. Any rearranged viruses that are formed lack packaging signals and so disappear from the pool of propagating vectors. In liver cells the Cre recombinase is induced by the action of the tissue-specific promoter. The

5

10

15

20

25

30

resulting Cre-induced recombination excises a circular episome and redirects the transcriptional output of the liver-specific promoter so that it directs the synthesis of the transgene of interest. The remaining linear fragment consists of an adenoviral genome lacking the enhancer and packaging signals and a Cre expression unit devoid of promoter sequences.

In the form discussed here, one loxP site is located at nucleotide 147 of the Ad2 genome, between the left ITR and the enhancer/packaging sequences, and the second loxP site is placed inside an intron a few bases upstream of the splice acceptor sequence. Hence the loxP site does not appear in the resulting mature transcript. The Cre coding sequence that remains on the right end linear fragment after rearrangement lies downstream from a splice acceptor that lacks a splice donor or upstream promoter sequences. This effectively terminates the expression of Cre following excision.

Prior to recombination, the Cre recombinase gene is under the control of a synthetic promoter (referred to as HCR12), consisting of hepatic locus control elements from the human ApoE/C locus fused to the first intron of the human EF1α gene. After cyclization the HCR12 promoter lies upstream of the transgene (in this case GFP) and the distal segment of the intron (beyond the loxP site) contains the adenoviral enhancer. To facilitate manipulation of the plasmids in *E. coli*, the human IgG1 hinge-CH2 intron (118 bp) was inserted in the Cre coding sequence at nucleotide 237, suppressing Cre expression in bacteria. The circularized episome contains the latent origin of replication (OriP) and trans-acting DNA replication protein (EBNA-1) of Epstein Barr virus, and hence is capable of autonomous replication in synchrony with the host mitotic cycle (Yates et al., Nature 313:812-815, 1985).

Using the two cosmid system described above, the pLEP plasmid containing the self-resolving components, pLEP1BHCR12, was ligated with pREP8 (SEQ ID NO.: 3; ΔΕ1ΔΕ3) to create pAdVHCRGFP/EBV. The latter was digested with I-CeuI and transfected into 293 cells. Appearance of plaques from AdVHCRGFP/EBV was retarded (by 8 days) compared to non-rearranging viruses, perhaps as a result of basal expression of the liver-specific promoter in 293 cells. However high titer viral stocks of 10¹² nominal (absorbance-determined) particles/ml was achieved.

Rearrangement in Target and Nontarget Cells

5

10

15

20

25

30

To test excision efficiency, HepG2 (hepatocellular carcinoma) and Hela (cervical carcinoma) cells, obtained from ATCC, were infected with virus at a multiplicity of infection (moi) of 1,000 nominal particles/cell. This titer corresponds to approximately 10 plaque forming units per cell. For these experiments, HepG2 and Hela cells were seeded in 35mm dishes and cultured to approximately 80% confluence in DMEM/FBS as described herein. Cells were infected with the desired multiplicity of virus in a volume of 1 ml at 37 °C for 2 hours. At the end of the incubation, cells were washed with PBS twice and cultured in 2 ml of medium. Cells were collected in parallel at desired points for low molecular weight DNA and RNA extraction. Cells were examined for GFP expression by fluorescence microscopy (Olympus, IX70) or microtiter plate reader (PerSeptive Biosystem, CytoFluor II) before extraction of DNA for analysis of chromosomal rearrangement.

DNA analysis of chromosomal rearrangement was performed as follows. $5 \mu g$ of Hirt DNA was digested with Bgl II and analyzed by DNA blot techniques using a labeled EBNA-1 gene fragment as probe (Figure 6). The Bgl II fragment from the non-circularized AdV is 3162 bp, generated from the 5'end of the AdV to the first BglII site in the AdV. The circularized fragment created from the two loxP sites has a size of 4915 bp (Figure 6A). Densitometry revealed that at 72 hours post infection, 95% or more of the input genomes had undergone circularization in HepG2 cells. In contrast, low but detectable levels of circularized fragment was visualized in Hela cells infected at the same time and at the same multiplicity of infection used for the HepG2 cells (Figure 6B).

At the time of infection (t=0, Figure 6B), the amount of input viral DNA detected by DNA blot was higher for HepG2 cells than for Hela cells when similar virus multiplicities were applied (moi of 1,000). This may reflect differences in AdV adsorption or infection efficiency between the two cell types, possibly as a result of the lower levels of coxsackievirus-adenovirus receptor on the Hela cells surface. To achieve similar viral genome input into HepG2 and Hela cells, Hela cells were infected with tenfold more virus (moi of ~10,000) than HepG2 cells (moi of 1,000). Episomal DNA samples were extracted and analyzed by blotting. The results (Figure 6C) indicated that when comparable amounts of viral genome are present in the nucleus, the cyclization rate in both cell types was similar. Because the level of subsequent GFP expression is

much higher in HepG2 cells than in HeLa cells (Figure 7A), it is likely that very small amounts of Cre recombinase suffice to promote rearrangement, and that recombinase expression is not limiting for rearrangement in either HepG2 or HeLa cells.

GFP expression cannot be detected until rearrangement has taken place, so the measurement of the fraction of GFP positive cells provided a simple alternate method for assessing the degree of productive rearrangement. Figure 7A shows that GFP expression developed quickly in transduced HepG2 cells, but that only a few GFP positive cells can be detected in Hela cells infected with a ten fold higher moi, conditions that allow circularization to a comparable extent to that seen in HepG2 cells (Figure 6C).

The HCR12 promoter specificity was also tested by infecting two additional non-hepatic cell lines, A431 (human epidermoid carcinoma) and HT29 (human colon adenocarcinoma), with the Ad2HCRGFP/EBV vector. Both cell lines were obtained from ATCC and cultured using DMEM/FBS as described herein. A few cells, with weak GFP signal, were detected at 72 hours after infection in these cells (Figure 7B). In contrast, these non-hepatic cells could be infected efficiently with a first generation AdV, Ad2CMVGFP virus (data not shown), indicating that the low GFP signal was not due to the low infectivity of these cells by AdV.

To further assess the utility of the AdV genome rearrangement, primary human hepatocytes were infected with the Ad2HCRGFP/EBV vector. For these experiments, primary human hepatocytes, generously provided by Dr. Albert Edge (Diacrin, Inc., Charlestown, MA) were isolated and cultured as described by Gunsalus et al. (Nat. Med. 3:48-53, 1997), infected with adenovirus, and GFP expression was analyzed. As shown in Figure 7C, GFP expression was readily detected 72 hours after infection.

25

30

20

5

10

15

Diminished Viral Gene Expression in Rearranged AdV

After excision, the adenovirus major enhancer/packaging signal segregates with the episomal DNA, yielding a linear fragment containing the remainder of the AdV genome without this important cis-element (Figure 5). To assess the impact of enhancer deletion, PCR amplification and quantitative RT-PCR measurement of late viral gene expression was performed as follows.

Four μg of total RNA was reverse transcribed into cDNA using M-MLV RT by a standard protocol (Promega). 1 μl of the cDNA from each sample was used in subsequent PCR reactions. PCR primers were designed to amplify the tripartite leader sequence of the adenovirus late genes: TPL1 - 5' act ctc ttc cgc atc gct gt 3' (SEQ ID NO.: 7) and TPL2 - 5' ctt gcg act gtg act ggt tag 3' (SEQ ID NO.:8). For detection of the AdV genome in the Hirt DNA samples, 1 μg DNA was employed in the PCR amplification using the following primers which are specific for the adenovirus DNA in the fiber gene: Fiber1 - 5' ccg cac cca cta tct tca ta 3' (SEQ ID NO.: 9) and Fiber2- 5' ggt gtc caa agg ttc gga ga 3' (SEQ ID NO.: 10). PCR reactions were performed as 95 °C 30 seconds; 54 °C 30 seconds; 72 °C 30 seconds for 30 cycles. All amplified products were analyzed on a 2% agarose gel.

For quantitative PCR, a molecular beacon based universal amplification and detection system was used (Intergen). A common leading sequence (Z sequence, 5' act gaa cct gac cgt aca 3') was added to the TPL1 and Fiber1 primers. The TPL2 and Fiber2 primers, described above, were used in the quantitative PCR reactions. 1 µl of the cDNA and one µg of Hirt DNA from each sample were used in the assay. The PCR were carried out in a 96-well spectrofluorometric thermal cycler (Applied Biosystems Prism 7700). The number of template molecules in the PCR reaction was calculated from the standard curve using linearized plasmid as templates.

15

20

25

30

As most late adenoviral genes transcripts share a common ~200 bp tripartite leader sequence (TPL) (Akusjarvi and Persson, Nature 292:420-6, 1981), the TPL sequence was chosen as a marker of viral gene expression. HepG2 cells were infected with the first generation vectors Ad2CMVGFP and Ad2HCRGFP, or the self-resolving vector, Ad2HCRGFP/EBV, using increasing multiplicities of infection. Total cellular RNA and low molecular weight DNA were isolated in parallel as described by Hirt (J. Mol. Biol. 26:365-9, 1967) and total RNA was prepared using RNAzol solution (Tel-Test. Inc.). RT-PCR was performed to quantitate the amount of RNA encoding the TPL in the cDNA samples. PCR amplification of a 201 bp fiber gene fragment from the AdV genome was used to detect the amount of viral genome in the DNA samples. A representative result of three experiments is shown in Figure 8A. TPL sequences were detected, 72 hours post-infection, with either 100 or 1000 viruses infected per cell, using both of the first generation adenoviruses (upper panel).

5

10

15

20

25

30

In contrast, no TPL signal was detected in the self-resolving Ad2HCRGFP/EBV infected cells, even at a moi of 100,000/cell. PCR amplification of the AdV fiber gene revealed comparable levels of AdV genomic DNA in cells infected at comparable moi's. (Figure 8A, lower panel). The cDNA samples in which the TPL signals were detected were further analyzed by real-time fluorescence PCR. The corresponding genomic DNA samples were also analyzed to determine the number of AdV genomes present in each sample. The results are summarized in Figure 8B. There were approximately 1×10^4 TPL per 1×10^6 AdV genomes detected in the Ad2HCRGFP infected cells, but no detectable TPL in the self-resolving Ad2HCRGFP/EBV infected cells. These results indicate that adenoviral gene expression was dramatically reduced by the separation of the viral enhancer sequences occasioned by the re-arrangement of the self-resolving vector.

TYPE A AND TYPE B VECTORS - EXPERIMENTAL RESULTS

Additional experimental examples now follow that further illustrate the general approaches of the invention relating to using and constructing type A and type B vectors. For generating such adenoviral vectors, DNA sequences important for gene expression in the target tissue were placed between two loxP sites. The first loxP site was inserted between the Ad2 left-end inverted terminal repeat (ITR) and the enhancer sequence, replacing a BspLU11I and BstZ17 fragment of Ad2. A target gene expression cassette, comprising a promoter, a gene of interest, polyadenylation signals, the EBV replicon, and site specific recombinase expression unit were inserted in place of the E1 locus.

In type A adenoviral vectors, the second loxP site is placed between TetR and VP16, preserving the coding frame of both (Figure 1A). A bidirectional promoter in which a central heptamer of tetracycline operator sites (TetO) (Gossen and Bujard, Proc. Natl. Acad. Sci. USA 89:5547-5551, 1992) was flanked by two divergently oriented basal elements, directs the expression of TetR loxP VP16 from a synthetic TATA element, whereas Cre recombinase is controlled by the same heptamer of operator upstream of the HIV LTR basal element.

In the case of type B viruses (Figure 1B), the second loxP site was inserted in the first intron of the Ef1 α gene, which contains the transcription stimulating sequences described herein. In addition, a splice acceptor sequence was added to the 5' end of the coding sequence of the gene of interest. To avoid rearrangement during plasmid

construction in bacteria, the Cre recombinase coding sequence was interrupted by the addition of the human IgG1 hinge-CH2 intron (between amino acids Q78 and A79), as described herein.

5 Designing a Compact EBV Replicon

10

15

20

25

30

Most plasmids employing the EBV latent origin of replication exceed 10 kb in length. To provide a means for increasing the capacity of the recombinant adenoviral type A or type B vectors to accommodate a therapeutic gene, a compact EBV replicon having episomal stability was designed. To this end, deletions were generated in both the cis-acting origin of replication, OriP, and the sequences encoding the trans-acting replication protein, Epstein Barr virus nuclear antigen-1 (EBNA-1) (Figure 9A). Episomal persistence was assessed with a green fluorescent protein (GFP)-bearing test plasmid by determining the fraction of cells retaining green fluorescence as a function of time, assuming that the half-life of GFP, in daughter cells that have not received an episome as a result of segregation failure, is approximately 1.4 days (Fukumura et al., Cell 94:715-725, 1998).

EBNA-1 contains a central repeated structure that consists entirely of Gly and Ala residues, termed the GA repeats (Figure 9A). Although deletion of this structure has been reported to have little consequence, a deletion mutant consisting of both a short OriP and a short EBNA-1 (SoriP + SEBNA1) was generated and found not to support plasmid maintenance effectively (approximately 40% loss per cell division). A version of this mutant, reconstructed with 40 GA repeats, in which the short OriP was paired with a short EBNA-1 provided significantly better plasmid stability (20% loss per cell division vs. 10 % per cell division for the wild type) (Figure 9B). Since most target tissues are relatively quiescent mitotically, this level of segregation fidelity provides reasonable stability in a compact replicon.

Producing Cell Lines that Express Cre- or FLP-Dominant Negative Mutants

As discussed herein, one obstacle to creating adenovirus carrying both recombinase and target sites has been the difficulty of controlling recombinase activity during virus propagation. Since efficient recombinase activity is needed in target cells, recombinase activity is best tempered in the production cell line.

5

10

15

20

25

30

Vector-independent methods to suppress recombinase activity during the production phase are attractive because they allow vector design objectives to be pursued with fewer constraints. In principle, dominant negative recombinase mutants provide the desired antagonism of recombinase activity. Cell lines expressing such recombinase dominant negative mutants were produced as follows.

Dominant negative Cre mutants were selected from known point mutants (Wierzbicki et al., J. Mol. Biol. 195:785-794, 1987) that are defective in recombination function but are likely to retain dimerization function Figures 10A-E. Several mutants were screened for their abilities to inhibit Cre activity of a type B vector construct (ad2239 in Figure 10B) in a transient cotransfection assay. Under these conditions, Cre activity is detected by the expression of GFP that occurs upon rearrangement. Figures 10D and 10E show the point mutants that were assessed and their relative activities in the transient cotransfection assay. Dilution studies, in which increasing amounts of substrate/Cre plasmid were cotransfected with the mutant forms, were conducted and based on its favorable profile, one mutant recombinase, designated CreY324C, was chosen for further development (Figure 10D).

Strong constitutive expression of CreY324C, under control of the Ef1 α promoter failed to yield stable cell lines. Stable clones were obtained when the Ef1 α promoter was replaced with a tetracycline regulated promoter (Gossen et al., Science 268:1766-1769, 1995). Clones were then tested for the ability to inhibit Cre enzymatic activities, and one clone, designated cell line #17, was selected for additional experiments. When a plasmid bearing Cre and capable of undergoing Cre-directed rearrangement to create a GFP transcription unit (ad2239) was transfected to #17 cells or parental 293ON cells, GFP expression in the #17 cells in the presence of 2μ M doxycycline was significantly lower than those of controls (Figure 11), showing that Cre enzyme activity can be inhibited in #17 cells.

In addition to dominant negative Cre mutants, dominant negative FLP mutants may also be identified. FLP belongs to the same family of site-specific recombinases as Cre recombinase. A number of FLP mutations that show defects in either cleavage or ligation of FRT sites have been identified. Mutant FLP defective in cleaving FRT site (for example, H309L, L315P, G328R, G28E, N329D, S336Y, S336F, A339D, Y343F, and H345L) are generated using standard methods. Mutants that inhibit the wild type enzyme are then identified for generating stable cell lines according to the methods

described above. These and the other cell lines (described herein) are then used for producing FRT/FLP containing virus.

As mentioned above, difficulties creating stable cell lines expressing Cre dominant negative mutants were occasionally encountered. This difficulty is not limited to Cre mutants, but also to the wild-type Cre enzyme. In contrast, 293 cell lines stably expressing a thermostable FLP, referred to as FLPe (Buckholz et al., Nat. Biotechnol. 16:657-662, 1998), were created, suggesting that FLPe might not be as cytostatic as Cre protein. To demonstrate this, 293 cells were transfected with plasmids expressing either Cre or FLPe, and puromycin resistant colonies were selected. To generate stable cell lines expressing Cre or FLP mutants, 293 TetON cells were transfected with linearized plasmid expressing Cre or FLP mutants and puromycin acetyltransferase and selected with 1 µg/ml of puromycin. Puromycin resistant colonies were characterized further for their ability to inhibit Cre recombinase using the cre (ad2239) or flp (ad2879) substrate plasmids. Table 1 shows that there are more puromycin resistant colonies selected from FLPe transfected cells than from Cre transfected cells. From this result, it is expected that stable cell lines expressing a reasonably high level of dominant negative FLP may be readily created.

TABLE 1

20

15

5

10

<u>Puromycin Resistant Colonies Formed When Cre Expressing or FLPe Expressing</u> <u>Plasmid was Used to Transfect 293 Cells</u>

Expression Plasmid	Number of colonies (2 µg/ml puromycin)
Control	236
Cre	92
FLPe	127

25

30

Cre or Cre dominant negative mutants were also found to inhibit FLP activity (Table 2). Accordingly, cell lines such as cell line #17, that stably express a Cre dominant negative mutant (for example, CreY324C), are useful for producing FLP/FRT carrying adenovirus.

TABLE 2

Cre Inhibition of FLP Activity in trans

Plasmids	Arbitrary GFP intensity	
Ef1α FLP + FLP substrate + vector control	4.9	
Ef1 α FLP + FLP substrate + Ef1 α Cre	0.78	
Ef1α FLP + FLP substrate + Ef1α Cre R173C	2.23	

5

10

15

20

25

30

FLP enzyme activity was measured by the GFP intensity by cotransfecting with a FLP substrate plasmid, ad2879 (Figure 19A). GFP intensity was quantified using IP lab software.

Transcriptional Regulation of Cre or FLP Recombinases

It has been relatively difficult to achieve high-level promoter inducibility in a replicating adenovirus. The challenge is similar to that of achieving faithful control of transcription in a transient expression setting. One approach to increase the induction ratio in a transient setting is the use of auto-regulatory (feed-forward) circuits. One such system, based on tetracycline dependent activation, is shown in Figure 12. A central heptamer of tetracycline promoter operator sites (TetO sites) was placed between two divergently oriented basal TATA elements. The leftward TATA controls the expression of the TetR-VP16 fusion protein, in which a loxP (or FRT) site has been placed between the TetR DNA binding domain and the VP16 transcriptional activator. The rightward TATA box directs the synthesis of recombinase, either Cre or the yeast FLP enzyme. In the presence of tetracycline, the promoter has reduced activity in both directions. Upon removal of tetracycline, the synthesis of both TetR-VP16 and recombinase are induced (Figure 1A). The induced recombinase then disjoins the TetR DNA binding element from the transcriptional activation contributed by VP16. Any existing TetR-VP16 fusions thereafter promote transcription of TetR, which competes with TetR-VP16 for TetO, resulting in deinduction of recombinase transcription.

When a model target cell line, HepG2, was tested with this type of adenovirus, the efficiency of circularization was low relative to that seen in 293 cells (data not shown), indicating a cell dependence of the bidirectional TetO promoter. To correct this, the TATA element of the TetO synthetic promoter (derived from the CMV immediate early promoter) was replaced with that of the HIV LTR. Constructs bearing differing components of the HIV basal promoter were analyzed for strength and regulation in 293 and HepG2 cells (Figure 13A). Among the constructs tested, one

version bearing the HIV LTR TATA and Sp1 elements (D in Figure 13A) showed the least basal expression in 293 cells (data not shown) and the greatest induction in HepG2 cells (Figure 13B).

Using this promoter, a construct (ad3400) containing the autoregulatory structure D as shown in Figure 13A was engineered, and Cre activities in the presence and in the absence of tetracycline were assayed. Plasmid ad2265 (Figure 14) in which a blue fluorescent protein (BFP) expression unit is interrupted by two loxP sites and transcription termination sequences was used as a substrate for Cre. Cre-mediated recombination joins BFP to the promoter resulting in BFP expression. As shown in Table 3, no difference was found in the intensity of BFP expression, either in the presence or absence of tetracycline. One possible explanation for this is that very little Cre protein is required for activity. Consistent with this idea, standard imunohistochemical techniques failed to reveal the presence of Cre enzyme in cells that were fully induced (data not shown).

15

10

5

TABLE 3

Cre Recombinase Activity Regulation in Type A Constructs

20

Construct	Cre Form	+tet -tam	-tet -tam	+tet +tam	-tet +tam
ad3400	Cre	2.58	3.39	2.71	6.20
ad4394	Cre-LBD	0.081	0.22	0.056	1.02
ad4705	LBD-Cre-LBD	ND	ND	ND	ND

25

Cre enzyme activity was measured in the presence or absence of the ligands, tamoxifen, by cotransfecting with the substrate plasmid (ad2265). BFP intensity (mean intensity/area) was quantified by analyzing fluorescent images captured by a digital camera using IP lab software. ND, refers to fluorescent intensities that were too weak to measure. Tet, Tetracycline; tam, tamoxifen.

Deletion of the PolyA Consensus Sequence from Cre or FLP Transcription Units

30

35

To reduce the expression of FLP or Cre recombinase further, the consensus polyA addition signals from the Cre or FLP transcript unit were deleted from vector constructs, leaving polyadenylation dependent on distal downstream sequences, for example, in gene IX. The activity of Cre using type B proviral constructs with or without the polyA signal was measured. As shown Table 4, the construct without polyA signals (AD229.3) showed a significant reduction of GFP intensity compared to a

construct bearing the polyA signal (AD230.5). When FLPe constructs of similar structure were evaluated, similar results were found (data not shown). These data show that Cre and FLPe enzyme activity levels can be modulated by attenuating polyadenylation.

5

TABLE 4

Effect of Deleting polyA Addition Signal From the Cre Expression Unit on Cre Enzyme
Activity Level

10

15

20

25

30

	polyA	Relative GFP Intensity
AD229.3	-	0.25
AD230.5	+	1

Post-Transcriptional Regulation of Cre Recombinase Activity

Post-transcriptional control mechanisms of Cre recombinase activity were also evaluated. Translational fusions between Cre and the ligand binding domain (LBD) of estrogen receptor have been reported to be regulated by estrogen (Feil et al., Proc. Natl. Acad. Sci., U.S.A 93:10887-10890, 1996; Gossen et al., Proc. Natl. Acad. Sci., U.S.A. 89:5547-5551, 1994), or, in the case of mutant estrogen receptors (Metzger et al., Proc. Natl. Acad. Sci. U.S.A. 92:6991-6995, 1995), by the partial antagonist tamoxifen.

Use of a ligand-dependent recombinase (ad4394 in Table 3), in combination with the HIV LTR-based autoregulated Tet system, allowed for a small degree of regulation by tetracycline, but not by ligand, as assayed using the ad2265 rearrangement assay (Table 3). One interpretation of this finding is that fusion of the estrogen receptor LBD to Cre provides only modest control of recombinase activity, but attenuates enzyme potency to a level so that transcriptional regulation can be measured.

To increase control of recombinase activity, the LBD was fused both to the N-terminus and C-terminus of Cre (LBD-Cre-LBD) and inserted into the coding sequence of both type A and type B vectors. When the LBD-Cre-LBD construct of type A was transfected into 293 cells, it showed no significant Cre enzyme activity even in the presence of ligand (Table 3). This result confirmed that the Cre recombinase activity is attenuated by N-terminal or C-terminal extension.

When the LBD fusion Cre enzymes were assayed in the type B vector context, only LBD-Cre-LBD fusions (pk8-ad4626) showed ligand-dependent regulation of Cre enzyme activities (Table 5). It appears that attenuated Cre activity in LBD-Cre-LBD, in the absence of ligand, is low enough to fall below the upper limit of the Cre assay.

5

TABLE 5

Cre Enzyme Activities of Type B Provirus

Cre Form	Provirus	-tam	+tam
Cre	pk8-ad2239	ND	ND
Cre-LBD	pk8-ad4332	4.1	6
LBD-Cre-LBD	pk8-ad4626	0.05	4.2

10

Cre enzyme activity was measured in the presence or absence of the ligands, tamoxifen. GFP intensity was quantified using IP lab software. tam, tamoxifen.

15

Consistent with this notion, only the construct carrying two LBDs, pk8- ad4626, was able to produce virus (AD121.5) by transfection and propagate in 293 cells, while pk8-ad4332, which carried one LBD, produced virus (AD100.9) initially (following transfection of the cognate DNA) but was unable to propagate in 293 cells (Table 6). In the case of wild type Cre, no virus was produced in 293 cells by transfection.

TABLE 6

Production and Propagation of Type B Adenovirus

25

20

Cre Form	Type B adenovirus	Viral	Viral	Viral
		Production in	Propagation in	Propagation in
		293 cells	293 cells	#17 cells
Cre	Pack8-2239	-		1
Cre-LBD	AD100.9	+	-	+
	(Pack8-4332)			
LBD-Cre-LBD	AD121.5	+	+	
	(Pack8-4626)			+

30

The AD100.9 virus was able to propagate in #17 cells expressing the dominant negative Cre Y324C, demonstrating that modulation of Cre activity is important for viral production. Thus, adenovirus carrying both two loxP sites and Cre in two different configurations were generated by controlling Cre activity.

5

10

15

20

25

30

Viral Rearrangement in Culture

Cre/loxP mediated rearrangement of the adenovirus in tissue culture cells has also been analyzed. As shown in Figure 15A, the AD121.5 virus showed a significant increase in GFP expression in the presence of the ligand, estrogen, suggesting a successful rearrangement of the virus by Cre recombinases. When non-chromosomal DNA (Hirt, *J. Mol. Biol.* 40:141-144, 1969) was made from the cells and analyzed by DNA blot analysis, the viral DNA from estrogen treated cells was identified mostly in circular form (C in Figure 15B), while the DNA from cells not treated with estrogen was found mainly in linear form (L in Figure 15B).

To evaluate the efficiency of the self-rearranging viruses *in vivo*, high titer stocks of AD102.7 (a type A virus carrying LBD-Cre, pk8-ad4394) in #17 cells was prepared and purified by CsCl gradient ultracentrifugation. The titer of AD102.7 ($4-6 \times 10^{12}$ /ml by OD) is comparable to or slightly exceeds that of control viruses ($2-4 \times 10^{12}$ /ml by OD) which carry neither Cre nor a loxP site. To determine the efficiency of viral rearrangement *in vivo* and whether such rearrangement is dependent on the presence of ligand, AD102.7 virus (4×10^{11} pfu/mouse as determined by optical density) were injected via tail vein into Rag-2 mice that were pretreated with vehicle alone or 110 µg/day of tamoxifen for 7 days as follows.

Rag-2 mice were injected with either PBS (mock) or 4 X 10 ¹¹ adenovirus particles (as determined by OD₂₆₀) of type A virus, AD102.7, via the tail vein. At various times after injection, animals were sacrificed and the liver tissues were removed and frozen rapidly on dry ice. To visualize GFP expression in animal tissues, mice were anaesthetized and perfused with 4% paraformaldehyde containing 0.2% glutaraldehyde intracardially (Kafri et al., Natl. Genet. 17:314-317, 1997), and the liver tissues were removed and fixed overnight at room temperature in the perfusion buffer containing 30% sucrose. The fixed tissues were sectioned serially and observed under confocal scanning laser microscopy. In experiments evaluating the responses of ligand-regulated recombinase, mice were injected either with vehicle (vegetable oil) alone or with 110 µg/day of tamoxifen for 7 days prior to adenoviral injection.

Liver tissues from these animals were harvested at 2.5 hrs post injection (the earliest time point taken after injection) and Hirt DNA from approximately 250 mg of frozen hepatic tissue was prepared and analyzed by blot analysis. As shown in Figure 16, the majority of adenoviral DNA was found in circular form in tissues from untreated mice, as well as tamoxifen-treated mice. It can be concluded from these data that the Cre enzyme activity present in the tissue, even in the absence of ligand was sufficient for efficient self rearrangement of virus. As expected, the hepatic tissues from the Rag2 mice injected with AD102.7 showed strong expression of GFP (Figure 17).

Demonstrating that AD102.7 virus, produced efficiently in 293 cells at high titres by the conventional means, can self rearrange efficiently *in vivo* provides the proof of the concept that potentially safer adenoviral gene therapy vectors can be produced.

Adenoviruses Carrying Both FRT and FLP Recombinase

Type A and type B proviral constructs carrying both FRT (FLP recombinase recognition site) and FLP recombinase were also generated. Structures of these viruses are analogous to those of loxP/Cre carrying viruses except that loxP sites are replaced by FRT sites and Cre coding sequence is replaced by FLP coding sequence (Figures 18A, 18B).

20 <u>Virus Production at Reduced Temperature</u>

5

10

15

25

30

Temperature dependence of the Ef1α promoter using GFP expression as a marker was also examined. As shown in Table 7, Ef1α promoter activity is strongly reduced at 32°C in comparison to 37°C or 39°C. The temperature sensitive nature of the Ef1α promoter was used to propagate type B adenovirus carrying FLP at 32°C following initial production of the virus by DNA transfection (pk8-ad3302) at 37°C. HepG2 cells infected with these viruses (AD41.4) showed strong GFP expression, but with an approximately 12 hr delay compared to GFP expressing viruses, suggesting that FLP recombinase activity may be impaired at 37°C. To improve the activity of FLP recombinase, viral constructs were created using a thermostable FLP (referred to as "FLPe") described by Buchholz *et al.* (Nat. Biotechnol. 16:657-662, 1998).

TABLE 7

Effects of Temperature on Ef1α Promoter Strength as Shown by GFP Intensities

T	Arbitrary GFP Intensities				
Tester plasmids		32°C	37°C	39°C	
Ef1α GFP	16 hrs	1475	7886	11409	
	41 hrs	6472	36699	50787	
	86 hrs	16256	53370	54424	
Ef1α Cre +ad2204	16 hrs	243	1141	2132	
	41 hrs	1094	9119	9784	
	86 hrs	695	3219	8144	

GFP intensities were measured using a Fluorescent reader.

The activities of FLP and FLPe using a FLP substrate plasmid (ad2879, Figure 19A) in 293 cells were compared. As shown in Table 8, FLPe is significantly more active than FLP under these conditions.

TABLE 8

FLPe is Significantly More Active than FLP Recombinase

15

10

5

1	Plasmid		Mean GFP intensity
	ad4821	Ef1\alpha FLPe	2.39
	ad2949	Ef1α FLP	0.01

Plasmid coding either FLPe or FLP was cotransfected with a FLP substrate plasmid (Figure 19A) into 293 cells. GFP intensity of each transfection was measured using IP lab program.

20

25

In addition, a tamoxifen-regulated FLPe was created by fusing the ligand-binding domain from a mutant form of estrogen receptor to the FLPe coding sequence at its C-terminus (FLPe-LBD). The FLPe-LBD was found to be regulated by the ligand, tamoxifen (Table 9). Although FLP activity was retained by C-terminal fusion (FLP-LBD), addition of a short oligopeptide tag to the N-terminus of FLP abolished its activity (data not shown).

TABLE 9

Tamoxifen Regulation of FLPe as Determined by GFP Intensities

Plasmid	FLPe	-tam	+ tam
ad4821 +ad2879	FLPe	++++	++++
ad5022 +ad2879	FLPe-LBD(tam)	+	+++

GFP intensity resulting from FLPe mediated recombination was measured using a fluorescent microscope. tam, 2 $\mu g/ml$ tamoxifen.

10 Inhibition of FLPe Activities by Anti-sense FLPe

5

15

20

25

30

An anti-sense approach to inhibit FLP enzyme activity was also employed. This approach tested the notion that incorporation of an open reading frame into an antisense transcript would stabilize the transcript and potentiate antisense activity. Two approaches were utilized. In one approach, the BFP coding sequence was placed upstream of anti-FLPe. In the second approach, an anti-FLPe was placed upstream of an internal ribosome entry sequence (IRES) and the BFP coding sequence (Figure 20). The ability of these constructs to inhibit FLPe was assayed using a FLP substrate plasmid, ad2879 (Figure 19A) and the result is shown in Figure 21. These data show that antisense FLPe is more effective in inhibiting FLPe function when it is fused to BFP, which can presumably be replaced with any other stable protein.

OTHER SELF-REARRANGING ADENOVIRUSES

Mixed Infection With Adenoviruses Carrying loxP/FLP and FRT/Cre

One of the ways to produce adenoviruses that can be rearranged in target cells but not producer cells is to engineer two separate viruses, each carrying one recombinase and the target sequence for the other. To test this system, type B adenoviral constructs carrying Cre recombinase and FRT sites and FLPe recombinase and loxP sites were created (Figure 22). In target cells infected with both viruses, Cre catalyzes recombination between the two loxP sites in the FLP virus, and FLP carries out FRT mediated recombination in the Cre virus, resulting in two circular plasmids. The loxP virus contained BFP, whereas the FRT virus contained GFP. Measurement of the fluorescent intensities of GFP and BFP, after cotransfecting the two constructs, revealed that BFP expression (mediated by Cre enzyme) was greater than GFP expression

(mediated by FLP enzyme), suggesting that the Cre enzyme functions more efficiently than FLP.

Accordingly, these two recombinase activities in the target cells need to be balanced for complete circularization of both viral vectors. Exemplary methods for modulating Cre /FLP activity include the use of transcriptional regulation (such as by varying promoter strength and/or with or without poly A addition signal sequence) and translational and/or post-translational regulation (such as by changing FLP to FLPe and making LBD fusion proteins), and post viral production control (such as by changing the ratio of two viruses).

In one approach, Cre was replaced by Cre-LBD and FLP was replaced by FLPe. To improve identification of the rearrangement products, BFP was replaced with RFP as a marker for Cre recombination. As shown in Table 10, in the presence of estrogen, expression of GFP (FLPe mediated) and RFP (Cre mediated) were similar.

15 TABLE 10

RFP and GFP Expression of Cells Cotransfected With Type B Proviral Constructs
Carrying Cre-LBD/FRT(GFP) or FLPe/loxP (RFP)

Plasmids	Genotypes	GFP intensity		RFP intensity	
pk8-ads120 +pk8-ads113	Cre-LBD/FRT (GFP) + FLPe/loxP (RFP)	Estrogen			
		-	+	-	+
		3222	3183	46	1954

20

25

30

5

10

To insure that both Cre and FLP carrying viruses with an optimal ratio infect each target cell, these viruses can be cross-linked prior to infection. For example, Cre carrying virus is labeled by biotin while FLP carrying virus is labeled by avidin. Mixing two types of modified viruses generates virus complexes of desired proportions as well. Biotinylation or avidinylation can be carried out using commercially available reagents such as EZ-Link TFP-PEO biotin (Pierce) and EZ-Link maleimide activated NeutrAvidin (Pierce). The extent of the biotin/virus and avidin/virus will be empirically determined to ensure the viability of the virus and to obtain an optimal ratio of two viruses in the complex. Optimal ratios will be those resulting in 1:1 Cre and FLP recombinase activities in target cells. The modifications will be done following manufacture's instructions.

This approach not only increases the effective capacity of adenoviral vector but also opens new avenue of applications involving multiple proteins, some of which cannot be coexpressed in production cell line as a result of combination toxicity.

5 All references mentioned herein are hereby incorporated by reference.

Other embodiments are within the claims.

What is claimed is:

10

Claims

5	1. A replicatable viral DNA vector encoding a site-specific DNA-altering enzyme and a DNA target recognized by said enzyme, said enzyme selectively converting, in a cell expressing said enzyme, said DNA vector to a rearranged form.
10	2. The vector of claim 1, wherein said rearranged form comprises an autonomously replicating episome.
	3. The vector of claim 1, wherein said rearranged form comprises linear and circular DNAs.
15	4. The vector of claim 1, wherein said vector comprises adenoviral DNA.
	5. The vector of claim 1, wherein said vector comprises a genetically-engineered recombination site.
20	6. The vector of claim 5, wherein said recombination site comprises a target of Cre or FLP.
	7. The vector of claim 1, wherein said enzyme comprises a recombinase or an integrase.
25	8. The vector of claim 7, wherein said recombinase is Cre or FLP recombinase.
30	9. The vector of claim 1, wherein said enzyme is functional in a mammalian cell.
	10. The vector of claim 5, wherein said recombination site comprises a

11. The vector of claim 1, wherein said vector comprises an origin of replication functioning in a mammalian cell.

12. The vector of claim 11, wherein said origin of replication is an EpsteinBarr Virus replicon.

10

15

20

25

30

- 13. The vector of claim 1, wherein said vector comprises a gene of interest.
- 14. A method for assembling a recombinant adenoviral DNA said method comprising the steps of: (a) providing a first linearized DNA vector comprising a restriction site and a cos site and a second linearized DNA vector comprising said restriction site, an adenoviral nucleic acid molecule, and a cos site; and (b) ligating said first and second linearized DNA vectors, said ligation assembling a recombinant adenoviral DNA.
- 15. The method of 14, wherein said first linearized DNA vector comprises a selectable marker.
- 16. The method of claim 14, wherein said first linearized DNA vector comprises an adenoviral left end-inverted terminal repeat.
- 17. The method of claim 14, wherein said first linearized DNA vector comprises a gene of interest.
- 18. The method of claim 14, wherein said second linearized DNA vector comprises a selectable marker.
- 19. The method of claim 14, wherein said second linearized DNA vector comprises an adenoviral right-end inverted terminal repeat.
- 20. The method of claim 14, said method further comprising packaging said assembled adenoviral DNA into a phage and infecting a host cell.

21. The method of claim 14, wherein said first and second linearized DNAs

	comprise a cosmid vector.
5	22. The method of claim 14, wherein said adenoviral DNA is flanked by cleavage sites.
	23. The method of claim 22, wherein said cleavage sites comprise intron endonuclease cleavage sites.
10	24. An adenovirus producer cell comprising a nucleic acid molecule that expresses a dominant negative site-specific DNA-altering enzyme.
1.5	25. The producer cell of claim 24, wherein said site-specific DNA altering enzyme is a dominant negative recombinase.
15	26. The producer cell of claim 25, wherein said recombinase is a Cre or Flp recombinase.
20	27. The producer cell of claim 26, wherein said dominant negative recombinase is CreY324C.
	28. The producer cell of claim 26, wherein said Flp recombinase is Flpe.
25	29. The producer cell of claim 24, wherein said cell is a 293 human embryonic kidney cell.
30	30. A vector comprising, in the 5' to 3' direction, a first genetically engineered <i>cis</i> -acting target recognized by a site-specific DNA altering enzyme; a gene of interest; a lineage-specific gene promoter; a second genetically engineered <i>cis</i> - acting target recognized by a site-
35	specific DNA altering enzyme; and a nucleic acid molecule encoding a site-specific DNA altering enzyme.

31. A vector comprising, in the 5' to 3' direction,

a first genetically engineered *cis*-acting target recognized by a sitespecific DNA altering enzyme;

a gene of interest;

5

a bi-directional promoter, comprising a second genetically engineered cis-acting target recognized by a site-specific DNA altering enzyme; and a nucleic acid molecule encoding a site-specific DNA altering enzyme.

10


- 32. A method of gene therapy comprising the administration to a patient in need of gene therapy a therapeutically effective amount of the vector of any one of claims 1, 30, or 31 which is expressed in said patient
- 33. A population of cells transfected with the vector of any one of claims 1, 30, or 31.

15


34. A method of gene therapy comprising the administration to a patient in need of gene therapy a therapeutically effective amount of the population of cells of claim 33.

20

1/40







-1 G. ±

FIG. 2A




FIG. 2B




FIG. 3A





FIG. 3B



7/40






FIG. 4A


8/40




9/40

FIG. 5







11/40




12/40






14/40




EG.

FIG. 7C



Human primary hepatocytes

16/40



17/40

of TPL mRNA / 106 AdV DNA

 $1.15 + 0.28 \times 10^{-1}$

CRGFP/EBV Non-detectable

正

FIG. 9A





FIG. 9B



20/40




FIG. 10B






FIG. 10C



23/40



24/40






FIG. 10

FIG. 11



26/40

FIG. 12



27/40




FIG. 13/

28/40




FIG. 13E


29/40

Cre substrate plasmid (ad2265) Crp-mediated recombination

<u>ب</u> <u>ت</u>

30/40

FIG. 15A



 $2 \mu M$ Est.



FIG. 15B




FIG. 16






FIG. 17



34/40



SUBSTITUTE SHEET (RULE 26)

35/40

Expressed Proteins GFP FLP Enhancerless adenovirus GFP EBV plasmid FRT SD promoter FLP-mediated recombination EBV FRT

FIG. 18B


36/40

Flp-substrate plasmid (ad2879) Flp-mediated recombination

37/40


Cre substrate plasmid (ad2204) Efla Promoter Crp-mediated recombination Ef1a Promoter

FIG. 19E



SUBSTITUTE SHEET (RULE 26)

FIG. 21



40/40




FIG. 22

SEQUENCE LISTING

```
<110> The General Hospital Corporation
<120> Self-rearranging DNA vectors
<130> 00786/352WO3
<150> US 60/231,053
<151> 2000-09-08
<150> US 60/246,904
<151> 2000-11-08
<160> 10
<170> FastSEQ for Windows Version 4.0
<210> 1
<211> 2341
<212> DNA
<213> Artificial Sequence
<220>
<223> derived from Adenovirus
gaatcggcca gcgcgaattc gattatcatc atcataatat accttatttt ggattgaagc 60
caatatgata atgagggggt ggagtttgtg acgtggcgcg gggcgtggga acggggcggg 120
tgacgtaggt tttagggcgg agtaacttgc atgtattggg aattgtagtt tttttaaaat 180
gggaagttac gtacgcggca tcgatgcgcg ggatatcgcg gcggctagcg acatgaggtt 240
gccccgtatt cagtgtcgct gatttgtatt gtctgaagtt gtttttacgt taagttgatg 300
cagatcaatt aatacgatac ctgcgtcata attgattatt tgacgtggtt tgatggcctc 360
cacgcacgtt gtgatatgta gatgataatc attatcactt tacgggtcct ttccggtgat 420
ccgacaggtt acggggcggc gacctcgcgg gttttcgcta tttatgaaaa ttttccggtt 480
taaggcgttt ccgttcttct tcgtcataac ttaatgtttt tatttaaaat accctctgaa 540
aagaaaggaa acgacaggtg ctgaaagcga ggctttttgg cctctgtcgt ttcctttctc 600
tgtttttgtc cgtggaatga acaatggaag ttaacggatc caggccgcga gcaaaaggcc 660
agcaaaaggc caggaaccgt aaaaaggccg cgttgctggc gtttttccat aggctccgcc 720
cccctgacga gcatcacaaa aatcaacgct caagtcagag gtggcgaaac ccgacaggac 780
tataaagata ccaggcgttt ccccctggaa gctccctcgt gcgctctcct gttccgaccc 840
tgccgcttac cggatacctg tccgcctttc tcccttcggg aagcgtggcg ctttctcata 900
gctcacgctg taggtatctc agttcggtgt aggtcgttcg ctccaagctg ggctgtgtgc 960
acgaaccccc cgttcagccc gaccgctgcg ccttatccgg taactatcgt cttgagtcca 1020
accogotaag acacqactta togocactgg cagcagccac tggtaacagg attagcagag 1080
cgaggtatgt aggcggtgct acagagttct tgaagtggtg gcctaactac ggctacacta 1140
gaagaacagt atttggtatc tgcgctctgc caaagccagt taccttcgga aaaagagttg 1200
gtagctcttg atccggcaaa caaaccaccg ctggtagcgg tggtttttt gtttgcaagc 1260
agcagattac gcgcagaaaa aaaggatctc aagaagatcc tttgatcttt tctacggggt 1320
ctgacgctca gtggaacgaa aactcacgtt aagggatttt ggtcatcaga ttatcaaaaa 1380 ggatcttcac ctagatcctt ttaaattaaa aatgaagttt taaatcaatc taaagtatat 1440
atgagtaaac ttggtctgac agttaccaat gcttaatcag tgaggcacct atctcagcga 1500
tetgtetatt tegtteatee atagttgeet gacteeeegt agtgtagata actaegatae 1560
gggagggctt accateggc eccagtgetg caatgatace gegtgaeeca egeteaeegg 1620
ctcctgattt atcagcaata aaccagccag ccggaagtgc cgagcgcaga agtggtcctg 1680
caactttatc cgcctccatc cagtctatta gttgttgccg ggaagctaga gtaagtagtt 1740
```

```
cqccaqttaa taqttttcqc aacqttqttq ccattqctac aqqcatcqtq gtqtcacqct 1800
cgtcgtttgg tatggcttca ttcagctccg gttcccaacg atcaaggcga gttacatgat 1860
ccccatgtt gtgcaaaaaa gcggttagct ccttcggtcc tccgatagtt gtcagaagta 1920
agttggccgc agtgttatca ctcatggtta tggcagcact gcataattct cttactgtca 1980
tgccatccgt aagatgcttt tctgtgactg gtgagtattc aaccaagaat acgggataat 2040
accgcgccac atagcagaac tttaaaaagtg ctcatcattg ggaaacgttc ttcggggcga 2100
aaactctcaa ggatcttacc gctgttgaga tccagttcga tgtaacccac tcgcgcaccc 2160
aagtgatett etgeatettt taettteace agegtttetg ggtgageaaa aacaggaagg 2220
caaaatgccg caaaaaaggg aataagggcg acacggaaat gttgaatact catacttttc 2280
ctttttcaat attattgaag catttatcag ggttattgtc tcatcagcgg atacatattt 2340
                                                                   2341
<210> 2
<211> 34616
<212> DNA
<213> Artificial Sequence
<220>
<223> derived from Adenovirus
<400> 2
gaatcggcca gcgcgaatta actataacgg tcctaaggta gcgtcatcat cataatatac 60
cttattttgg attgaagcca atatgataat gagggggtgg agtttgtgac gtggcgcggg 120
gcgtgggaac ggggcgggtg acgtaggttt tagggcggag taacttgcat gtattgggaa 180
ttgtagtttt tttaaaatgg gaagttacgt atcgtgggaa aacggaagtg aagatttgag 240
gaagttgtgg gttttttggc tttcgtttct gggcgtaggt tcgcgtgcgg ttttctgggt 300
gttttttgtg gactttaacc gttacgtcat tttttagtcc tatatatact cgctctgtac 360
ttqqcccttt ttacactqtq actqattqaq ctqqtqccqt qtcqaqtqgt gttttttaat 420
aggttttttt actggtaagg ctgactgtta tggctgccgc tgtggaagcg ctgtatgttg 480
\verb|ttctggagcg|| \verb|ggagggtgct|| \verb|attttgccta|| \verb|ggcaggaggg|| \verb|ttttcaggt|| \verb|gtttatgtgt|| 540
ttttctctcc tattaatttt gttatacctc ctatgggggc tgtaatgttg tctctacgcc 600
tgcgggtatg tattcccccg ggctatttcg gtcgcttttt agcactgacc gatgttaacc 660
aacctgatgt gtttaccgag tcttacatta tgactccgga catgaccgag gaactgtcgg 720.
tggtgctttt taatcacggt gaccagtttt tttacggtca cgccggcatg gccgtagtcc 780
gicttatgct tataagggtt gtttttcctg ttgtaagaca ggcttctaat gtttaaatgt 840
ttttttttgt tattttattt tgtgtttaat gcaggaaccc gcagacatgt ttgagagaaa 900
aatggtgtct ttttctgtgg tggttccgga acttacctgc ctttatctgc atgagcatga 960
ctacgatgtg cttgcttttt tgcgcgaggc tttgcctgat tttttgagca gcaccttgca 1020
ttttatatcg ccgcccatgc aacaagctta cataggggct acgctggtta gcatagctcc 1080
gagtatgcgt gtcataatca gtgtgggttc ttttgtcatg gttcctggcg gggaagtggc 1140
cgcgctggtc cgtgcagacc tgcacgatta tgttcagctg gccctgcgaa gggacctacg 1200
ggatcgcggt atttttgtta atgttccgct tttgaatctt atacaggtct gtgaggaacc 1260
tgaatttttg caatcatgat tegetgettg aggetgaagg tggagggege tetggageag 1320
atttttacaa tggccggact taatattcgg gatttgctta gagacatatt gataaggtgg 1380
cgagatgaaa attatttggg catggttgaa ggtgctggaa tgtttataga ggagattcac 1440
cctgaagggt ttagccttta cgtccacttg gacgtgaggg cagtttgcct tttggaagcc 1500
attgtgcaac atcttacaaa tgccattatc tgttctttgg ctgtagagtt tgaccacgcc 1560
accggagggg agcgcgttca cttaatagat cttcattttg aggttttgga taatcttttg 1620
gaataaaaa aaaaaaaaca tggttcttcc agctcttccc gctcctcccg tgtgtgactc 1680
gcagaacgaa tgtgtaggtt ggctgggtgt ggcttattct gcggtggtgg atgttatcag 1740
ggcagcggcg catgaaggag tttacataga acccgaagcc agggggcgcc tggatgcttt 1800
gagagagtgg atatactaca actactacac agagcgagct aagcgacgag accggagacg 1860
cagatetett teteacecce ecaceteett tteetteage aaatateet aceteegee 1920
ttccatttgg catgacacta cgaccaacac gatctcggtt gtctcggcgc actccgtaca 1980
gtagggatcq cctacctcct tttgagacag agacccgcgc taccatactg gaggatcatc 2040
cgctgctgcc cgaatgtaac actttgacaa tgcacaacgt gagttacgtg cgaggtcttc 2100
cetgeagtgt gggatttacg etgatteagg aatgggttgt teeetgggat atggttetga 2160
cgcgggagga gcttgtaatc ctgaggaagt gtatgcacgt gtgcctgtgt tgtgccaaca 2220
```

ttgatatcat gacgagcatg atgatccatg gttacgagtc ctgggctctc cactgtcatt 2280 gttccagtcc cggttccctg cagtgcatag ccggcgggca ggttttggcc agctggttta 2340 ggatggtggt ggatggcgcc atgtttaatc agaggtttat atggtaccgg gaggtggtga 2400 attacaacat gccaaaagag gtaatgttta tgtccagcgt gtttatgagg ggtcgccact 2460 taatctacct gcgcttgtgg tatgatggcc acgtgggttc tgtggtcccc gccatgagct 2520 ttggatacag cgccttgcac tgtgggattt tgaacaatat tgtggtgctg tgctgcagtt 2580 actgtgctga tttaagtgag atcagggtgc gctgctgtgc ccggaggaca aggcgtctca 2640 tgctgcgggc ggtgcgaatc atcgctgagg agaccactgc catgttgtat tcctgcagga 2700 cggagcggcg gcggcagcag tttattcgcg cgctgctgca gcaccaccgc cctatcctga 2760 tgcacgatta tgactctacc cccatgtagg cgtggacttc cccttcgccg cccgttgagc 2820 aaccqcaaqt tqqacaqcag cctgtggctc agcagctgga cagcgacatg aacttaagcg 2880 agctgcccgg ggagtttatt aatatcactg atgagcgttt ggctcgacag gaaaccgtgt 2940 qqaatataac acctaagaat atgtctgtta cccatgatat gatgcttttt aaggccagcc 3000 ggggagaaag gactgtgtac tctgtgtgtt gggagggagg tggcaggttg aatactaggg 3060 ttctgtgagt ttgattaagg tacggtgatc aatataagct atgtggtggt ggggctatac 3120 tactgaatga aaaatgactt gaaattttct gcaattgaaa aataaacacg ttgaaacata 3180 acatgcaaca ggttcacgat tctttattcc tgggcaatgt aggagaaggt gtaagagttg 3240 gtagcaaaag tttcagtggt gtattttcca ctttcccagg accatgtaaa agacatagag 3300 taagtgctta cctcgctagt ttctgtggat tcactagtgc cattaagtgt aatggtaagt 3360 atcataggtt tagttttatc accatgcaag taaacttgac tgacaatgtt atttttagca 3420 qtttqacttt qqqtttttqg ataggctaga aggttaggca taaatccaac tgcatttgtg 3480 tatggatttg cattagttga gttcccattt ctaaagttcc agtaatgttt tttaagtgag 3540 gagttctcca ttagaacacc gttttggtca aatctaagga atatactaac acttgcaacg 3600 gtgcctgtca tggatgaaag atctccagat acagccaaag cagctacagt agctagtact 3660 tgactcccac attttgtaag aaccaaagta aatttgcagt cattatctga atgaattctg 3720 cagttaggag atgggtctgg ggttgtccac agggtaagtt tgtcatcatt tttgtttcct 3780 attgtaatgg cccctgagtt gtcaaagctt aaacccgctc caagtttagt aatcatggca 3840 ccgttttcat tgtaatcaat gccagagcca attttagttt ttattgggtt gatatctgga 3900 gactcagatg tgtttgtatc aaactccaga ccctttcctg catttatagc tatggcagta 3960 ttatcaaagt ttagtccact ggatttttt atgctaactt ccagtttttt agtattgttt 4020 gatgcattaa aaaggtatag gcctctgtta tagtttatgt ccaagttatg agatgcatta 4080 atatacaggg gtccctgccc cagtttaaga cgtagttttg tttgagcatc aaatgggtaa 4140 tccacatcta gaattaacaa gttgttattt atacgcatgc caccgcccgt tttaatttcc 4200 atgttgtttg atgaatcata accaatagct cctgcaactt tggttctaag ggagttttgt 4260 tcaacggtga cacctggtcc agtaactact gttagtgtat cggagttttg tgctacttgc 4320 aaaggaccgc ttattttaat tcctattttt ccattattta cataaatagg atcttccatg 4380 ttaatgccca agctacccgt ggcagtagtt agcgggggtg atgcagttac agtaagggtg 4440 tcgctgtcac tgccagagag gggggctgat gtttgcaggg ctagctttcc atctgacact 4500 gtaatgggcc ctttagtagc aatgcttagt ttggagtctt gcacggtcag tggggcttgt 4560 gactgtacgc taagagcgcc gctagtaact atcagaggag cggtggttgc cactgttagg 4620 gcgcctgagg taattgtaag tggtgcggag gtgtccaaac ttatgtttga ctttgttttt 4680 ttaagtggct gagtaacagt ggttacattt tgggaggtga ggtttccggc cttgtctagg 4740 gtaagaccgc tgcccatttt aagcgcaagc atgccgtggg aggtgtccaa aggttcggag 4800 acgcgtagag agagaactcc agggggactt tcttggaaac cattgggtga aacaaatgga 4860 ggggtaagaa agggcacagt tggaggcccg gtttctgtgt catatggata cacggggttg 4920 aaggtgtctt cagacggtct ggcgcgtttc atctgcaaca atatgaagat agtgggtgcg 4980 gagggacaag aacatgagga atttgacatc ccatttaaac tttggagaaa gtttgcagct 5040 aaaaqqcqqc tqagatacca gagttgggag gaaggaaagg aggtgatgct gaataagctg 5100 gacaaagatt tgctgactga ttttaagtaa gtaatttatt gtgtgtttat gttagttgaa 5160 tggaataaga tctctaatac cacacatggt tttaataaga gtgcagaggt cctctggacc 5220 ctgatagggg aagtgcaggc agccctctgt ttctgccgag tgctgggtga cggtgatagg 5280 tttttctccc accataagca ccagtttttg gcgctgggtg ggtagcttgt agctgaggcg 5340 gttgccggta gtggtttttt cgtaggtaag tttggcctgc ttgaccacac aaaagatacc 5400 tettttacae tggtgtaggt taaccatgte tteaacttet tgttttagge gttetegete 5460 ggacgccgcc tigcgccttt ctagtaggcg ctgttcggtg ttaattccat ccaattctag 5520 atctagagat tcagtcatct ccacctgtca aattaaagta gctaatctca gtgggggtgg 5580 qaqaaqqqqq qcqaqqctqa ttgattgggg caataacctg ttgcagtggt atgacagcgg 5640 gcactgggaa agtagggtgg ttcatggcat ctatggcatt ccagccaatg tcaaggtatg 5700

gatatatggc tagggcaaaa atggtactgc aaaaaaccat gacagagatg atggcgtata 5760 accaggette tgacaaateg etetgtttgt tgtageaget gggaatgtte catatttgag 5820 tgaatctgca ggaaatatgt cttttgggag gcgctgaggt ttgggagcaa agcacaggta 5880 gggcgcaaaa aatcagcaaa acaaaaatga cactccgttt cataattaaa gaattctgag 5940 aagatcagct atagtcctgt ctctgtattg cggatggtgc ctgaggtacg caatgcgcac 6000 acaaacccag tcaatgaact gaatgaaggc gatgactaca gtgacgaggc tgcagatgag 6060 gataagggtg acaaatccgt aaagcaggta aactgtgaaa ggtgggatgc aatctacttc 6120 gatgtgagcg accgcggcca atgtagagca cgcacagaaa agcgcaacaa gggtcaataa 6180 tataagaact cgaggaatca tgtctcattt aatcatactg taaaagaaga gaacatggtt 6240 tcaqaccqtc caatctatqa attttttcat tgtgtgggtt gagcacaatg ataggcctat 6300 agatgggggg tetggegegt etgegettta ggeaacaaat aagecacata ataataagge 6360 aaacaaacat aagcgctatg gaaaaccacc acatgtccaa gctcgcccag tcattgacaa 6420 aggcatgaac ttggggtaaa tttagggcag atgttagtcc ggtagcagtg gtgttgcgat 6480 agtccgttgt gggcgcgatg gttgagccgg tcatctctgg agcaggcaag ctgaagctgg 6540 gtttgatcaa atttgcagtg caggcgctgg cagaaatcag gcgctaacgt ccaggaaagt 6600 ttgatttgaa ggttgtgggt ataatcttgc ccgcctggag catatcccac atagagtaaa 6660 ttgtccaggg gaatacaagc aagcggaaaa tcaaggcatt ttcttttcat caataaaact 6720 gcgtctgctt ttgtatttga gataaagtaa ggtacatacc aaagcaagcg ctgtaataag 6780 cagageggtg gaacaaaagg tgccagtgtt ctctaaacac ttttgtgggg gccacaactt 6840 qtactqtttq ctcatqtaca tqqtaatatc gcacatttca taaaatggaa atttatacat 6900 aaaagtttta cgattttcac cttggaagac tgtgacatta tagtcgttag tgtcacctgg 6960 ctgccaaata gcatatacag catacttgcc aattttgtct ttgtggcgaa taataagctt 7020 ttcatgttct gtggtgcatt ttataagagt agtgcattca ttagcttctg atttaaatgt 7080 aacattgcaa gctggttcct taaactcaac ctttttggca gcgctgcaga ctgccgcaag 7140 ggcgagcaag cctaaaatca tgtacctcat cttggatgtt gcccccagcg tttaaaaagc 7200 tgacaatagg tacaaacgtg cgtgcagcag gcggcaaccc taaggcacag aagtgctagt 7260 ataagaataa acagaattac aagagtaagg ataaccccga ccccaattcc agaaaaatta 7320 gacaagettg tagagttact tgaattgete atataettaa ttaaaaaaate ceageacece 7380 gcaaaatgct tttttgacct gagttccggg agttgagctc acctcctgtt ttggaaaaat 7440 gggagtaatg tetggttacg etcaggetgt aggtgtggge geageaaceg gtgaegeact 7500 cgtacgttcc cggcaggtga ggagggtggt ggtggtggtg tttttcttga cggtgtagtt 7560 gaagccgaga aggttgtgtg gcaaacttac ttcgtctcgc tggaaactgt tgtaaattac 7620 aaatgaagag ccgttaaagt accaggtaag gtacttattg gcccgcttgt gcaaaccgga 7680 ggtgaggttt gctttggtct gctttgggtg ggtaaaaacg gtggcgttca caggatggcg 7740 acaggagece cagtagatte taatttetgt atttattata etcageacag agatgacaac 7800 aaagatettg atgtaateea gggttaggae agttgeaaac caeggteaga acaeagggae 7860 cccgctcccg ctccactagc agggggcgct tggtaaactc ccgaatcagg ctacgtgtaa 7920 gctctacctg ggtggtgagc cggacgccgt gcgccgggcc ctcgatatgc tcttcgggca 7980 attcaaagta acaaaactca ccggagccgc gggcaaagca cttgtggcgg cggcagtggt 8040 cgaggtgtgt caggcgcagt cgctctgcct ctccactggt cattcagtcg tagccgtccg 8100 ccgagtcttt caccgcgtca aagttgggaa taaactggtc cgggtagtgg ccgggaggtc 8160 cagaaaaaggg gttgaagtaa accgaaggca cgaactcctc aataaattgt agagttccaa 8220 tgcctccgga gcgcggctcc gaggacgagg tctgcagagt taggatcgcc tgacggggcg 8280 taaatgaaga geggeeageg eegeegatet gaaatgteee gteeggaegg agaccaagag 8340 aggageteae egactegteg ttgagetgaa tacetegeee tetgatttte aggtgagtta 8400 taccetgece gggegacege accetgtgac gaaageegee egeaagetge geecetgagt 8460 tagtcatctg aacttcggcc tgggcgtctc tgggaagtac cacagtggtg ggagcgggac 8520 tttcctggta caccagggca gcgggccaac tacggggatt aaggttatta cgaggtgtgg 8580 tggtaatagc cgcctgttcg aggagaattc ggtttcggtg ggcgcggatt ccgttgaccc 8640 gggatatcat gtggggtccc gcgctcatgt agtttattcg ggttgagtag tcttgggcag 8700 ctccagccgc aagtcccatt tgtggctggt aactccacat gtagggcgtg ggaatttcct 8760 tgctcataat ggcgctgacg acaggtgctg gcgccgggtg tggccgctgg agatgacgta 8820 gttttcgcgc ttaaatttga gaaagggcgc gaaactagtc cttaagagtc agcgcgcagt 8880 atttgctgaa gagagcctcc gcgtcttcca gcgtgcgccg aagctgatct tcgcttttgt 8940 gatacaggca gctgcgggtg agggagcgca gagacctgtt ttttattttc agctcttgtt 9000 cttggcccct gctttgttga aatatagcat acagagtggg aaaaatccta tttctaagct 9060 cgcgggtcga tacgggttcg ttgggcgcca gacgcagcgc tcctcctcct gctgctgccg 9120 ccgctgtgga tttcttgggc tttgtcagag tcttgctatc cggtcgcctt tgcttctgtg 9180

tgaccgctgc tgttgctgcc gctgccgctg ccgccggtgc agtaggggct gtagagatga 9240 cggtagtaat gcaggatgtt acgggggaag gccacgccgt gatggtagag aagaaagcgg 9300 cgggcgaagg agatgttgcc cccacagtct tgcaagcaag caactatggc gttcttgtgc 9360 ccgcgccacg agcggtagcc ttggcgctgt tgttgctctt gggctaacgg cggcggctgc 9420 ttagacttac eggeeetggt tecagtggtg teccatetac ggttgggteg gegaacagge 9480 agtgccggcg gcgcctgagg agcggaggtt gtagcgatgc tgggaacggt tgccaatttc 9540 tgggggcgcg gcgaggggaa tgcgaccgag ggtgacggtg tttcgtctga cacctcttcg 9600 gcctcggaag cttcgtctag gctgtcccag tcttccatca tctcctcctc ctcgtccaaa 9660 acctectetg cetgactgte ecagtattee teetegteeg tgggtggegg cggeggeage 9720 tgcagcttct ttttgggtgc catcctggga agcaagggcc cgcggctgct gatagggctg 9780 cggcggcggg gggattgggt tgagctcctc gccggactgg gggtccaggt aaaccccccg 9840 tccctttcgt agcagaaact cttggcgggc tttgttgatg gcttgcaatt ggccaaggat 9900 gtggccctgg gtaatgacgc aggcggtaag ctccgcattt ggcgggcggg attggtcttc 9960 gtagaaccta atctcgtggg cgtggtagtc ctcaggtaca aatttgcgaa ggtaagccga 10020 cgtccacage cccggagtga gtttcaacce cggageegeg gaettttegt caggegaggg 10080 accetgeage teaaaggtae egataatttg actttegeta ageagttgeg aattgeagae 10140 cagggagcgg tgcggggtgc ataggttgca gcgacagtga cactccagta ggccgtcacc 10200 gctcacgtct tccatgatgt cggagtggta ggcaaggtag ttggctagct gcagaaggta 10260 gcagtgaccc caaagcggcg gagggcattc acggtactta atgggcacaa agtcgctagg 10320 aagcgcacag caggtggcgg gcagaattcc tgaacgctct aggataaagt tcctaaagtt 10380 ttgcaacatg ctttgactgg tgaagtctgg cagaccctgt tgcagggttt taagcaggcg 10440 ttcggggaag ataatgtccg ccaggtgcgc ggccacggag cgctcgttga aggccgtcca 10500 taggtccttc aagttttgct ttagcagctt ctgcagctcc tttaggttgc gctcctccag 10560 gcattgctgc cacacgccca tggccgtttg ccaggtgtag cacagaaata agtaaacgca 10620 gtcgcggacg tagtcgcggc gcgcctcgcc cttgagcgtg gaatgaagca cgttttgccc 10680 gaggcggttt tcgtgcaaaa ttccaaggta ggagaccagg ttgcagagct ccacgttgga 10740 aattttqcaq qcctqqcqca cqtagccctq gcgaaaggtg tagtgcaacg tttcctctag 10800 cttgcgctgc atctccgggt cagcaaagaa ccgctgcatg cactcaagct ccacggtaac 10860 aagcactgcg gecateatta gettgcgtcg ctcctccaag tcggcaggct cgcgcgtctc 10920 aagccagege gecagetget categecaac tgegggtagg eceteetegg titgttettg 10980 caagtttgca teceteteca ggggtegtge aeggegeaeg ateagetege teatgaetgt 11040 gctcataacc ttggggggta ggttaagtgc cgggtaggca aagtgggtga cctcgatgct 11100 gcgtttcagc acggctaggc gcgcgttgtc accctcaagt tccaccagca ctccacagtg 11160 actiticatit tegetgitti ettgitigeag agegittigee gegegittet egiegegiee 11220 aagaccctca aagatttttg gcacttcgtc gagcgaggcg atatcaggta tgacagcgcc 11280 ctgccgcaag gccagctgct tgtccgctcg gctgcggttg gcacggcagg ataggggtat 11340 cttgcagttt tggaaaaaga tgtgataggt ggcaagcacc tctggcacgg caaatacggg 11400 gtagaagttg aggcgcgggt tgggctcgca tgtgccgttt tcttggcgtt tggggggtac 11460 gegeggtgag aacaggtgge gttegtagge aaggetgaea teegetatgg egaggggeae 11520 ategetgege tettgeaacg egtegeagat aatggegeac tggegetgea gatgetteaa 11580 cagcacgtcg teteccacat etaggtagte gecatgeett tggteecece gecegaettg 11640 ttcctcgttt gcctctgcgt cgtcctggtc ttgcttttta tcctctgttg gtactgagcg 11700 atcetegteg tettegetta caaaacetgg gteetgeteg ataateactt ceteeteete 11760 aagcggggt gcctcgacgg ggaaggtggt aggcgcttg gcggcatcgg tggaggcggt 11820 ggtggcgaac tcaaaggggg cggttaggct gtcctccttc tcgactgact ccatgatctt 11880 tttctgccta taggagaagg aaatggccag tcgggaagag gagcagcgcg aaaccacccc 11940 cgagcgcgga cgcggtgcgg cgcgacgtcc accaaccatg gaggacgtgt cgtccccgtc 12000 qccqtcqccq ccqcctcccc gcgcgccccc aaaaaagcgg ctgaggcggc gtctcgagtc 12060 cgaggacgaa gaagactcgt cacaagatgc gctggtgccg cgcacaccca gcccgcggcc 12120 ategaceteg aeggeggatt tggccattge gtccaaaaag aaaaagaage geceetetee 12180 caagecegag egecegecat eeceagaggt gategtggae agegaggaag aaagagaaga 12240 tgtggcgcta caaatggtgg gtttcagcaa cccaccggtg ctaatcaagc acggcaaggg 12300 aggtaagcgc acggtgcggc ggctgaatga agacgaccca gtggcgcggg gtatgcggac 12360 gcaagaggaa aaggaagagt ccagtgaagc ggaaagtgaa agcacggtga taaacccgct 12420 gagcctgccg atcgtgtctg cgtgggagaa gggcatggag gctgcgcgcg cgttgatgga 12480 caagtaccac gtggataacg atctaaaggc aaacttcaag ctactgcctg accaagtgga 12540 agetetggeg geegtatgea agacetgget aaaegaggag cacegegggt tgeagetgae 12600 cttcaccagc aacaagacct ttgtgacgat gatggggcga ttcctgcagg cgtacctgca 12660

gtcgtttgca gaggtaacct acaagcacca cgagcccacg ggctgcgcgt tgtggctgca 12720 ccgctgcgct gagatcgaag gcgagcttaa gtgtctacac gggagcatta tgataaataa 12780 ggagcacgtg attgaaatgg atgtgacgag cgaaaacggg cagcgcgcgc tgaaggagca 12840 gtctagcaag gccaagatcg tgaagaaccg gtggggccga aatgtggtgc agatctccaa 12900 caccgacgca aggtgctgcg tgcatgacgc ggcctgtccg gccaatcagt tttccggcaa 12960 gtcttgcggc atgttcttct ctgaaggcgc aaaggctcag gtggctttta agcagatcaa 13020 ggctttcatg caggcgctgt atcctaacgc ccagaccggg cacggtcacc ttctgatgcc 13080 actacggtgc gagtgcaact caaagcctgg gcatgcaccc tttttgggaa ggcagctacc 13140 aaagttgact ccgttcgccc tgagcaacgc ggaggacctg gacgcggatc tgatctccga 13200 caagagcgtg ctggccagcg tgcaccaccc ggcgctgata gtgttccagt gctgcaaccc 13260 tgtgtatcgc aactcgcgcg cgcagggcgg aggccccaac tgcgacttca agatatcggc 13320 gcccgacctg ctaaacgcgt tggtgatggt gcgcagcctg tggagtgaaa acttcaccga 13380 gctgccgcgg atggttgtgc ctgagtttaa gtggagcact aaacaccagt atcgcaacgt 13440 gtccctgcca gtggcgcata gcgatgcgcg gcagaacccc tttgattttt aaacggcgca 13500 gacggcaagg gtggggggta aataatcacc cgagagtgta caaataaaaa catttgcctt 13560 tattgaaagt gtctcctagt acattatttt tacatgtttt tcaagtgaca aaaagaagtg 13620 gcgctcctaa tctgcgcact gtggctgcgg aagtagggcg agtggcgctc caggaagctg 13680 tagagctgtt cctggttgcg acgcagggtg ggctgtacct ggggactgtt aagcatggag 13740 ttgggtaccc cggtaataag gttcatggtg gggttgtgat ccatgggagt ttggggccag 13800 ttggcaaagg cgtggagaaa catgcagcag aatagtccac aggcggccga gttgggcccc 13860 tgcacgcttt gggtggactt ttccagcgtt atacagcggt cgggggaaga agcaatggcg 13920 ctacggcgca ggagtgactc gtactcaaac tggtaaacct gcttgagtcg ttggtcagaa 13980 aaqccaaaqq gctcaaagaq gtagcatgtt tttgagcgcg ggttccaggc aaaggccatc 14040 cagtgtacgc ccccagtctc gcgaccggcc gtattgacta tggcgcaggc gagcttgtgt 14100 ggagaaacaa agcctggaaa gcgcttgtca taggtgccca aaaaatatgg cccacaacca 14160 agatetttga caatggettt eagtteetge teaetggage eeatggegge agetgttgtt 14220 gatgttgctt gcttctttta tgttgtggcg ttgccggccg agaagggcgt gcgcaggtac 14280 acggtctcga tgacgccgcg gtgcggctgg tgcacacgga ccacgtcaaa gacttcaaac 14340 aaaacataaa gaagggtggg ctcgtccatg ggatccacct caaaagtcat gtctagcgcg 14400 tgggcggagt tggcgtagag aaggttttgg cccaggtctg tgagtgcgcc catggacata 14460 aagttactgg agaatgggat gcgccaaagg gtgcgatcgc aaagaaactt tttctgggta 14520 atactgtcaa ccgcggtttt gcctattagt gggtagggca cgttggcggg gtaagcctgt 14580 ccctcgcgca tggtgggagc gaggtagcct acgaatcctg agttgttatg ctggtgaaga 14640 attccaacct gctgatactc cttgtattta gtatcgtcaa ccacttgccg gctcatgggc 14700 tggaagtttc tgaagaacga gtacatgcgg tccttgtagc tttctggaat gtagaagccc 14760 tggtagccaa tattgtagtt ggccaacatc tgcaccagga accagtcctt ggtcatgttg 14820 cactgagcta cgttgtagcc ctccccgtca actgagcgtt taatctcaaa ctcattggga 14880 gtaagcaggc ggtcgttgcc cggccagcta acagaagagt caaaggtaat ggccaccttc 14940 ttaaaggtgt gattaagata gaaggttccg tcaaggtatg gtatggagcc agagtaggtg 15000 tagtaagggt cgtagcctga tcccagggaa ggggtttcct ttgtcttcaa gcgtgtgaag 15060 ttggcgggta tggggtatag catgttggcg gcggaaaggt agtcattaaa ggactggtcg 15180 ttggtgtcat ttctgagcat ggcttccagc gtggaggccg tgttgtgggc catggggaag 15240 aaggtggcgt aaagacaaat gctgtcaaac ttaatgctag ccccgtcaac tctaagatcg 15300 tttcccaqaq aqctctqcaq aaccatqtta acatccttcc tgaagttcca ttcatatgta 15360 tatgagcctg gcaggaggag gaggttttta atggcaaaaa acttttgggg cacctgaatg 15420 tgaaagggca cgtagcggcc gtttcccaac aacatggagc gataacggag gcccgcattg 15480 cggtggtggt taaagggatt aacgttgtcc atgtagtcca gagaccagcg cgccccaagg 15540 ttaatgtagc agtctacaag cccgggagcc accactcgct tgttcatgta gtcgtaggtg 15600 ttggggttgt cagatatttc cacattggtg gggttgtatt ttagcttgtc tggcaggtac 15660 agcgcaatat tggagtaaag gaaatttctc cataggttgg catttaggtt aatttccatg 15720 qcaaaqttqt tacccactcc tatttcatta cgtgttgcaa aagtttcatc ttttgtccat 15780 gtagtatete cattategee tgagecattg ceattageet taatagettg ataggtgtea 15840 qttaccccaa tacccccaag aggaaaacaa taatttggca attcatcctc agttccatgg 15900 ttttcaatga ttctaacatc tggatcatag ctgtctacag cctgattcca catagaaaaa 15960 tatctggttc tatcacctat ggaatcaagc aagagttgat aggacagctc tgtgtttctg 16020 tcttgcaaat ctaccacggc atttagctgc gatgcctgac cagcaagaac acccatgttg 16080 ccagtgctgt tataatacat taggccaata aaattgtccc tgaaagcaat gtaattgggt 16140

ctgtttggca tagattgttg acccaacata gctttagaat tttcatcacc ttttccaggt 16200 ttgtaagaca gatgtgtgtc tggggtttcc atatttacat cttcactgta caaaaccact 16260 tttggtttag tagcattgcc ttgccggtcg ttcaaagagg tagtatttga gaagaattgc 16320 aagtcaacct ttggaagagg caccctttt tcatccggaa ccagaacgga ttgaccacca 16380 aaaggatttg taggcctggc ataagatcca tagcatggtt tcatgggagt tgttttttta 16440 agcactetee etectgeege attageatea gettegttee actgagatte gecaatttga 16500 ggttctggtt gataggaagg atctgcgtat acaggtttag cttgtgtttc tgcattgtct 16560 gatectattt gtageceget ttttgtaatt gttteteeag acaaaggage etgggeatag 16620 acatgtgttt tcttagtagc ctgatctcga gcgttttgct cttcttcttc ctcttcttca 16680 tetteatett cetettette ateeteggea aetgeeegge egetatette ggtttgttee 16740 cactcacagg agttaggagc gcccttggga gctagagcgt tgtaggcagt gccggagtag 16800 ggcttaaaag taggcccct gtccagcacg ccgcggatgt caaagtacgt ggaagccata 16860 tcaagcacac ggttgtcacc cacagccagg gtgaaccgcg ctttgtacga gtacgcggta 16920 tectegeggt ccaeagggat gaaccgcage gteaaacget gggaccggte tgtggttacg 16980 tegtgegtag gtgecacegt ggggttteta aacttgttat teaggetgaa gtacgteteg 17040 gtggcgcggg caaactgcac cagcccgggg ctcaggtact ccgaggcgtc ctggcccgag 17100 atgtgcatgt aagaccactg cggcatcatc gaaggggtag ccatcttgga aagcgggcgc 17160 acggeggete ageageteet etggeggega catggaegea tacatgaeae atacgaeaeg 17220 ttagctattt agaagcatcg tcggcgcttc agggattgca cccccagacc cacgatgctg 17280 ttcagtgtgc tttgccagtt gccactggct acgggccgca tcgatcgcgg accgctggcg 17340 gcacggcgca gggacgcgcg gctagggcgg gttacaacaa cggcggacgg ccctggcagc 17400acaggtttct gctgggtgtc agcgggggga ggcaggtcca gcgttacagg tgtgtgctgg 17460 cccagcacte eggtagecat gggegegatg ggaegggtgg tgggeaggee ttgetttagt 17520 gcctcctcgt acgagggagg ctcatctatt tgcgtcacca gagtttcttc cctgtcgggc 17580 cgcggacgct tttcgccacg ccctctgga gacactgtct ccacggccgg tggaggctcc 17640 tctacgggag ggcggggatc aagcttactg ttaatcttat tttgcactgc ctggttggcc 17700 aggtccacca ccccgctaat gccagaggcc aggccatcta ccaccttttg ttggaaattt 17760 tgctctttca acttgtccct cagcatctgg cctgtgctgc tgttccaggc cttgctgcca 17820 tagttettaa tggtggaace gaaattttta atgeegetee acagegagee ecagetgaag 17880 gcgccaccgc tcatattgct ggtgccgata tcttgccagt ttcccatgaa cgggcgcgag 17940 ccgtgtcgcg gggccagaga cgcaaagttg atgtcttcca ttctacaaaa tagttacagg 18000 accaagcgag cgtgagactc cagactttt attttgattt ttccacatgc aacttgttt 18060 taatcagtgt ctctgcgcct gcaaggccac ggatgcaatt ccgggcacgg cgccaatcgc 18120 cgcggcgatc agtggaataa ggaggggcag gataccgccg cgcatgcgac ggtgcgacgc 18180 gegeegeege eggtggtgeg caegaegeat geegeegte aggeegtgge eggeeatgee 18240 cctcctacgg tgcattcttc ctcggaatcc cggcaccggg aaacggaggc ggcaggtgag 18300 ggccatatct gcaagaacca caaagaccgg cttttaaacg atgctggggt ggtagcgcgc 18360 tgttggcagc accagggtcc tgcctccttc gcgagccacc ctgcgcacgg aaatcggggc 18420 cagcacggc tggcgacggc gacggcggcg gcgggttcca gtggtggttc ggcgtcgggt 18480 agtcgctcgt cttctggggc ggtaggtgta gccacgatag ccgggggtag gcgcgatgga 18540 aggatgtagg gcatattcgg gcagtagtgc gctggcggtg ccgtacttcc tggaacggcg 18600 cgggcgccgg ggggctgaaa cgcgaaacat ccacgggtcc gtttgcacct ccgtagaggt 18660 tttggacgcg gccgcagcgg ccgcctgcac cgcggcatct gccaccgccg aggcaaccgg 18720 ggacgtttgt gtctccatgc cctctgtggc agtggcaata ctagtgctac tggtggtggg 18780 tatctgaacg tccacggtct gcacgcccag tcccggtgcc acctgcttga ttggccgcac 18840 gcggacctcg ggctccagcc caggctccac ggtcattttt tccaagacat cttccagtcg 18900 ctggcgcttg ggtaccatca gctgcacggt gggtgccaag tcaccagact cgcgctttag 18960 gccgcgcttt tcttcggacg gtgcaagcgt gggcagcacc tgctgcagtg tcacgggctt 19020 taggctaggt gttgggttgc cctcgtccag cggcaacgcc aacatgtcct tatgccgctt 19080 tccgtaggca aactccccga ggcgctcgtt ggcctgctca agcaggtcct cgtcgccgta 19140 cacctcatca tacacgcgct tgtaggtgcg ggtggagcgc tcaccgggcg taaaaactac 19200 ggtggtgccg ggtcgcaaaa cacgtcttac gcgtcgacct ttccactgta cccgccgcct 19260 gggcgcggtt gcgtgcagca gttccacctc gtcgtcaagt tcatcatcat catcatcttt 19320 ctttttcttt ttgacccgct ttagctttcg gggcttgtaa tcctgctctt ccttcttcgg 19380 ggggccatag atctccggcg cgatgacctg gagcatctct tctttgattt tgcgcttgga 19440 catagetteg ttgegegeg eegeegetgg atacatacaa eagtacgagt etaagtagtt 19500 ttttcttgca atctagttgc gcggggggc ggtgcgcacg ggcacgcgca ggccgctaac 19560 cgagtcgcgc acccagtaca cgttgcccct gcgaccctga gtcatagcac taatggccgc 19620

ggctgctgcg	gcggccgctc	gtcgcctgga	cctggggggc	acagtgacaa	tacccgcggc	19680
	gcggcccgca					
	gcgcgttggg					
	ctcttcattt					
	gtggacactg					
	gcgtcatcga					
	tagtgcccgc					
	ttgcttggga					
	tttgctcaaa					
	acgtagggc					
	ctgttgcgca					
	gtgatggtgg					
	tgggtcagag					
	ctcttggagt					
	gtggagcgga					
	gagccgcagg					
	tcgccgtagt					
	attaggttgt					
	tgaggcttct					
	tcagcgcgct					
	atgtcctcca					
	ccactgttgt					
	gcctggtagg					
	gtgatcctaa					
	cggctgtggg					
	tcgtttgtat					
	ttgcgggtgt					
	ttcaagtagt					
	ttgccctcgg					
	gtaagcgagc					
	acatttggca					
	tcaagattga					
	gtggttagaa					
	ttgtccacaa					
	ctgtttctcc					
	gcatcgaagg					
gctctcgtag	gagggaggag	gaccttcctc	atacatcacc	acacactaca	tactaaggg	21840
	aaccaacgct					
	tttttttaa					
	tcccaaatcc					
	ctgacggtcg					
	ctgcgcatac					
cattattaaa	aaatgccgga	ggcaggttct	tttcacacta	caactacaac	agcgagttgt	22200
ttaggtactc	ctcctcgccc	agcaggcgcg	aacaaataat	acaaatacta	gtaaaagacc	22260
	tggaaatggg					
	tggcctgcgg					
	tagcagggtc					
	atcgttaccc					
	cgggttcaag					
	gtccattagg					
ccatottoco	cgcggtcatg	tccagcgcca	cactagacat	taccccatca	cacatcagat	22680
taaggctcac	gctctgctgc	acatagggga	agatgcgctc	ctcctcacta	tttaaactot	22740
	gatcttctgc					
	ctcctgcccc					
catccacata	cgcctgacct	atagectede	ggtacagtgt	cagcaagtga	cctaggtatg	22920
tatacaaaa	cacgctgcca	ctatccatca	agggcgctat	tagcagcagc	aacaggcgcg	22980
	cagcaagcta					
	caagttcttg					
				2200290039		

tggtctggaa	aaaatagtct	ggcccggact	ggtacacctc	actttgcggt	gtctcagtca	23160
				ctgtccccgc		
				gcccaggttg		
				caccagccgg		
				cagcgcgtcg		
				gtttacgatc		
				cagaattgcg		
				agtcagcgac		
				cggctggctc		
				agaaacatca		
				tcctccacgc		
				ccagctgcct		
tcggcttggg	gcccagcgca	ggtcagcgcc	cgcgtcaaag	taggactcgg	cctctctatc	23880
				atcagctcgc		
ctcgcgccgc	cggctcacgc	tcacggcctt	gtggatgcgc	tcgttgcgat	aaacgcccag	24000
gtcgtcgctc	aaggtaagca	ccttcaacgc	catgcgcatg	tagaacccct	cgatctttac	24060
ctccttgtct	atgggaacgt	aaggggtatg	gtatatcttg	cgggcgtaaa	acttgcccag	24120
actgagcatg	gaatagttaa	tggcggccac	cttgtcagcc	aggctcaagc	tgcgctcctg	24180
caccactatg	ctctgcagaa	tgtttatcaa	atcgagcagc	cagcggccct	cgggctctac	24240
tatgtttagc	agcgcatccc	tgaatgcctc	gttgtccctg	ctgtgctgca	ctataaggaa	24300
cagctgcgcc	atgagcggct	tgctatttgg	gttttgctcc	agcgcgctta	caaagtccca	24360
				agcgtgcgca		
				tcgtacgcgg		
ggcggccgcc	acgtgtgcgc	gcgcgggact	aatcccggtc	cgcgcgtcgg	gctcaaagtc	24540
ctcctcgcgc	agcaaccgct	cgcggttcag	gccatgccgc	aactcgcgcc	ctgcgtggaa	24600
ctttcgatcc	cgcatctcct	cgggctcctc	tccctcgcgg	tcgcgaaaca	ggttctgccg	24660
				cttgggtgtc		
				tccaggtagt		
				gccgcggatg		
				cgctgctctt		
				atctgggaaa		
				ttgcatgacg		
				gggggtcctg		
				aatgctttcg		
				agcgcagcag		
				tcgcacacct		
				ccggggttcg		
				ggaagagtgc		
				cgcctcaccg		
				aaccgcgtcc		
				aggtacatct		
				accctacgct		
ccgccagccg	ccgccgcact	ctttggtggg	atateagtae	ctggtgcgga	cttgcaacga	∠308U
ctacgtettt	gactcaaggg	cttactcgcg	teteaggtae	accgagctct	cgcagccggg	25/40
				tacaccatca		
				ctcacgcagg		
				cagccgatga		
				aactccgccg		
				gaagtgccgg		
				gaagcctggg		
				cttctgtcga		
				tecgecagaa		
				tgcgactgtg		
				tcgctcaggt		
				gccgtatccc gtcttccaac		
				cgcggggaga		
ctttatcasc	cacatacaa	tacaccatca	tcaccaccat	gtccccctc	ccccaccacc	26580
cccgccgac	- acceeda	-g-g-cg-cg	cogoogoogo	500000000	Journal	2000

gccagaagaa gaagaagaag gggaggccct tatggaagag gagattgaag aagaagaggc 26640 ccctgtagcc tttgagcgcg aggtgcgcga cactgtcgcc gagctcatcc gtcttctgga 26700 ggaggagtta accgtgtcgg cgcgcaactc ccagtttttc aacttcgccg tggacttcta 26760 cgaggccatg gagcgccttg aggccttggg ggatatcaac gaatccacgt tgcgacgctg 26820 ggttatgtac ttcttcgtgg cagaacacac cgccaccacc ctcaactacc tctttcagcg 26880 cctgcgaaac tacgccgtct tcgcccggca cgtggagctc aatctcgcgc aggtggtcat 26940 gcgcgcccgc gatgccgaag ggggcgtggt ctacagccgc gtctggaacg agggaggcct 27000 caacgccttc tcgcagctca tggcccgcat ctccaacgac ctcgccgcca ccgtggagcg 27060 agccggacgc ggagatctcc aggaggaaga gatcgagcag ttcatggccg aaatcgccta 27120 tcaagacaac tcaggagacg tgcaggagat tttgcgccag gccgccgtca acgacaccga 27180 aattgattct gtcgaactct ctttcaggtt caagctcacc gggcccgtcg tcttcacgca 27240 gaggegecag atteaggaga teaacegeeg egtegtegeg ttegecagea aceteegege 27300 gcagcaccag ctcctgcccg cgcgggggc cgacgtgccc ctgccccctc tcccggcggg 27360 tecegagece eccetacete egggggeeeg eeegegteae egettttaga tgeateatee 27420 aaqqacaccc ccqcqqccca ccqccqccq cgcggtaccg tagtcqcqcc gcggggatgc 27480 ggcctcttgc aagtcatcga cgccgccacc aaccagcccc tggaaatcag gtatcacctg 27540 gacctagece gegeeetgae eeggetatge gaggtaaace tgeaggaget eeegeetgae 27600 ctqtcqccqc qqqaqctcca qaccatggac agctcccatc tgcgcgatgt tgtcatcaag 27660 ctccqaccqc cqcqcqqa catctqqact ttqqqctcqc qcqqcgtqgt ggtccgatcc 27720 accataactc ccctcgagca gccagacggt caaggacaag cagccgaagt agaagaccac 27780 cagccaaacc cgccaggcga ggggctcaaa ttcccactct gcttccttgt gcgcggtcgt 27840 caggtcaacc tcgtgcagga tgtacagccc gtgcaccgct gccagtactg cgcacgtttt 27900 tacaaaagcc agcacgagtg ttcggcccgt cgcagggact tctactttca ccacatcaac 27960 agccactcct ccaactggtg gcgggagatc cagttcttcc cgatcggctc gcatcctcgc 28020 accgagcgtc tettigteac ctacgatgta gagacetata ettggatggg ggeettiggg 28080 aagcagctcg tgcccttcat gctggttatg aagttcggcg gagatgagcc tctggtgacc 28140 geogegegag acetageegt ggacettgga tgggaceget gggaacaaga ceegettace 28200 ttctactgca tcaccccaga aaaaatggcc ataggtcgcc agtttaggac ctttcgcgac 28260 cacctgcaaa tgctaatggc ccgtgacctg tggagctcat tcgtcgcttc caaccctcat 28320 cttgcagact gggccctgtc agaacacggg ctcagctccc ctgaggagct cacctacgag 28380 gaacttaaaa aattgccctc catcaagggc accccgcgct tcttggaact ttacatcgtg 28440 ggccacaaca tcaacggctt cgacgagatc gtgctcgccg cccaggtaat taacaaccgt 28500 tccgaggtgc cgggaccctt ccgcatcaca cgcaacttta tgcctcgcgc gggaaagata 28560 cttttcaacg atgtcacctt cgccctgcca aacccgcgtt ccaaaaagcg cacggacttt 28620 ttgctctggg agcagggcgg atgcgacgac actgacttca aataccagta cctcaaagtc 28680 atggttaggg acacetttge geteacceae acetegetee ggaaggeege geaggeatae 28740 gcgctacccg tagaaaaggg atgctgcgcc taccaggccg tcaaccagtt ctacatgcta 28800 ggctcttacc gttcggaggc cgacgggttt ccgatccaag agtactggaa agaccgcgaa 28860 gagtttgtcc tcaaccgcga gctgtggaaa aaaaagggac aggataagta tgacatcatc 28920 aaggaaaccc tggactactg cgccctagac gtgcaggtca ccgccgagct ggtcaacaag 28980 ctgcgcgact cctacgcctc cttcgtgcgt gacgcggtag gtctcacaga cgccagcttc 29040 aacgtcttcc agcgtccaac catatcatcc aactcacatg ccatcttcag gcagatagtc 29100 ttccgagcag agcagcccgc ccgtagcaac ctcggtcccg acctcctcgc tccctcgcac 29160 gaactatacg attacgtgcg cgccagcatc cgcggtggaa gatgctaccc tacatatctt 29220 ggaatactca gagagcccct ctacgtttac gacatttgcg gcatgtacgc ctccgcgctc 29280 acceaccea tgccatgggg tececcaete aacceatacg agegegeget tgccgceege 29340 gcatggcagc aggcgctaga cttgcaagga tgcaagatag actacttcga cgcgcgcctg 29400 ctgcccgggg tctttaccgt ggacgcagac cccccggacg agacgcagct agacccacta 29460 ccgccattct gttcgcgcaa gggcggccgc ctctgctgga ccaacgagcg cctacgcgga 29520 gaggtagcca ccagcgttga ccttgtcacc ctgcacaacc gcggttggcg cgtgcacctg 29580 gtgcccgacg agcgcaccac cgtctttccc gaatggcggt gcgttgcgcg cgaatacgtg 29640 cagctaaaca tcgcggccaa ggagcgcgcc gatcgcgaca aaaaccaaac cctgcgctcc 29700 ategecaagt tgetgteeaa egecetetae gggtegtttg ceaceaaget tgacaacaaa 29760 aagattgtct tttctgacca gatggacgcg gccaccctca aaggcatcac cgcgggccag 29820 gtgaatatca aatcctcctc gtttttggaa actgacaatc ttagcgcaga agtcatgccc 29880 gcttttgaga gggagtactc accccaacag ctggccctcg cagacagcga tgcggaagag 29940 agtgaggacg aacgcgcccc cacccccttt tatagccccc cttcaggaac acccggtcac 30000 gtggcctaca cctataaacc aatcaccttc cttgatgccg aagagggcga catgtgtctt 30060

	,					
cacaccctgg	agcgagtgga	ccccctagtg	gacaacgacc	gctacccctc	ccacttagcc	30120
tccttcgtgc	tggcctggac	gcgagccttc	gtctcagagt	ggtccgagtt	tctatacgag	30180
gaggaccgcg	gaacaccgct	cgaggacagg	cctctcaagt	ctgtatacgg	ggacacggac	30240
agccttttcg	tcaccgagcg	tggacaccgg	ctcatggaaa	ccagaggtaa	gaaacgcatc	30300
aaaaagcatg	ggggaaacct	ggtttttgac	cccgaacggc	cagagctcac	ctggctcgtg	30360
gaatgcgaga	ccgtctgcgg	ggcctgcggc	gcggatgcct	actccccgga	atcggtattt	30420
ctcgcgccca	agctctacgc	ccttaaaagt	ctgcactgcc	cctcgtgcgg	cgcctcctcc	30480
					caccatggtc	
					cagcaggacc	
agcctcaagc	gcaccctggc	cagcgcgcag	cccggagcgc	accccttcac	cgtgacccag	30660
					tctggacgag	
caccgactac	tgccgtacag	cgaaagccgc	cccaacccgc	gaaacgagga	gatatgctgg	30780
atcgagatgc	cgtagagcac	gtgaccgagc	tgtgggaccg	cctggaactg	cttggtcaaa	30840
cgctcaaaag	catgcctacg	gcggacggcc	tcaaaccgtt	gaaaaacttt	gcttccttgc	30900
aagaactgct	atcgctgggc	ggcgagcgcc	ttctggcgca	tttggtcagg	gaaaacatgc	30960
aagtcaggga	catgcttaac	gaagtggccc	ccctgctcag	ggatgacggc	agctgcagct	31020
ctcttaacta	ccagttgcag	ccggtaatag	gtgtgattta	cgggcccacc	ggctgcggta	31080
agtcgcagct	gctcaggaac	ctgctttctt	cccagctgat	ctcccctacc	ccggaaacgg	31140
ttttcttcat	cgccccgcag	gtagacatga	tccccccatc	tgaactcaaa	gcgtgggaaa	31200
tgcaaatctg	tgagggtaac	tacgcccctg	ggccggatgg	aaccattata	ccgcagtctg	31260
gcaccctccg	cccgcgcttt	gtaaaaatgg	cctatgacga	tctcatcctg	gaacacaact	31320
					cccattgcca	
tcattatgga	cgaatgcatg	gaaaatctcg	gaggtcacaa	gggcgtctcc	aagttcttcc	31440
acgcatttcc	ttctaagcta	catgacaaat	ttcccaagtg	caccggatac	actgtgctgg	31500
tggttctgca	caacatgaat	ccccggaggg	atatggctgg	gaacatagcc	aacctaaaaa	31560
tacagtccaa	gatgcatctc	atatccccac	gtatgcaccc	atcccagctt	aaccgctttg	31620
taaacactta	caccaagggc	ctgcccctgg	caatcagctt	gctactgaaa	gacattttta	31680
ggcaccacgc	ccagcgctcc	tgctacgact	ggatcatcta	caacaccacc	ccgcagcatg	31740
aagctctgca	gtggtgctac	ctccacccca	gagacgggct	tatgcccatg	tatctgaaca	31800
tccagagtca	cctttaccac	gtcctggaaa	aaatacacag	gaccctcaac	gaccgagacc	31860
gctggtcccg	ggcctaccgc	gcgcgcaaaa	cccctaaata	aagacagcaa	gacacttgct	31920
tgatcaaaat	ccaaacagag	tctggttttt	atttatgttt	taaaccgcat	tgggagggga	31980
ggaagccttc	agggcagaaa	cctgctggcg	cagatccaac	agctgctgag	aaacgacatt	32040
					catcgcgggc	
ggatgaacgg	gaagctgcac	tgcttgcaag	cgggctcagg	aaagcaaagt	cagtcacaat	32160
					ccaacggcgt	
tccagacacg	gtctcgtagg	tcaaggtagt	agagtttgcg	ggcaggacgg	ggcgaccatc	32280
					gcgttgtcaa	
atatgagctc	acaatgcttc	catcaaacga	gttggcgctc	atggcggcgg	ctgctgcaaa	32400
					ttaagccccg	
					aggttgcccc	
					tgatgcagat	
					gcctccacgc	
					gtgatccgac	
aggttacggg	gcggcgacct	cgcgggtttt	cgctatttat	gaaaattttc	cggtttaagg	32760
cgtttccgtt	cttcttcgtc	ataacttaat	gtttttattt	aaaataccct	ctgaaaagaa	32820
aggaaacgac	aggtgctgaa	agcgaggctt	tttggcctct	gtcgtttcct	ttctctgttt	32880
ttgtccgtgg	aatgaacaat	ggaagttaac	ggatccaggc	cgcgagcaaa	aggccagcaa	32940
					ccgcccccct	
					aggactataa	
					gaccctgccg	
					tcatagctca	
					tgtgcacgaa	
					gtccaacccg	
					cagagcgagg	
					cactagaaga	
					agttggtagc	
tcttgatccg	gcaaacaaac	caccgctggt	agcggtggtt	tttttgtttg	caagcagcag	33540

```
attacgcgca gaaaaaaagg atctcaagaa gatcctttga tcttttctac ggggtctgac 33600
gctcagtgga acgaaaactc acgttaaggg attttggtca tcagattatc aaaaaggatc 33660
ttcacctaga tccttttaaa ttaaaaatga agttttaaat caatctaaag tatatatgag 33720
taaacttggt ctgacagtta ccaatgctta atcagtgagg cacctatctc agcgatctgt 33780
ctatttcgtt catccatagt tgcctgactc cccgtagtgt agataactac gatacgggag 33840
ggcttaccat ccggccccag tgctgcaatg ataccgcgtg acccacgctc accggctcct 33900
gatttatcag caataaacca gccagccgga agtgccgagc gcagaagtgg tcctgcaact 33960
ttatccgcct ccatccagtc tattagttgt tgccgggaag ctagagtaag tagttcgcca 34020
qttaatagtt ttcgcaacgt tgttgccatt gctacaggca tcgtggtgtc acgctcgtcg 34080
tttggtatgg cttcattcag ctccggttcc caacgatcaa ggcgagttac atgatccccc 34140
atgttgtgca aaaaagcggt tagctccttc ggtcctccga tagttgtcag aagtaagttg 34200
gccgcagtgt tatcactcat ggttatggca gcactgcata attctcttac tgtcatgcca 34260
tccgtaagat gcttttctgt gactggtgag tattcaacca agaatacggg ataataccgc 34320
gccacatagc agaactttaa aagtgctcat cattgggaaa cgttcttcgg ggcgaaaact 34380
ctcaaggate ttaccgctgt tgagatecag ttcgatgtaa eccaetegeg caeecaagtg 34440
atcttctgca tcttttactt tcaccagcgt ttctgggtga gcaaaaacag gaaggcaaaa 34500
tgccgcaaaa aagggaataa gggcgacacg gaaatgttga atactcatac ttttcctttt 34560
tcaatattat tgaagcattt atcagggtta ttgtctcatc agcggataca tatttg
<210> 3
<211> 31672
<212> DNA
<213> Artificial Sequence
<223> derived from Adenovirus
<400> 3
gaatcggcca gcgcgaatta actataacgg tcctaaggta gcgtcatcat cataatatac 60
cttattttgg attgaagcca atatgataat gaggggtgg agtttgtgac gtggcgcggg 120
gcgtgggaac ggggcgggtg acgtaggttt tagggcggag taacttgcat gtattgggaa 180
ttgtagtttt tttaaaatgg gaagttacgt atcgtgggaa aacggaagtg aagatttgag 240
gaagttgtgg gttttttggc tttcgtttct gggcgtaggt tcgcgtgcgg ttttctgggt 300
gttttttgtg gactttaacc gttacgtcat tttttagtcc tatatacat cgctctgtac 360
ttggcccttt ttacactgtg actgattgag ctggtgccgt gtcgagtggt gttttttaat 420
aggttttttt actggtaagg ctgactgtta tggctgccgc tgtggaagcg ctgtatgttg 480
```

gcagaacgaa	tgtgtaggtt	ggctgggtgt	ggcttattct	gcggtggtgg	atgttatcag	1740
				agggggcgcc		
				aagcgacgag		
				aaatatgact		
				gtctcggcgc		
		_	-			
				taccatactg		
				gagttacgtg		
				tccctgggat		
				gtgcctgtgt		
				ctgggctctc		
				ggttttggcc		
ggatggtggt	ggatggcgcc	atgtttaatc	agaggtttat	atggtaccgg	gaggtggtga	2400
attacaacat	gccaaaagag	gtaatgttta	tgtccagcgt	gtttatgagg	ggtcgccact	2460
taatctacct	gcgcttgtgg	tatgatggcc	acgtgggttc	tgtggtcccc	gccatgagct	2520
ttggatacag	cgccttgcac	tgtgggattt	tgaacaatat	tgtggtgctg	tgctgcagtt	2580
				ccggaggaca		
				catgttgtat		
				gcaccaccgc		
				cccttcgccg		
				cagcgacatg		
				ggctcgacag		
				gatgcttttt		
				tggcaggttg		
				atgtggtggt		
				aataaacacg		
				aggagaaggt		
		_		accatgtaaa		
				cattaagtgt		
				tgacaatgtt		
gtttgacttt	gggtttttgg	ataggctaga	aggttaggca	taaatccaac	tgcatttgtg	3480
tatggatttg	cattagttga	gttcccattt	ctaaagttcc	agtaatgttt	tttaagtgag	3540
				atatactaac		
gtgcctgtca	tggatgaaag	atctccagat	acagccaaag	cagctacagt	agctagtact	3660
				cattatctga		
cagttaggag	atgggtctgg	ggttgtccac	agggtaagtt	tgtcatcatt	tttgtttcct	3780
				caagtttagt		
				ttattgggtt		
				catttatagc		
				ccagttttt		
				ccaagttatg		
				tttgagcatc		
				caccgcccgt		
				tggttctaag		
				cggagttttg		
a a a c c c c c c	ttattttaat	tactatttt	ccattattta	cataaatagg	atcttccatc	4380
				atgcagttac		
				ctagctttcc		
gtaatgggee	Ctttagtage	aatgettagt	Liggagicii	gcacggtcag	cogggettgt	4500
gactgtacgc	taagagegee	gctagtaact	accagaggag	cggtggttgc	cactgttagg	4620
gegeetgagg	Laattgtaag	Lggtgcggag	grgrccaaac	ttatgtttga	cutgetttt	4080
				ggtttccggc		
				aggtgtccaa		
				cattgggtga		
				catatggata		
				atatgaagat		
				tttggagaaa		
				aggtgatgct		
gacaaagatt	tgctgactga	ttttaagtaa	gtaatttatt	cagtcgtagc	cgtccgccga	5160

gtctttcacc gcgtcaaagt tgggaataaa ctggtccggg tagtggccgg gaggtccaga 5220 aaaggggttg aagtaaaccg aaggcacgaa ctcctcaata aattgtagag ttccaatgcc 5280 tccggagcgc ggctccgagg acgaggtctg cagagttagg atcgcctgac ggggcgtaaa 5340 tgaagagcgg ccagcgccgc cgatctgaaa tgtcccgtcc ggacggagac caagagagga 5400 gctcaccgac tcgtcgttga gctgaatacc tcgccctctg attttcaggt gagttatacc 5460 ctgcccgggc gaccgcaccc tgtgacgaaa gccgcccgca agctgcgccc ctgagttagt 5520 catctgaact tcggcctggg cgtctctggg aagtaccaca gtggtgggag cgggactttc 5580 ctggtacacc agggcagcgg gccaactacg gggattaagg ttattacgag gtgtggtggt 5640 aataqccqcc tqttcqaqqa qaattcqqtt tcqqtqqqcq cqqattccqt tqacccqqqqa 5700 tatcatgtgg ggtcccgcgc tcatgtagtt tattcgggtt gagtagtctt gggcagctcc 5760 agecgeaagt eccatttgtg getggtaact ecacatgtag ggegtgggaa ttteettget 5820 cataatggcg ctgacgacag gtgctggcgc cgggtgtggc cgctggagat gacgtagttt 5880 tcgcgcttaa atttgagaaa gggcgcgaaa ctagtcctta agagtcagcg cgcagtattt 5940 gctgaagaga gcctccgcgt cttccagcgt gcgccgaagc tgatcttcgc ttttgtgata 6000 caggcagctg cgggtgaggg agcgcagaga cctgttttt attttcagct cttgttcttg 6060 gcccctgctt tgttgaaata tagcatacag agtgggaaaa atcctatttc taagctcgcg 6120 ggtcgatacg ggttcgttgg gcgccagacg cagcgctcct cctcctgctg ctgccgccgc 6180 tgtggatttc ttgggctttg tcagagtctt gctatccggt cgcctttgct tctgtgtgac 6240 cgctgctgtt gctgccgctg ccgctgccgc cggtgcagta ggggctgtag agatgacggt 6300 agtaatgcag gatgttacgg gggaaggcca cgccgtgatg gtagagaaga aagcggcggg 6360 cgaaggagat gttgccccca cagtcttgca agcaagcaac tatggcgttc ttgtgcccgc 6420 gccacgagcg gtagccttgg cgctgttgtt gctcttgggc taacggcggc ggctgcttag 6480 acttaccggc cctggttcca gtggtgtccc atctacggtt gggtcggcga acaggcagtg 6540 ccggcggcgc ctgaggagcg gaggttgtag cgatgctggg aacggttgcc aatttctggg 6600 gcgccggcga ggggaatgcg accgagggtg acggtgtttc gtctgacacc tcttcggcct 6660 cggaagette gtetaggetg teccagtett ceateatete etecteeteg tecaaaacet 6720 cetetgeetg aetgteecag tatteeteet egteegtggg tggeggegge ggeagetgea 6780 gcttcttttt gggtgccatc ctgggaagca agggcccgcg gctgctgata gggctgcggc 6840 ggcgggggga ttgggttgag ctcctcgccg gactgggggt ccaggtaaac cccccgtccc 6900 tttcgtagca gaaactcttg gegggctttg ttgatggctt gcaattggcc aaggatgtgg 6960 ccctgggtaa tgacgcaggc ggtaagctcc gcatttggcg ggcgggattg gtcttcgtag 7020 aacctaatct cgtgggcgtg gtagtcctca ggtacaaatt tgcgaaggta agccgacgtc 7080 cacageeeg gagtgagttt caaceegga geegeggaet tttegtcagg egagggaeec 7140 tgcagctcaa aggtaccgat aatttgactt tcgctaagca gttgcgaatt gcagaccagg 7200 gagcggtgcg gggtgcatag gttgcagcga cagtgacact ccagtaggcc gtcaccgctc 7260 acqtcttcca tgatgtcgga gtggtaggca aggtagttgg ctagctgcag aaggtagcag 7320 tgaccccaaa gcggcggagg gcattcacgg tacttaatgg gcacaaagtc gctaggaagc 7380 gcacagcagg tggcgggcag aattcctgaa cgctctagga taaagttcct aaagttttgc 7440 aacatgcttt gactggtgaa gtctggcaga ccctgttgca gggttttaag caggcgttcg 7500 gggaagataa tgtccgccag gtgcgcggcc acggagcgct cgttgaaggc cgtccatagg 7560 tectteaagt tttgetttag cagettetge ageteettta ggttgegete etceaggeat 7620 tgctgccaca cgcccatggc cgtttgccag gtgtagcaca gaaataagta aacgcagtcg 7680 cggacgtagt cgcggcgcgc ctcgcccttg agcgtggaat gaagcacgtt ttgcccgagg 7740 cgqttttcgt gcaaaattcc aaggtaggag accaggttgc agagctccac gttggaaatt 7800 ttgcaggcct ggcgcacgta gccctggcga aaggtgtagt gcaacgtttc ctctagcttg 7860 cyctycatct ccygytcayc aaagaaccyc tycatycact caayctccac gytaacaayc 7920 actgcggcca tcattagctt gcgtcgctcc tccaagtcgg caggctcgcg cgtctcaagc 7980 cagcgcgcca gctgctcatc gccaactgcg ggtaggccct cctcggtttg ttcttgcaag 8040 tttgcatccc tctccagggg tcgtgcacgg cgcacgatca gctcgctcat gactgtgctc 8100 ataaccttgg ggggtaggtt aagtgccggg taggcaaagt gggtgacctc gatgctgcgt 8160 ttcagcacgg ctaggcgcgc gttgtcaccc tcaagttcca ccagcactcc acagtgactt 8220 teattttege tqttttettg ttgeagageg tttgeegege gtttetegte gegteeaaga 8280 ccctcaaaga tttttggcac ttcgtcgagc gaggcgatat caggtatgac agcgccctgc 8340 cgcaaggcca gctgcttgtc cgctcggctg cggttggcac ggcaggatag gggtatcttg 8400 cagttttgga aaaagatgtg ataggtggca agcacctctg gcacggcaaa tacggggtag 8460 aagttgaggc gcgggttggg ctcgcatgtg ccgttttctt ggcgtttggg gggtacgcgc 8520 ggtgagaaca ggtggcgttc gtaggcaagg ctgacatccg ctatggcgag gggcacatcg 8580 ctgcgctctt gcaacgcgtc gcagataatg gcgcactggc gctgcagatg cttcaacagc 8640

acqtcqtctc ccacatctag gtagtcqcca tqcctttgqt cccccqccc gacttqttcc 8700 tegtttgeet etgegtegte etggtettge titttateet etgttggtae tgagegatee 8760 tegtegtett egettaeaaa acetgggtee tgetegataa teaetteete eteeteaage 8820 gggggtgcct cgacggggaa ggtggtaggc gcgttggcgg catcggtgga ggcggtggtg 8880 gcgaactcaa agggggcggt taggctgtcc tccttctcga ctgactccat gatctttttc 8940 tgcctatagg agaaggaaat ggccagtcgg gaagaggagc agcgcgaaac cacccccgag 9000 cgcggacgcg gtgcggcgcg acgtccacca accatggagg acgtgtcgtc cccgtcgccg 9060 tcgccgccgc ctccccgcgc gcccccaaaa aagcggctga ggcggcgtct cgagtccgag 9120 gacgaagaag actcgtcaca agatgcgctg gtgccgcgca cacccagccc gcggccatcg 9180 acctegacgg cggatttggc cattgcgtcc aaaaagaaaa agaagcgccc ctctcccaag 9240 cccgagcgcc cgccatcccc agaggtgatc gtggacagcg aggaagaaag agaagatgtg 9300 gcgctacaaa tggtgggttt cagcaaccca ccggtgctaa tcaagcacgg caagggaggt 9360 aagcgcacgg tgcggcgct gaatgaagac gacccagtgg cgcggggtat gcggacgcaa 9420 gaggaaaagg aagagtccag tgaagcggaa agtgaaagca cggtgataaa cccgctgagc 9480 ctgccgatcg tgtctgcgtg ggagaagggc atggaggctg cgcgcgcgtt gatggacaag 9540 taccacgtgg ataacgatct aaaggcaaac ttcaagctac tgcctgacca agtggaagct 9600 ctggcggccg tatgcaagac ctggctaaac gaggagcacc gcgggttgca gctgaccttc 9660 accagcaaca agacctttgt gacgatgatg gggcgattcc tgcaggcgta cctgcagtcg 9720 tttgcagagg taacctacaa gcaccacgag cccacgggct gcgcgttgtg gctgcaccgc 9780 tgcgctgaga tcgaaggcga gcttaagtgt ctacacggga gcattatgat aaataaggag 9840 cacgtgattg aaatggatgt gacgagcgaa aacgggcagc gcgcgctgaa ggagcagtct 9900 agcaaggcca agatcgtgaa gaaccggtgg ggccgaaatg tggtgcagat ctccaacacc 9960 gacgcaaggt gctgcgtgca tgacgcggcc tgtccggcca atcagttttc cggcaagtct 10020 tgcggcatgt tcttctctga aggcgcaaag gctcaggtgg cttttaagca gatcaaggct 10080 ttcatgcagg cgctgtatcc taacgcccag accgggcacg gtcaccttct gatgccacta 10140 cggtgcgagt gcaactcaaa gcctgggcat gcaccctttt tgggaaggca gctaccaaag 10200 ttgactccgt tcgccctgag caacgcggag gacctggacg cggatctgat ctccgacaag 10260 agegtgetgg ceagegtgea ceaceeggeg etgatagtgt tecagtgetg caaceetgtg 10320 tategeaact egegegegea gggeggagge eecaactgeg actteaagat ateggegeee 10380 gacctgctaa acgcgttggt gatggtgcgc agcctgtgga gtgaaaactt caccgagctg 10440 ccgcggatgg ttgtgcctga gtttaagtgg agcactaaac accagtatcg caacgtgtcc 10500 ctgccagtgg cgcatagcga tgcgcggcag aacccctttg atttttaaac ggcgcagacg 10560 gcaagggtgg ggggtaaata atcacccgag agtgtacaaa taaaaacatt tgcctttatt 10620 gaaagtgtct cctagtacat tatttttaca tgtttttcaa gtgacaaaaa gaagtggcgc 10680 tectaatetg egeactgtgg etgeggaagt agggegagtg gegeteeagg aagetgtaga 10740 gctgttcctg gttgcgacgc agggtgggct gtacctgggg actgttaagc atggagttgg 10800 qtaccccggt aataaggttc atggtggggt tgtgatccat gggagtttgg ggccagttgg 10860 caaaggcgtg gagaaacatg cagcagaata gtccacaggc ggccgagttg ggcccctgca 10920 cgctttgggt ggacttttcc agcgttatac agcggtcggg ggaagaagca atggcgctac 10980 ggcgcaggag tgactcgtac tcaaactggt aaacctgctt gagtcgttgg tcagaaaagc 11040 caaagggctc aaagaggtag catgtttttg agcgcgggtt ccaggcaaag gccatccagt 11100 gtacgccccc agtctcgcga ccggccgtat tgactatggc gcaggcgagc ttgtgtggag 11160 aaacaaagcc tggaaagcgc ttgtcatagg tgcccaaaaa atatggccca caaccaagat 11220 ctttgacaat ggctttcagt tcctgctcac tggagcccat ggcggcagct gttgttgatg 11280 ttgcttgctt éttttatgtt gtggcgttgc cggccgagaa gggcgtgcgc aggtacacgg 11340 tctcgatgac gccgcggtgc ggctggtgca cacggaccac gtcaaagact tcaaacaaaa 11400 cataaagaag ggtgggctcg tccatgggat ccacctcaaa agtcatgtct agcgcgtggg 11460 cggagttggc gtagagaagg ttttggccca ggtctgtgag tgcgcccatg gacataaagt 11520 tactggagaa tgggatgcgc caaagggtgc gatcgcaaag aaactttttc tgggtaatac 11580 tgtcaaccgc ggttttgcct attagtgggt agggcacgtt ggcggggtaa gcctgtccct 11640 cgcgcatggt gggagcgagg tagcctacga atcctgagtt gttatgctgg tgaagaattc 11700 caacctgctg atactccttg tatttagtat cgtcaaccac ttgccggctc atgggctgga 11760 agtttctgaa gaacgagtac atgcggtcct tgtagctttc tggaatgtag aagccctggt 11820 agccaatatt gtagttggcc aacatctgca ccaggaacca gtccttggtc atgttgcact 11880 gagctacgtt gtagccctcc ccgtcaactg agcgtttaat ctcaaactca ttgggagtaa 11940 gcaggeggte gttgccegge cagetaacag aagagteaaa ggtaatggee acettettaa 12000 aagggtcgta gcctgatccc agggaagggg tttcctttgt cttcaagcgt gtgaaggccc 12120

aaccgcgaaa	tgctgcccag	ttacacaata	ggatggagat	gaacacatta	ataacattaa	12180
	gtatagcatg					
	gagcatggct					
	acaaatgctg					
	ctgcagaacc					
	gaggaggagg	_	_	_	_	
	gcggccgttt				-	
	gggattaacg					
	tacaagcccg					
	tatttccaca					
	gtaaaggaaa					
	cactcctatt					
	atcgcctgag					
	cccaagagga					
_	aacatctgga					
	acctatggaa					
	cacggcattt					
	atacattagg					
	ttgttgaccc					
	tgtgtctggg					
	attgccttgc					
	aagaggcacc					
	cctggcataa					
	tgccgcatta					
	ggaaggatct					
	cccgcttttt					
	agtagcctga					
catcttcctc	ttcttcatcc	tcggcaactg	cccggccgct	atcttcggtt	tgttcccact	13800
	aggagcgccc					
taaaagtagg	cccctgtcc	agcacgccgc	ggatgtcaaa	gtacgtggaa	gccatatcaa	13920
gcacacggtt	gtcacccaca	gccagggtga	accgcgcttt	gtacgagtac	gcggtatcct	13980
cgcggtccac	agggatgaac	cgcagcgtca	aacgctggga	ccggtctgtg	gttacgtcgt	14040
gcgtaggtgc	caccgtgggg	tttctaaact	tgttattcag	gctgaagtac	gtctcggtgg	14100
cgcgggcaaa	ctgcaccagc	ccggggctca	ggtactccga	ggcgtcctgg	cccgagatgt	14160
gcatgtaaga	ccactgcggc	atcatcgaag	gggtagccat	cttggaaagc	gggcgcacgg	14220
	gctcctctgg					
	gcatcgtcgg					
gtgtgctttg	ccagttgcca	ctggctacgg	gccgcatcga	tcgcggaccg	ctggcggcac	14400
	cgcgcggcta					
	ggtgtcagcg					
gcactccggt	agccatgggc	gcgatgggac	gggtggtggg	caggccttgc	tttagtgcct	14580
cctcgtacga	gggaggctca	tctatttgcg	tcaccagagt	ttcttccctg	tcgggccgcg	14640
gacgcttttc	gccacgcccc	tctggagaca	ctgtctccac	ggccggtgga	ggctcctcta	14700
cadagaaaca	gggatcaagc	ttactgttaa	tcttattttg	cactgcctgg	ttggccaggt	14760
	gctaatgcca					
	gtccctcagc					
	ggaaccgaaa					
	attgctggtg					
	cagagacgca					
agcgagcgtg	agactccaga	ctttttattt	tgatttttcc	acatgcaact	tatttttaat	15120
cagtototot	gcgcctgcaa	ggccacggat	gcaattccgg	acacaacaca	aatcaccaca	15180
acastcaata	gaataaggag	addcaddata	acaddacada	tacaacaata	caacacacac	15240
- accaccaa,	ggtgcgcacg	acacatacca	cccatcagga	cataaccaac	catocccctc	15300
ctacoctoca	ttcttcctcg	gaatcccaac	accodocasac	adaddcadcs	aataaaaacc	15360
atatctccaa	gaaccacaaa	gaccacattt	taaacqatqq	taaaataata	acacactatt	15420
	gggtcctgcc					
	gacggcgacg					
	tggggcggta					
gotogtotte	caaaacaaca	ggcgcagcca	agacageegg	2220022020	sacsadada	-5500

tgtagggcat attcgggcag tagtgcgctg gcggtgccgt acttcctgga acggcgcggg 15660 cgccgggggg ctgaaacgcg aaacatccac gggtccgttt gcacctccgt agaggttttg 15720 gacgcggccq cagcggccc ctgcaccgcg gcatctgcca ccgccgaggc aaccggggac 15780 gtttgtgtct ccatgccctc tgtggcagtg gcaatactag tgctactggt ggtgggtatc 15840 tgaacgtcca cggtctgcac gcccagtccc ggtgccacct gcttgattgg ccgcacgcgg 15900 accteggget ceageceagg etecaeggte attttteca agacatette eagtegetgg 15960 cgcttgggta ccatcagctg cacggtgggt gccaagtcac cagactcgcg ctttaggccg 16020 cgcttttctt cggacggtgc aagcgtgggc agcacctgct gcagtgtcac gggctttagg 16080 ctaggtgttg ggttgccctc gtccagcggc aacgccaaca tgtccttatg ccgctttccg 16140 taggcaaact ccccgaggcg ctcgttggcc tgctcaagca ggtcctcgtc gccgtacacc 16200 tcatcataca cgcgcttgta ggtgcgggtg gagcgctcac cgggcgtaaa aactacggtg 16260 gtgccgggtc gcaaaacacg tcttacgcgt cgacctttcc actgtacccg ccgcctgggc 16320 gcggttgcgt gcagcagttc cacctcgtcg tcaagttcat catcatcatc atctttcttt 16380 ttctttttga cccgctttag ctttcggggc ttgtaatcct gctcttcctt cttcgggggg 16440 ccatagatct ccggcgcgat gacctggagc atctcttctt tgattttgcg cttggacata 16500 gcttcgttgc gcgccgccgc cgctggatac atacaacagt acgagtctaa gtagttttt 16560 cttgcaatct agttgcgcgg ggggcgggtg cgcacgggca cgcgcaggcc gctaaccgag 16620 tcgcgcaccc agtacacgtt gccctgcga ccctgagtca tagcactaat ggccgcggct 16680 gctgcggcgg ccgctcgtcg cctggacctg gggggcacag tgacaatacc cgcggccagc 16740 cttcgagcgg cccgcatggc cgcccgtcgg ccggtgcgac gtgcgcggtt aagcagggcc 16800 gccgccgcg gttgggcggc agtgccgggt cggcggcggt ggcgacgtgc tacgcgcctc 16860 cgccgtctct tcattttagc ataacgccgg gctccgcgca ccacggtctg aatggccgcg 16920 tecaetgtgg acaetggtgg eggegtggge gtgtagttge gegeeteete caecaeegeg 16980 tcaatggcgt catcgacggt ggtgcgccca gtgcggccgc gtttgtgcgc gccccagggc 17040 gcgcggtagt gcccgcgcac gcgcactggg tgttggtcgg agcgcttctt tgccccgcca 17100 aacatcttgc ttgggaagcg caggccccag cctgtgttat tgctgggcga tataaggatg 17160 gacatgtttg ctcaaaaagt gcggctcgat aggacgcgcg gcgagactat gcccagggcc 17220 ttgtaaacgt aggggcaggt geggegtetg gegteagtaa tggteacteg etggaeteet 17280 ccgatgctgt tgcgcagcgg tagcgtcccg tgatctgtga gagcaggaac gttttcactg 17340 acggtggtga tggtgggggc tggcgggcgc gccaaaatct ggttctcggg aaagcgattg 17400 aacacgtggg tcagagaggt aaactggcgg atgagctggg agtagacggc ctggtcgttg 17460 tagaagctct tggagtgcac gggcaacagc tcggcgccca ccaccggaaa gttgctgatc 17520 tggctcgtgg agcggaaggt cacggggtct tgcatcatgt ctggcaacga ccagtagacc 17580 tgctccgagc cgcaggttac gtcaggagtg caaaggaggg tccatgagcg gatcccggtc 17640 tgagggtcgc cgtagttgta tgcaaggtac cagctgcggt actgggtgaa ggtgctgtca 17700 ttgcttatta ggttgtaact gcgtttcttg ctgtcctctg tcaggggttt gatcaccggt 17760 ttettetgag gettetegae etegggttge geagegggg eggeagette tgeegetgee 17820 teggeeteag egegettete eteegeeegt gtggcaaagg tgtegeegeg aatggcatga 17880 tegtteatgt cetecacegg etgeattgee geggetgeeg egttggagtt etetteegeg 17940 ccgctgccac tgttgttgcc gccgcctgcg ccatccccgc cctgttcggt gtcatctttt 18000 aagettgeet ggtaggegte cacatecaae agtgegggaa tgttaceaee etceaggtea 18060 tcgtaggtga tcctaaagcc ctcctggaag ggttgccgct tgcggatgcc caacaagttg 18120 ctcaggcggc tgtgggtgaa gtccaccccg catcctggca gcaaaatgat gtctggatgg 18180 aaggettegt ttgtatatae ceeaggeatg acaagaceag tgactgggte aaaceceagt 18240 ctgaagttgc gggtgtcaaa ctttaccccg atgtcgcttt ccagaacccc gttctgcctg 18300 cccactttca agtagtgctc cacgatcgcg ttgttcataa ggtctatggt catggtctcg 18360 gagtagttgc cctcgggcag cgtgaactcc acccactcat atttcagctc cacctgtttq 18420 teettagtaa gegagegega caccateace egegeettaa aettattggt aaacatgaac 18480 tegtteacat teggeatgtt ggtatgeagg atggttttea ggtegeegee ceagtgegaa 18540 cggtcgtcaa gattgatggt ctgtgtgctt gcctccccg ggctgtagtc attgttttga 18600 atgaccgtgg ttagaaagtt gctgtggtcg ttctggtagt tcagggatgc cacatccgtt 18660 gacttgttgt ccacaaggta cacacgggtg gtgtcgaata ggggtgccaa ctcagagtaa 18720 cggatgctgt ttctccccc ggtaggccgc aggtaccgcg gaggcacaaa cggcgggtcc 18780 aggggagcat cgaaggggga acccagcgc gccgccactg gcgccgcgct caccacgctc 18840 tcgtaggagg gaggaggacc ttcctcatac atcgccgcgc gctgcatact aaggggaata 18900 caagaaaacc aacgctcggt gccatggcct tggtgagttt tttattttgc atcatgcttt 18960 tttttttttt ttttaaaaca ttctccccag cctggggcga aggtgcgcaa acgggttgcc 19020 actccctccc aaatccagga cgctgctgtc gtctgccgag tcatcgtcct cccacaccag 19080

accccgctga cggtcgtgcc tttgacgacg ggtgggcggg cgcgggccgg gcacatccct 19140 gtgctcctgc gcatacgtct tccatctact catcttgtcc actaggctct ctatcccgtt 19200 gttgggaaat gccggaggca ggttcttttc gcgctgcggc tgcagcagcg agttgtttag 19260 gtactcctcc tcgcccagca ggcgcgggcg ggtggtgcga gtgctggtaa aagaccctat 19320 caagcttgga aatgggctac tcgcatctga ccgcggggcc gcagcgccta gatcggacaa 19380 gctgcttggc ctgcggaagc tttcctttcg cagcgccgcc tctgcctgct cgcgctgttg 19440 caactctagc agggtctgcg gttgcgggga aaacacgctg tcgtctatgt cgtcccagag 19500 gaatccatcg ttaccctcgg gcacctcaaa tcccccggtg tagaaaccag ggggcggtag 19560 ccagtgcggg ttcaagatgg cattggtgaa atactcgggg ttcacggcgg ccgcgcgatg 19620 caagtagtcc attaggcgat tgataaacgg ccggtttgag gcatacatgc ccggttccat 19680 gttgcgcgcg gtcatgtcca gcgccacgct gggcgttacc ccgtcgcgca tcaggttaag 19740 gctcacgctc tgctgcacat agcgcaagat gcgctcctcc tcgctgttta aactgtgcaa 19800 cgaggggatc ttctgccgcc ggttggtcag caggtagttc agggttgcct ccaggctgcc 19860 cgtgtcctcc tgccccagcg cgcggctgac acttgtaatc tcctggaaag tatgctcgtc 19920 cacatgcgcc tgacctatgg cctcgcggta cagtgtcagc aagtgaccta ggtatgtgtc 19980 ccgggacacg ctgccactgt ccgtgaaggg cgctattagc agcagcaaca ggcgcgagtt 20040gggcgtcagc aagctagaca cggtcgcgcg gtcgcctgtg ggagcccgca cccccacag 20100 cccctgcaag ttcttgaaag cctggctcag gtttacggtc tgcaggcctt gtctactggt 20160 ctggaaaaaa tagtctggcc cggactggta cacctcactt tgcggtgtct cagtcaccat 20220 tagccgcagt gcgctcacaa agttggtgta gtcctcctgt ccccgcggca cgttggcggg 20280 ctgtgtactc aggaaggcgt ttagtgcaac catggagccc aggttgccct gctgctgcgc 20340 gcgctcacgc tgcgccacgg cctcgcgcac atcccccacc agccggtcca ggttggtctg 20400 cacgttgccg ctgttgtaac gagccacgcg ctgaagcagc gcgtcgtaga ccaggccggc 20460 ctcatcgggc cggatggccc tgttttcggc cagcgcgttt acgatcgcca gcaccttctc 20520 gtgcgtgggg tttgcgcgcg ccgggaccac cgcttccaga attgcggaga gccggttggc 20580 ctgcggctgc tgccggaacg cgtcagggtt acgcgcagtc agcgacatga tgcggtccat 20640 gacetggege cagtegteeg tggagttaag geeggaegge tggetetgea gegeegeeeg 20700 caccgccggg tccgttgcgt cttgcatcat ctgatcagaa acatcaccgc ttagtactcg 20760 cegteetetg getegtaete ategteeteg teatatteet ceaegeegee gaegttgeea 20820 gegegegeg gtgecacege cageccaggt ceggecccag etgeetccag ggegegtegg 20880 cttqqqqccc agcqcaggtc agcqcccgcg tcaaagtagg actcggcctc tctatcgccg 20940 ctgcccgtgc cagccagggc cctttgcagg ctgtgcatca gctcgcggtc gctgagctcg 21000 cgccgccggc tcacgctcac ggccttgtgg atgcgctcgt tgcgataaac gcccaggtcg 21060 tegeteaagg taagcacett caacgccatg egeatgtaga acceetegat etttacetee 21120 ttgtctatgg gaacgtaagg ggtatggtat atcttgcggg cgtaaaactt gcccagactg 21180 agcatggaat agttaatggc ggccaccttg tcagccaggc tcaagctgcg ctcctgcacc 21240 actatgetet geagaatgit tateaaateg ageageeage ggeeeteggg etetaetatg 21300 tttagcagcg catccctgaa tgcctcgttg tccctgctgt gctgcactat aaggaacagc 21360 tgcgccatga gcggcttgct atttgggttt tgctccagcg cgcttacaaa gtcccacaga 21420 tgcatcagtc ctatagccac ctcctcgcgc gccacaagcg tgcgcacgtg gttgttaaag 21480 cttttttgaa agttaatete etggtteace gtetgetegt aegeggttae eaggteggeg 21540 geogecacgt gtgegegeg gggaetaate eeggteegeg egtegggete aaagteetee 21600 tegegeagea acegetegeg gtteaggeea tgeegeaact egegeeetge gtggaacttt 21660 cgatecegea tetecteggg etectetece tegeggtege gaaacaggtt etgeegegge 21720 acgtacgcct cgcgcgtgtc acgcttcagc tgcacccttg ggtgtcgctc aggagagggc 21780 gctcctagcc gcgccaggcc ctcgccctcc tccaagtcca ggtagtgccg ggcccggcgc 21840 cgcgggggtt cgtaatcacc atctgccgcc gcgtcagccg cggatgttgc ccctcctgac 21900 geggtaggag aaggggaggg tgcctgcat gtctgccgct gctcttgctc ttgccgctgc 21960 tgaggagggg ggcgcatctg ccgcagcacc ggatgcatct gggaaaagca aaaaaggggc 22020 tcgtccctgt ttccggagga atttgcaagc ggggtcttgc atgacgggga ggcaaacccc 22080 cgttcgccgc agtccggccg gcccgagact cgaaccgggg gtcctgcgac tcaacccttg 22140 gaaaataacc ctccggctac agggagcgag ccacttaatg ctttcgcttt ccagcctaac 22200 cgcttacqcc qcqcqqqcc agtqqccaaa aaagctagcg cagcagccgc cgcgcctgga 22260 aggaagccaa aaggagcgct cccccgttgt ctgacgtcgc acacctgggt tcgacacgcg 22320 ggcggtaacc gcatggatca cggcggacgg ccggatccgg ggttcgaacc ccggtcgtcc 22380 gccatgatac ccttgcgaat ttatccacca gaccacggaa gagtgcccgc ttacaggctc 22440 teettttqca eqqtetaqaq eqteaacqac tgcqcacqcc teaccggcca gagcgtcccg 22500 accatggage actttttgcc gctgcgcaac atctggaacc gcgtccgcga ctttccgcgc 22560

gcctccacca ccgccgccgg catcacctgg atgtccaggt acatctacgg atatcatcgc 22620 cttatgttgg aagacetege eeeeggagee eeggeeacee taegetggee eetetaeege 22680 cagccgccgc cgcacttttt ggtgggatat cagtacctgg tgcggacttg caacgactac 22740 gtctttgact caagggctta ctcgcgtctc aggtacaccg agctctcgca gccgggtcac 22800 cagaccgtta actggtccgt tatggccaac tgcacttaca ccatcaacac gggcgcatac 22860 caccycttty tygacatyga tyacttccay tctaccctca cycagytyca ycagyccata 22920 ttagccgagc gcgttgtcgc cgacctggcc ctgcttcagc cgatgagggg cttcggggtc 22980 acacgcatgg gaggaagagg gcgccaccta cggccaaact ccgccgccgc cgtagcgata 23040 gatgcaagag atgcaggaca agaggaagga gaagaagaag tgccggtaga aaggctcatg 23100 caagactact acaaagacct gcgccgatgt caaaacgaag cctggggcat ggccgaccgc 23160 ctgcgcattc agcaggccgg acccaaggac atggtgcttc tgtcgaccat ccgccgtctc 23220 aagaccgcct actttaatta catcatcagc agcacctccg ccagaaacaa ccccgaccgc 23280 caccegetge egecegeeae ggtgeteage etacettgeg actgtgactg gttagaegee 23340 tttctcgaga ggttttccga tccggtcgat gcggactcgc tcaggtccct cggtggcgga 23400 gtacctacac aacaattgtt gagatgcatc gttagcgccg tatccctgcc gcacggcagc 23460 cccccgccaa cccataaccg ggacatgacg ggcggcgtct tccaactgcg cccccgcgag 23520 aacggccgcg ccgtcaccga gaccatgcgc cgtcgccgcg gggagatgat cgagcgcttt 23580 gtcgaccgcc tcccggtgcg ccgtcgtcgc cgccgtgtcc cccctccccc accgccgcca 23640 gaagaagaag aagaagggga ggcccttatg gaagaggaga ttgaagaaga agaggcccct 23700 gtagectttg agegegaggt gegegaeact gtegeegage teateegtet tetggaggag 23760 gagttaaccg tgtcggcgcg caactcccag tttttcaact tcgccgtgga cttctacgag 23820 gccatggagc gccttgaggc cttgggggat atcaacgaat ccacgttgcg acgctgggtt 23880 atgtacttct tcgtggcaga acacaccgcc accaccctca actacctctt tcagcgcctg 23940 cgaaactacg ccgtcttcgc ccggcacgtg gagctcaatc tcgcgcaggt ggtcatgcgc 24000 gcccgcgatg ccgaaggggg cgtggtctac agccgcgtct ggaacgaggg aggcctcaac 24060 gccttctcgc agctcatggc ccgcatctcc aacgacctcg ccgccaccgt ggagcgagcc 24120 ggacgcggag atctccagga ggaagagatc gagcagttca tggccgaaat cgcctatcaa 24180 gacaactcag gagacgtgca ggagattttg cgccaggccg ccgtcaacga caccgaaatt 24240 gattetgteg aactetettt caggtteaag etcaceggge eegtegtett caegeagagg 24300 cgccagattc aggagatcaa ccgccgcgtc gtcgcgttcg ccagcaacct ccgcgcgcag 24360 caccagetee tgcccgcgc cggcgccgae gtgcccctgc cccttctccc ggcgggtccc 24420 gageceece taceteeggg ggeeegeeeg egteaceget tttagatgea teateeaagg 24480 acacecege ggeceaeege cegeegegg gtacegtagt egegeegegg ggatgeggee 24540tettgeaagt categaegee geeaceaace ageeeetgga aateaggtat caeetggaee 24600 tagcccgcgc cctgacccgg ctatgcgagg taaacctgca ggagctcccg cctgacctgt 24660 cgccgcggga gctccagacc atggacagct cccatctgcg cgatgttgtc atcaagctcc 24720 gaccgccgcg cgcggacatc tggactttgg gctcgcgcg cgtggtggtc cgatccacca 24780 taactcccct cgagcagcca gacggtcaag gacaagcagc cgaagtagaa gaccaccagc 24840 caaacccgcc aggcgagggg ctcaaattcc cactctgctt ccttgtgcgc ggtcgtcagg 24900 tcaacctcgt gcaggatgta cagcccgtgc accgctgcca gtactgcgca cgtttttaca 24960 aaagccagca cgagtgttcg gcccgtcgca gggacttcta ctttcaccac atcaacagcc 25020 actectecaa etggtggegg gagatecagt tettecegat eggetegeat cetegeaceg 25080 agcgtctctt tgtcacctac gatgtagaga cctatacttg gatgggggcc tttgggaagc 25140 agetegtgee etteatgetg gttatgaagt teggeggaga tgageetetg gtgacegeeg 25200 cgcgagacct agccgtggac cttggatggg accgctggga acaagacccg cttaccttct 25260 actgcatcac cccagaaaaa atggccatag gtcgccagtt taggaccttt cgcgaccacc 25320 tgcaaatgct aatggcccgt gacctgtgga gctcattcgt cgcttccaac cctcatcttg 25380 cagactgggc cctgtcagaa cacgggctca gctcccctga ggagctcacc tacgaggaac 25440 ttaaaaaatt gccctccatc aagggcaccc cgcgcttctt ggaactttac atcgtgggcc 25500 acaacatcaa cggcttcgac gagatcgtgc tcgccgccca ggtaattaac aaccgttccg 25560 aggtgccggg accettccgc atcacacgca actttatgcc tcgcgcggga aagatacttt 25620 tcaacgatgt caccttcgcc ctgccaaacc cgcgttccaa aaagcgcacg gactttttgc 25680 tctgggagca gggcggatgc gacgacactg acttcaaata ccagtacctc aaagtcatgg 25740 ttagggacac ctttgcgctc acccacacct cgctccggaa ggccgcgcag gcatacgcgc 25800 tacccgtaga aaagggatgc tgcgcctacc aggccgtcaa ccagttctac atgctaggct 25860 cttaccgttc ggaggccgac gggtttccga tccaagagta ctggaaagac cgcgaagagt 25920 ttgtcctcaa ccgcgagctg tggaaaaaaa agggacagga taagtatgac atcatcaagg 25980 aaaccctgga ctactgcgcc ctagacgtgc aggtcaccgc cgagctggtc aacaagctgc 26040

gcgactccta	cgcctccttc	gtgcgtgacg	cggtaggtct	cacagacgcc	agcttcaacg	26100
	tccaaccata					
	gcccgcccgt					
tatacgatta	cgtgcgcgcc	agcatccgcg	gtggaagatg	ctaccctaca	tatcttggaa	26280
tactcagaga	gcccctctac	gtttacgaca	tttgcggcat	gtacgcctcc	gcgctcaccc	26340
accccatgcc	atggggtccc	ccactcaacc	catacgagcg	cgcgcttgcc	gcccgcgcat	26400
	gctagacttg					
ccggggtctt	taccgtggac	gcagaccccc	cggacgagac	gcagctagaç	ccactaccgc	26520
	gcgcaagggc					
tagccaccag	cgttgacctt	gtcaccctgc	acaaccgcgg	ttggcgcgtg	cacctggtgc	26640
	caccaccgtc					
	ggccaaggag					
	gtccaacgcc					
	tgaccagatg					
	ctcctcgttt					
ttgagaggga	gtactcaccc	caacagctgg	ccctcgcaga	cagcgatgcg	gaagagagtg	27000
	cgccccacc					
	taaaccaatc					
	agtggacccc					
	ctggacgcga					
accgcggaac	accgctcgag	gacaggcctc	tcaagtctgt	atacggggac	acggacagcc	27300
	cgagcgtgga					
	aaacctggtt					
	ctgcggggcc					
cgcccaagct	ctacgccctt	aaaagtctgc	actgcccctc	gtgcggcgcc	tcctccaagg	27540
gcaagctgcg	cgccaagggc	cacgccgcgg	aggggctgga	ctatgacacc	atggtcaaat	27600
gctacctggc	cgacgcgcag	ggcgaagacc	ggcagcgctt	cagcaccagc	aggaccagcc	27660
tcaagcgcac	cctggccagc	gcgcagcccg	gagcgcaccc	cttcaccgtg	acccagacta	27720
cgctgacgag	gaccctgcgc	ccgtggaaag	acatgaccct	ggcccgtctg	gacgagcacc	27780
	gtacagcgaa					
agatgeegta	gagcacgtga	ccgagctgtg	ggacegeerg	gaactgertg	gicaaacgci	27060
	cctacggcgg					
actigetateg	ctgggcggcg	tagagagaga	ggcgcarrig	gccagggaaa	acatgcaagt	20020
	cttaacgaag					
	ttgcagccgg aggaacctgc					
geagetgete	ccgcaggtag	nantantaga	getgatetee	atananagat	aaacygtttt	20200
	ggtaactacg					
	cgctttgtaa					
	cccagaaata					
	tgcatggaaa					
	aagctacatg					
	atgaatcccc					
atccaagata	catctcatat	cccacatat	ggacgggaac	cagettaace	actttataaa	28680
cacttacacc	aagggcctgc	ccctaggaat	cagettgeta	ctgaaagaca	tttttaggca	28740
ccacacacac	cgctcctgct	acqactqqat	catctacaac	accacccccc	aggatgaagg	28800
	tgctacctcc					
	taccacgtcc					
	taccgcgcgc					
	acagagtctg					
accttcaggg	cagaaacctg	ctggcgcaga	tccaacagct	actaagaaac	gacattaagt	29100
tcccaaatca	aagaatccaa	ttotoccaaa	agagccatca	acttgtcatc	gcgggcagat	29160
	ctgcactgct					
	ctgcagcggc					
	cgtaggtcaa					
	tcacattctg					
gagctcacaa	tgcttccatc	aaacgagttg	gcgctcatgg	cggcggctgc	tgcaaaacag	29460
atacaaaact	acatgagacc	cccaccttat	atattctttc	ccacccttaa	gccccgccca	29520

```
tcgatggcaa acagctatta tgggtattat gggtgctagc gacatgaggt tgccccgtat 29580
tcagtgtcgc tgatttgtat tgtctgaagt tgtttttacg ttaagttgat gcagatcaat 29640
taatacgata cctqcqtcat aattqattat ttqacqtqqt ttqatqqcct ccacqcacqt 29700
tgtgatatgt agatgataat cattatcact ttacgggtcc tttccggtga tccgacaggt 29760
tacggggcgg cgacctcgcg ggttttcgct atttatgaaa attttccggt ttaaggcgtt 29820
tccgttcttc ttcgtcataa cttaatgttt ttatttaaaa taccctctga aaagaaagga 29880
aacgacaggt gctgaaagcg aggctttttg gcctctgtcg tttcctttct ctgtttttgt 29940
ccgtggaatg aacaatggaa gttaacggat ccaggccgcg agcaaaaggc cagcaaaagg 30000
ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca taggctccgc ccccctgacg 30060
agcatcacaa aaatcaacgc tcaagtcaga ggtggcgaaa cccgacagga ctataaagat 30120
accaggegtt teeceetgga ageteeeteg tgegetetee tgtteegaee etgeegetta 30180
ccggatacct gtccgccttt ctcccttcgg gaagcgtggc gctttctcat agctcacgct 30240
gtaggtatet cagtteggtg taggtegtte getecaaget gggetgtgtg caegaacee 30300
ccgttcagcc cgaccgctgc gccttatccg gtaactatcg tcttgagtcc aacccggtaa 30360
gacacgactt atcgccactg gcagcagcca ctggtaacag gattagcaga gcgaggtatg 30420
taggcggtgc tacagagttc ttgaagtggt ggcctaacta cggctacact agaagaacag 30480
tatttggtat ctgcgctctg ccaaagccag ttaccttcgg aaaaagagtt ggtagctctt 30540
gatccggcaa acaaaccacc gctggtagcg gtggtttttt tgtttgcaag cagcagatta 30600
cgcgcagaaa aaaaggatct caagaagatc ctttgatctt ttctacgggg tctgacgctc 30660
aqtqqaacqa aaactcacqt taaqqqattt tqqtcatcaq attatcaaaa aggatcttca 30720
cctagatcct tttaaattaa aaatgaagtt ttaaatcaat ctaaagtata tatgagtaaa 30780
cttggtctga cagttaccaa tgcttaatca gtgaggcacc tatctcagcg atctgtctat 30840
ttegtteate catagttgee tgaeteeeeg tagtgtagat aactaegata egggaggget 30900
taccatcogg coccagtget gcaatgatac cgcgtgaccc acgctcaccg gctcctgatt 30960
tatcagcaat aaaccagcca gccggaagtg ccgagcgcag aagtggtcct gcaactttat 31020
ccgcctccat ccagtctatt agttgttgcc gggaagctag agtaagtagt tcgccagtta 31080
atagttttcg caacgttgtt gccattgcta caggcatcgt ggtgtcacgc tcgtcgtttg 31140
gtatggcttc attcagctcc ggttcccaac gatcaaggcg agttacatga tcccccatgt 31200
tgtgcaaaaa agcggttagc tccttcggtc ctccgatagt tgtcagaagt aagttggccg 31260
cagtgttatc actcatggtt atggcagcac tgcataattc tcttactgtc atgccatccg 31320
taagatgctt ttctgtgact ggtgagtatt caaccaagaa tacgggataa taccgcgcca 31380
catagcagaa ctttaaaagt gctcatcatt gggaaacgtt cttcggggcg aaaactctca 31440
aggatettae egetgttgag atceagtteg atgtaaceca etegegeace caagtgatet 31500
totgcatctt ttactttcac cagcgtttct gggtgagcaa aaacaggaag gcaaaatgcc 31560
gcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactttt cctttttcaa 31620
tattattgaa gcatttatca gggttattgt ctcatcagcg gatacatatt tg
                                                                  31672
```

```
<210> 4
<211> 30365
<212> DNA
<213> Artificial Sequence
<220>
<223> derived from Adenovirus
```

<400> 4
gaatcggcca gcgcgaatta actataacgg tcctaaggta gcgtcatcat cataatatac 60
cttattttgg attgaagcca atatgataat gagggggtgg agtttgtgac gtggcgcggg 120
gcgtgggaac ggggcgggtg acgtaggtt tagggcggag taacttgcat gtattgggaa 180
ttgtagtttt tttaaaatgg gaagttacgt atcgtgggaa aacggaagtg aagatttgag 240
gaagttgtgg gttttttggc tttcgtttct gggcgtaggt tcgcgtgcgg ttttctgggt 300
gttttttgtg gactttaacc gttacgtcat tttttagtcc tatatatact cgctctgtac 360
ttggcccttt ttacactgtg actgattgag ctggtgccgt gtcgagtggt gttttttaat 420
aggttttttt actggtaagg ctgactgtta tggctgccgc tgtggaagcg ctgtatgttg 480
ttctggagcg ggagggtgct attttgccta ggataacttc gtataatgta tgctatacga 540
aggttatggcg cgccagatct gtttgtcacg cccgcacctg gttttgcttc aggaaatatg 600

actacgtccg gcgttccatt tggcatgaca ctacgaccaa cacgatctcg gttgtctcgg 660 cgcactccgt acagtaggga tcgcctacct ccttttgaga cagagacccg cgctaccata 720 ctggaggatc atccgctgct gcccgaatgt aacactttga caatgcacaa cgtgagttac 780 gtgcgaggtc ttccctgcag tgtgggattt acgctgattc aggaatgggt tgttccctgg 840 gatatggttc tgacgcggga ggagcttgta atcctgagga agtgtatgca cgtgtgcctg 900 tgttgtgcca acattgatat catgacgagc atgatgatcc atggttacga gtcctgggct 960 ctccactgtc attgttccag tcccggttcc ctgcagtgca tagccggcgg gcaggttttg 1020 gccagctggt ttaggatggt ggtggatggc gccatgttta atcagaggtt tatatggtac 1080 cgggaggtgg tgaattacaa catgccaaaa gaggtaatgt ttatgtccag cgtgtttatg 1140 aggggtcgcc acttaatcta cctgcgcttg tggtatgatg gccacgtggg ttctgtggtc 1200 cccgccatga gctttggata cagcgccttg cactgtggga ttttgaacaa tattgtggtg 1260 ctgtgctgca gttactgtgc tgatttaagt gagatcaggg tgcgctgctg tgcccggagg 1320 acaaggcgtc tcatgctgcg ggcggtgcga atcatcgctg aggagaccac tgccatgttg 1380 tattcctgca ggacggagcg gcggcggcag cagtttattc gcgcgctgct gcagcaccac 1440 cgccctatcc tgatgcacga ttatgactct acccccatgt aggcgtggac ttccccttcg 1500 ccgcccgttg agcaaccgca agttggacag cagcctgtgg ctcagcagct ggacagcgac 1560 atgaacttaa gegagetgee eggggagttt attaatatea etgatgageg tttggetega 1620 caggaaaccg tgtggaatat aacacctaag aatatgtctg ttacccatga tatgatgctt 1680 tttaaggcca gccggggaga aaggactgtg tactctgtgt gttgggaggg aggtggcagg 1740 ttqaatacta qqqttctqtq aqtttqatta aggtacggtq atcaatataa gctatgtggt 1800 ggtggggcta tactactgaa tgaaaaatga cttgaaattt tctgcaattg aaaaataaac 1860 acgttgaaac ataacatgca acaggttcac gattctttat tcctgggcaa tgtaggagaa 1920 ggtgtaagag ttggtagcaa aagtttcagt ggtgtatttt ccactttccc aggaccatgt 1980 aaaagacata gagtaagtgc ttacctcgct agtttctgtg gattcactag tgccattaag 2040 tgtaatggta agtatcatag gtttagtttt atcaccatgc aagtaaactt gactgacaat 2100 gttattttta gcagtttgac tttgggtttt tggataggct agaaggttag gcataaatcc 2160 aactgcattt gtgtatggat ttgcattagt tgagttccca tttctaaagt tccagtaatg 2220 ttttttaagt gaggagttct ccattagaac accgttttgg tcaaatctaa ggaatatact 2280 aacacttgca acggtgcctg tcatggatga aagatctcca gatacagcca aagcagctac 2340 agtagctagt acttgactcc cacattttgt aagaaccaaa gtaaatttgc agtcattatc 2400 tgaatgaatt ctgcagttag gagatgggtc tggggttgtc cacagggtaa gtttgtcatc 2460 atttttgttt cctattgtaa tggcccctga gttgtcaaag cttaaacccg ctccaagttt 2520 agtaatcatg gcaccgtttt cattgtaatc aatgccagag ccaattttag tttttattgg 2580 gttgatatct ggagactcag atgtgtttgt atcaaactcc agaccctttc ctgcatttat 2640 agctatggca gtattatcaa agtttagtcc actggatttt tttatgctaa cttccagttt 2700 tttagtattg tttgatgcat taaaaaggta taggcctctg ttatagttta tgtccaagtt 2760 atgagatgca ttaatataca ggggtccctg ccccagttta agacgtagtt ttgtttgagc 2820 atcaaatggg taatccacat ctagaattaa caagttgtta tttatacgca tgccaccgcc 2880 cgttttaatt tccatgttgt ttgatgaatc ataaccaata gctcctgcaa ctttggttct 2940 aagggagttt tgttcaacgg tgacacctgg tccagtaact actgttagtg tatcggagtt 3000 ttgtgctact tgcaaaggac cgcttatttt aattcctatt tttccattat ttacataaat 3060 aggatettee atgttaatge ceaagetace egtggeagta gttagegggg gtgatgeagt 3120 tacagtaagg gtgtcgctgt cactgccaga gaggggggct gatgtttgca gggctagctt 3180 tccatctgac actgtaatgg gccctttagt agcaatgctt agtttggagt cttgcacggt 3240 cagtggggct tgtgactgta cgctaagagc gccgctagta actatcagag gagcggtggt 3300 tgccactgtt agggcgcctg aggtaattgt aagtggtgcg gaggtgtcca aacttatgtt 3360 tgactttgtt tttttaagtg gctgagtaac agtggttaca ttttgggagg tgaggtttcc 3420 qqccttqtct aqqqtaaqac cqctqcccat tttaagcgca agcatgccgt gggaggtgtc 3480 caaaggttcg gagacgcgta gagagagaac tccaggggga ctttcttgga aaccattggg 3540 tgaaacaaat ggaggggtaa gaaagggcac agttggaggc ccggtttctg tgtcatatgg 3600 atacacgggg ttgaaggtgt cttcagacgg tctggcgcgt ttcatctgca acaatatgaa 3660 gatagtgggt gcggagggac aagaacatga ggaatttgac atcccattta aactttggag 3720 aaagtttgca gctaaaaggc ggctgagata ccagagttgg gaggaaggaa aggaggtgat 3780 gctgaataag ctggacaaag atttgctgac tgattttaag taagtaattt attcagtcgt 3840 agccgtccgc cgagtctttc accgcgtcaa agttgggaat aaactggtcc gggtagtggc 3900 cgggaggtcc agaaaagggg ttgaagtaaa ccgaaggcac gaactcctca ataaattgta 3960 gagttccaat gcctccggag cgcggctccg aggacgaggt ctgcagagtt aggatcgcct 4020 gacggggcgt aaatgaagag cggccagcgc cgccgatctg aaatgtcccg tccggacgga 4080

gaccaagaga ggagctcacc gactcgtcgt tgagctgaat acctcgccct ctgattttca 4140 ggtgagttat accetgeeeg ggegaeegea ceetgtgaeg aaageegeee geaagetgeg 4200 cccctgagtt agtcatctga acttcggcct gggcgtctct gggaagtacc acagtggtgg 4260 gagcgggact ttcctggtac accagggcag cgggccaact acggggatta aggttattac 4320 gaggtgtggt ggtaatagec geetgttega ggagaatteg gttteggtgg gegeggatte 4380 cgttgacccg ggatatcatg tggggtcccg cgctcatgta gtttattcgg gttgagtagt 4440 cttgggcage tccagccgca agtcccattt gtggctggta actccacatg tagggcgtgg 4500 gaattteett geteataatg gegetgaega eaggtgetgg egeegggtgt ggeegetgga 4560 gatgacgtag ttttcgcgct taaatttgag aaagggcgcg aaactagtcc ttaagagtca 4620 gcgcgcagta tttgctgaag agagcctccg cgtcttccag cgtgcgccga agctgatctt 4680 cgcttttgtg atacaggcag ctgcgggtga gggagcgcag agacctgttt tttattttca 4740 gctcttgttc ttggcccctg ctttgttgaa atatagcata cagagtggga aaaatcctat 4800 ttctaagctc gcgggtcgat acgggttcgt tgggcgccag acgcagcgct cctcctcctg 4860 ctgctgccgc cgctgtggat ttcttgggct ttgtcagagt cttgctatcc ggtcgccttt 4920 gettetgtgt gaeegetget gttgetgeeg etgeegetge egeeggtgea gtaggggetg 4980 tagagatgac ggtagtaatg caggatgtta cgggggaagg ccacgccgtg atggtagaga 5040 agaaagcggc gggcgaagga gatgttgccc ccacagtctt gcaagcaagc aactatggcg 5100 ttcttgtgcc cgcgccacga gcggtagcct tggcgctgtt gttgctcttg ggctaacggc 5160 ggcggctgct tagacttacc ggccctggtt ccagtggtgt cccatctacg gttgggtcgg 5220 cgaacaggca gtgccggcgg cgcctgagga gcggaggttg tagcgatgct gggaacggtt 5280 gccaatttct ggggcgccgg cgaggggaat gcgaccgagg gtgacggtgt ttcgtctgac 5340 acctettegg ceteggaage ttegtetagg etgteecagt ettecateat etceteetee 5400 tegtecaaaa ceteetetge etgactgtee eagtatteet eetegteegt gggtggegge 5460 ggcggcagct gcagcttctt tttgggtgcc atcctgggaa gcaagggccc gcggctgctg 5520 atagggctgc ggcggcgggg ggattgggtt gagctcctcg ccggactggg ggtccaggta 5580 aacccccgt ccctttcgta gcagaaactc ttggcgggct ttgttgatgg cttgcaattg 5640 gccaaggatg tggccctggg taatgacgca ggcggtaagc tccgcatttg gcgggcggga 5700 ttggtcttcg tagaacctaa tctcgtgggc gtggtagtcc tcaggtacaa atttgcgaag 5760 gtaagccgac gtccacagcc ccggagtgag tttcaacccc ggagccgcgg acttttcgtc 5820 aggegaggga ccctgcagct caaaggtacc gataatttga ctttcgctaa gcagttgcga 5880 attgcagacc agggagcggt gcggggtgca taggttgcag cgacagtgac actccagtag 5940 gccgtcaccg ctcacgtctt ccatgatgtc ggagtggtag gcaaggtagt tggctagctg 6000 cagaaggtag cagtgacccc aaagcggcgg agggcattca cggtacttaa tgggcacaaa 6060 gtcgctagga agcgcacagc aggtggcggg cagaattcct gaacgctcta ggataaagtt 6120 cctaaagttt tgcaacatgc tttgactggt gaagtctggc agaccctgtt gcagggtttt 6180 aagcaggcgt tcggggaaga taatgtccgc caggtgcgcg gccacggagc gctcgttgaa 6240 ggccgtccat aggtccttca agttttgctt tagcagcttc tgcagctcct ttaggttgcg 6300 ctcctccagg cattgctgcc acacgcccat ggccgtttgc caggtgtagc acagaaataa 6360 gtaaacgcag tcgcggacgt agtcgcggcg cgcctcgccc ttgagcgtgg aatgaagcac 6420 gttttgcccg aggcggtttt cgtgcaaaat tccaaggtag gagaccaggt tgcagagctc 6480 cacgttggaa attttgcagg cctggcgcac gtagccctgg cgaaaggtgt agtgcaacgt 6540 ttcctctagc ttgcgctgca tctccgggtc agcaaagaac cgctgcatgc actcaagctc 6600 cacggtaaca agcactgcgg ccatcattag cttgcgtcgc tcctccaagt cggcaggctc 6660 gcgcgtctca agccagcgcg ccagctgctc atcgccaact gcgggtaggc cctcctcggt 6720 ttgttcttgc aagtttgcat ccctctccag gggtcgtgca cggcgcacga tcagctcgct 6780 catgactgtg ctcataacct tggggggtag gttaagtgcc gggtaggcaa agtgggtgac 6840 ctcgatgctg cgtttcagca cggctaggcg cgcgttgtca ccctcaagtt ccaccagcac 6900 tocacagtga ctttcatttt cgctgttttc ttgttgcaga gcgtttgccg cgcgtttctc 6960 gtcgcgtcca agaccctcaa agatttttgg cacttcgtcg agcgaggcga tatcaggtat 7020 gacagegece tgeegeaagg ceagetgett gteegetegg etgeggttgg caeggeagga 7080 taggggtatc ttgcagtttt ggaaaaagat gtgataggtg gcaagcacct ctggcacggc 7140 aaatacgggg tagaagttga ggcgcgggtt gggctcgcat gtgccgtttt cttggcgttt 7200 ggggggtacg cgcggtgaga acaggtggcg ttcgtaggca aggctgacat ccgctatggc 7260 gaggggcaca tcgctgcgct cttgcaacgc gtcgcagata atggcgcact ggcgctgcag 7320 atgetteaac ageacgtegt eteceacate taggtagteg ceatgeettt ggteeceeg 7380 cecgacttgt tectegtttg cetetgegte gteetggtet tgetttttat cetetgttgg 7440 tactgagcga tcctcgtcgt cttcgcttac aaaacctggg tcctgctcga taatcacttc 7500 ctcctcctca agcggggtg cctcgacggg gaaggtggta ggcgcgttgg cggcatcggt 7560

ggaggeggtg gtggegaact caaaggggge ggttaggetg teeteettet egactgaete 7620 catgatettt ttetgeetat aggagaagga aatggeeagt egggaagagg ageageega 7680 aaccacccc gagcgcggac gcggtgcggc gcgacgtcca ccaaccatgg aggacgtgtc 7740 gtccccgtcg ccgtcgccgc cgcctccccg cgcgccccca aaaaagcggc tgaggcggcg 7800 tetegagtee gaggacgaag aagactegte acaagatgeg etggtgeege geacacceag 7860 cccgcggcca tcgacctcga cggcggattt ggccattgcg tccaaaaaga aaaagaagcg 7920 ccctctccc aagcccgagc gccgccatc cccagaggtg atcgtggaca gcgaggaaga 7980 aagagaagat gtggcgctac aaatggtggg tttcagcaac ccaccggtgc taatcaagca 8040 cggcaaggga ggtaagcgca cggtgcggcg gctgaatgaa gacgacccag tggcgcgggg 8100 tatgcggacg caagaggaaa aggaagagtc cagtgaagcg gaaagtgaaa gcacggtgat 8160 aaacccgctg agcctgccga tcgtgtctgc gtgggagaag ggcatggagg ctgcgcgcgc 8220 qttqatqqac aagtaccacg tggataacga tctaaaggca aacttcaagc tactgcctga 8280 ccaagtggaa gctctggcgg ccgtatgcaa gacctggcta aacgaggagc accgcgggtt 8340 gcagctgacc ttcaccagca acaagacctt tgtgacgatg atggggcgat tcctgcaggc 8400 gtacctgcag tegtttgcag aggtaaccta caagcaccac gageccacgg getgegegtt 8460 gtggctgcac cgctgcgctg agatcgaagg cgagcttaag tgtctacacg ggagcattat 8520 gataaataag gagcacgtga ttgaaatgga tgtgacgagc gaaaacgggc agcgcgcgt 8580 gaaggagcag tctagcaagg ccaagatcgt gaagaaccgg tggggccgaa atgtggtgca 8640 gatctccaac accgacgcaa ggtgctgcgt gcatgacgcg gcctgtccgg ccaatcagtt 8700 ttccggcaag tcttgcggca tgttcttctc tgaaggcgca aaggctcagg tggcttttaa 8760 gcagatcaag gctttcatgc aggcgctgta tcctaacgcc cagaccgggc acggtcacct 8820 tctgatgcca ctacggtgcg agtgcaactc aaagcctggg catgcaccct ttttgggaag 8880 gcagctacca aagttgactc cgttcgccct gagcaacgcg gaggacctgg acgcggatct 8940 gatctccgac aagagcgtgc tggccagcgt gcaccacccg gcgctgatag tgttccagtg 9000 ctgcaaccct gtgtatcgca actcgcgcgc gcagggcgga ggccccaact gcgacttcaa 9060 gatatcggcg cccgacctgc taaacgcgtt ggtgatggtg cgcagcctgt ggagtgaaaa 9120 cttcaccgag ctgccgcgga tggttgtgcc tgagtttaag tggagcacta aacaccagta 9180 tcgcaacgtg tccctgccag tggcgcatag cgatgcgcgg cagaacccct ttgattttta 9240 aacggcgcag acggcaaggg tggggggtaa ataatcaccc gagagtgtac aaataaaaac 9300 atttgccttt attgaaagtg tctcctagta cattattttt acatgttttt caagtgacaa 9360 aaagaagtgg cgctcctaat ctgcgcactg tggctgcgga agtagggcga gtggcgctcc 9420 aggaagctgt agagctgttc ctggttgcga cgcagggtgg gctgtacctg gggactgtta 9480 agcatggagt tgggtacccc ggtaataagg ttcatggtgg ggttgtgatc catgggagtt 9540 tggggccagt tggcaaaggc gtggagaaac atgcagcaga atagtccaca ggcggccgag 9600 ttgggcccct gcacgctttg ggtggacttt tccagcgtta tacagcggtc gggggaagaa 9660 gcaatggcgc tacggcgcag gagtgactcg tactcaaact ggtaaacctg cttgagtcgt 9720 tggtcagaaa agccaaaggg ctcaaagagg tagcatgttt ttgagcgcgg gttccaggca 9780 aaggccatcc agtgtacgcc cccagtctcg cgaccggccg tattgactat ggcgcaggcg 9840 agcttgtgtg gagaaacaaa gcctggaaag cgcttgtcat aggtgcccaa aaaatatggc 9900 ccacaaccaa qatctttqac aatggctttc agttcctgct cactggagcc catggcggca 9960 gctgttgttg atgttgcttg cttcttttat gttgtggcgt tgccggccga gaagggcgtg 10020 cgcaggtaca cggtctcgat gacgccgcgg tgcggctggt gcacacggac cacgtcaaag 10080 acttcaaaca aaacataaag aagggtgggc tcgtccatgg gatccacctc aaaagtcatg 10140 tctagcgcgt gggcggagtt ggcgtagaga aggttttggc ccaggtctgt gagtgcgccc 10200 atggacataa agttactgga gaatgggatg cgccaaaggg tgcgatcgca aagaaacttt 10260 ttctgggtaa tactgtcaac cgcggttttg cctattagtg ggtagggcac gttggcgggg 10320 taagcctgtc cctcgcgcat ggtgggagcg aggtagccta cgaatcctga gttgttatgc 10380 tggtgaagaa ttccaacctg ctgatactcc ttgtatttag tatcgtcaac cacttgccgg 10440 ctcatgggct ggaagtttct gaagaacgag tacatgcggt ccttgtagct ttctggaatg 10500 tagaagccct ggtagccaat attgtagttg gccaacatct gcaccaggaa ccagtccttg 10560 gtcatgttgc actgagctac gttgtagccc tccccgtcaa ctgagcgttt aatctcaaac 10620 tcattgggag taagcaggcg gtcgttgccc ggccagctaa cagaagagtc aaaggtaatg 10680 gccaccttct taaaggtgtg attaagatag aaggttccgt caaggtatgg tatggagcca 10740 gagtaggtgt agtaagggtc gtagcctgat cccagggaag gggtttcctt tgtcttcaag 10800 cgtgtgaagg cccaaccgcg aaatgctgcc cagttgcgcg atgggatgga gatgggcacg 10860 ttggtggcgt tggcgggtat ggggtatagc atgttggcgg cggaaaggta gtcattaaag 10920 gactggtcgt tggtgtcatt tctgagcatg gcttccagcg tggaggccgt gttgtgggcc 10980 atggggaaga aggtggcgta aagacaaatg ctgtcaaact taatgctagc cccgtcaact 11040

ataaaataat	++~~~~~~	aat at aasaa	~~~+~++~~	antaattaat	~~~~++~~~+	11100
	ttcccagaga					
	atgagcctgg					
acctgaatgt	gaaagggcac	gtagcggccg	tttcccaaca	acatggagcg	ataacggagg	11220
cccgcattgc	ggtggtggtt	aaagggatta	acgttgtcca	tgtagtccag	agaccagcgc	11280
	taatgtagca					
	tggggttgtc					
	gcgcaatatt					
	caaagttgtt					
	tagtatctcc					
	ttaccccaat					
	tttcaatgat					
atagaaaaat	atctggttct	atcacctatg	gaatcaagca	agagttgata	ggacagctct	11760
	cttgcaaatc					
	cagtgctgtt					
	tgtttggcat					
	tgtaagacag					
	ttggtttagt					
	agtcaacctt					
tgaccaccaa	aaggatttgt	aggcctggca	taagatccat	agcatggttt	catgggagtt	12180
gtttttttaa	gcactctccc	tcctgccgca	ttagcatcag	cttcgttcca	ctgagattcg	12240
	gttctggttg					
	atcctatttg					
	catgtgtttt					
	cttcatcttc					
	actcacagga					
	gcttaaaagt					
	caagcacacg					
tacgcggtat	cctcgcggtc	cacagggatg	aaccgcagcg	tcaaacgctg	ggaccggtct	12720
	cgtgcgtagg					
	tggcgcgggc					
	tgtgcatgta					
	cggcggctca					
	tagctattta					
	tcagtgtgct					
ccgctggcgg	cacggcgcag	ggacgcgcgg	ctagggcggg	ttacaacaac	ggcggacggc	13140
	caggtttctg					
gtgtgctggc	ccagcactcc	ggtagccatg	ggcgcgatgg	gacgggtggt	gggcaggcct	13260
tgctttagtg	cctcctcgta	cgagggaggc	tcatctattt	gcgtcaccag	agtttcttcc	13320
ctatcaaacc	gcggacgctt	ttcgccacgc	ccctctggag	acactgtctc	cacggccggt	13380
ggaggctcct	ctacgggagg	acaaaaatca	agcttactgt	taatcttatt	ttacactacc	13440
	ggtccaccac					
	gctctttcaa					
	agttcttaat					
cagetgaagg	cgccaccgct	catattgetg	gtgeegatat	Cityceagii	Luccalgaac	13000
gggcgcgagc	cgtgtcgcgg	ggccagagac	gcaaagttga	tgtcttccat	tctacaaaat	13740
agttacagga	ccaagcgagc	gtgagactcc	agacttttta	ttttgatttt	tccacatgca	13800
acttgttttt	aatcagtgtc	tctgcgcctg	caaggccacg	gatgcaattc	cgggcacggc	13860
gccaatcgcc	gcggcgatca	gtggaataag	gaggggcagg	ataccgccgc	gcatgcgacg	13920
atacaacaca	cgccgccgcc	gatagtacac	acgacgcatg	ccgcccgtca	ggccgtggcc	13980
aaccatacca	ctcctacggt	gcattcttcc	teggaateee	ggcaccggga	aacadaaaca	14040
	gccatatctg					
gtaggtgagg	attaggagg	gaagaataat	agatacttaa	cccaaacga	tacacacaca	1/160
gragogogot	gttggcagca	aaaaaaaaa	goodooccog	agagetacce	tactacty	14220
aatcggggcc	agcacgggct	ggcgacggcg	acaacaacaa	egggttccag	ragragerea	T4770
gcgtcgggta	gtcgctcgtc	ttctggggcg	gtaggtgtag	ccacgatagc	cgggggtagg	14280
cgcgatggaa	ggatgtaggg	catattcggg	cagtagtgcg	ctggcggtgc	cgtacttcct	14340
ggaacggcgc	gggcgccggg	gggctgaaac	gcgaaacatc	cacgggtccg	tttgcacctc	14400
cgtagaggtt	ttggacgcgg	ccgcagcggc	cgcctgcacc	gcggcatctg	ccaccgccga	14460
ggcaaccggg	gacgtttgtg	tctccatgcc	ctctgtggca	gtggcaatac	tagtgctact	14520
		-			-	

ggtggtgggt atctgaacgt ccacggtctg cacgcccagt cccggtgcca cctgcttgat 14580 tggccgcacg cggacctcgg gctccagccc aggctccacg gtcatttttt ccaagacatc 14640 ttccagtcgc tggcgcttgg gtaccatcag ctgcacggtg ggtgccaagt caccagactc 14700 gegetttagg cegegetttt etteggaegg tgeaagegtg ggeageacet getgeagtgt 14760 cacgggcttt aggctaggtg ttgggttgcc ctcgtccagc ggcaacgcca acatgtcctt 14820 atgccgcttt ccgtaggcaa actccccgag gcgctcgttg gcctgctcaa gcaggtcctc 14880 gtcgccgtac acctcatcat acacgcgctt gtaggtgcgg gtggagcgct caccgggcgt 14940 aaaaactacg gtggtgccgg gtcgcaaaac acgtcttacg cgtcgacctt tccactgtac 15000 ccgccgcctg ggcgcggttg cgtgcagcag ttccacctcg tcgtcaagtt catcatcatc 15060 atcatctttc tttttctttt tgacccgctt tagctttcgg ggcttgtaat cctgctcttc 15120 cttcttcggg gggccataga tctccggcgc gatgacctgg agcatctctt ctttgatttt 15180 gegettggac atagettegt tgegegeege egeegetgga tacatacaac agtacgagte 15240 taagtagttt tttcttgcaa tctagttgcg cggggggcgg gtgcgcacgg gcacgcgcag 15300 gccgctaacc gagtcgcgca cccagtacac gttgcccctg cgaccctgag tcatagcact 15360 aatggccgcg gctgctgcgg cggccgctcg tcgcctggac ctggggggca cagtgacaat 15420 accegeggee ageettegag eggeeegeat ggeegeegt eggeeggtge gaegtgegeg 15480 gttaagcagg gccgccgccg cgcgttgggc ggcagtgccg ggtcggcggc ggtggcgacg 15540 tgctacgcgc ctccgccgtc tcttcatttt agcataacgc cgggctccgc gcaccacggt 15600 ctgaatggcc gcgtccactg tggacactgg tggcggcgtg ggcgtgtagt tgcgcgcctc 15660 ctccaccacc gcgtcaatgg cgtcatcgac ggtggtgcgc ccagtgcggc cgcgtttgtg 15720 cgcgccccag ggcgcgcgt agtgcccgcg cacgcgcact gggtgttggt cggagcgctt 15780 ctttqcccq ccaaacatct tqcttqqqaa qcqcagqccc cagcctqtqt tattqctqqq 15840 cgatataagg atggacatgt ttgctcaaaa agtgcggctc gataggacgc gcggcgagac 15900 tatgcccagg gccttgtaaa cgtaggggca ggtgcggcgt ctggcgtcag taatggtcac 15960 tegetggaet ceteegatge tgttgegeag eggtagegte eegtgatetg tgagageagg 16020 aacgttttca ctgacggtgg tgatggtggg ggctggcggg cgcgccaaaa tctggttctc 16080 gggaaagcga ttgaacacgt gggtcagaga ggtaaactgg cggatgagct gggagtagac 16140 ggcctggtcg ttgtagaagc tcttggagtg cacgggcaac agctcggcgc ccaccaccgg 16200 aaagttgctg atctggctcg tggagcggaa ggtcacgggg tcttgcatca tgtctggcaa 16260 cgaccagtag acctgctccg agccgcaggt tacgtcagga gtgcaaagga gggtccatga 16320 gcggatcccg gtctgagggt cgccgtagtt gtatgcaagg taccagctgc ggtactgggt 16380 gaaggtgctg tcattgctta ttaggttgta actgcgtttc ttgctgtcct ctgtcagggg 16440 tttgatcacc ggtttcttct gaggcttctc gacctcgggt tgcgcagcgg gggcggcagc 16500 ttctgccgct gcctcggcct cagcgcgctt ctcctccgcc cgtgtggcaa aggtgtcgcc 16560 gcgaatggca tgatcgttca tgtcctccac cggctgcatt gccgcggctg ccgcgttgga 16620 gttetettee gegeegetge eactgttgtt geegeegeet gegeeateee egeeetgtte 16680 ggtgtcatct tttaagcttg cctggtaggc gtccacatcc aacagtgcgg gaatgttacc 16740 accetccagg tcatcgtagg tgatcctaaa gccctcctgg aagggttgcc gcttgcggat 16800 gcccaacaag ttgctcaggc ggctgtgggt gaagtccacc ccgcatcctg gcagcaaaat 16860 gatgtctgga tggaaggett cgtttgtata taccccagge atgacaagac cagtgactgg 16920 gtcaaacccc agtctgaagt tgcgggtgtc aaactttacc ccgatgtcgc tttccagaac 16980 cccgttctgc ctgcccactt tcaagtagtg ctccacgatc gcgttgttca taaggtctat 17040 ggtcatggtc tcggagtagt tgccctcggg cagcgtgaac tccacccact catatttcag 17100 ctccacctgt ttgtccttag taagcgagcg cgacaccatc acccgcgcct taaacttatt 17160 ggtaaacatg aactcgttca catttggcat gttggtatgc aggatggttt tcaggtcgcc 17220 gccccagtgc gaacggtcgt caagattgat ggtctgtgtg cttgcctccc ccgggctgta 17280 qtcattqttt tgaatqaccq tqqttaqaaa qttqctqtgg tcqttctggt agttcaggga 17340 tgccacatcc gttgacttgt tgtccacaag gtacacacgg gtggtgtcga ataggggtgc 17400 caactcagag taacggatgc tgtttctccc cccggtaggc cgcaggtacc gcggaggcac 17460 aaacggcggg tccaggggag catcgaaggg ggaacccagc gccgccgcca ctggcgccgc 17520 gctcaccacg ctctcgtagg agggaggagg accttcctca tacatcgccg cgcgctgcat 17580 actaagggga atacaagaaa accaacgctc ggtgccatgg ccttggtgag ttttttattt 17640 tgcatcatgc ttttttttt ttttttaaa acattctccc cagcctgggg cgaaggtgcg 17700 caaacgggtt gccactccct cccaaatcca ggacgctgct gtcgtctgcc gagtcatcgt 17760 cctcccacac cagaccccgc tgacggtcgt gcctttgacg acgggtgggc gggcgcgggc 17820 egggeacate cetgtgetee tgegeatacg tettecatet acteatettg tecaetagge 17880 tctctatccc gttgttggga aatgccggag gcaggttctt ttcgcgctgc ggctgcagca 17940 gegagttgtt taggtactee teetegeeea geaggegegg gegggtggtg egagtgetgg 18000

taaaagaccc tatcaagctt ggaaatgggc tactcgcatc tgaccgcggg gccgcagcgc 18060 ctagategga caagetgett ggeetgegga agettteett tegeagegee geetetgeet 18120 gctcgcgctg ttgcaactct agcagggtct gcggttgcgg ggaaaacacg ctgtcgtcta 18180 tgtcgtccca gaggaatcca tcgttaccct cgggcacctc aaatcccccg gtgtagaaac 18240 cagggggggg tagccagtgc gggttcaaga tggcattggt gaaatactcg gggttcacgg 18300 cggccgcgcg atgcaagtag tccattaggc gattgataaa cggccggttt gaggcataca 18360 tgcccggttc catgttgcgc gcggtcatgt ccagcgccac gctgggcgtt accccgtcgc 18420 gcatcaggtt aaggctcacg ctctgctgca catagcgcaa gatgcgctcc tcctcgctgt 18480 ttaaactgtg caacgagggg atcttctgcc gccggttggt cagcaggtag ttcagggttg 18540 cctccaggct gcccgtgtcc tcctgccca gcgcgcgct gacacttgta atctcctgga 18600 aagtatgete gtecacatge geetgaeeta tggeetegeg gtacagtgte ageaagtgae 18660 ctaggtatgt gtcccgggac acgctgccac tgtccgtgaa gggcgctatt agcagcagca 18720 acaggcgcga gttgggcgtc agcaagctag acacggtcgc gcggtcgcct gtgggagccc 18780 gcaccccca cagcccctgc aagttettga aagcctgget caggtttacg gtetgcagge 18840 cttgtctact ggtctggaaa aaatagtctg gcccggactg gtacacctca ctttgcggtg 18900 tctcagtcac cattagccgc agtgcgctca caaagttggt gtagtcctcc tgtccccgcg 18960 gcacgttggc gggctgtgta ctcaggaagg cgtttagtgc aaccatggag cccaggttgc 19020 cetgetgetg egegetea egetgegeea eggeetegeg cacatecece accageeggt 19080 ccaggttggt ctgcacgttg ccgctgttgt aacgagccac gcgctgaagc agcgcgtcgt 19140 agaccaggcc ggcctcatcg ggccggatgg ccctgttttc ggccagcgcg tttacgatcg 19200 ccagcacctt ctcgtgcgtg gggtttgcgc gcgccgggac caccgcttcc agaattgcgg 19260 agagccggtt ggcctgcggc tgctgccgga acgcgtcagg gttacgcgca gtcagcgaca 19320 tgatgcggtc catgacctgg cgccagtcgt ccgtggagtt aaggccggac ggctggctct 19380 gcagcgccgc ccgcaccgcc gggtccgttg cgtcttgcat catctgatca gaaacatcac 19440 cgcttagtac tcgccgtcct ctggctcgta ctcatcgtcc tcgtcatatt cctccacgcc 19500 geogacette ceagegege eggeteeac egecageeca geteeggeee cageteete 19560 cagggcgcgt cggcttgggg cccagcgcag gtcagcgccc gcgtcaaagt aggactcggc 19620 ctctctatcg ccgctgcccg tgccagccag ggccctttgc aggctgtgca tcagctcgcg 19680 gtcgctgagc tcgcgccgcc ggctcacgct cacggccttg tggatgcgct cgttgcgata 19740 aacgcccagg tcgtcgctca aggtaagcac cttcaacgcc atgcgcatgt agaacccctc 19800 gatetttace teettgteta tgggaacgta aggggtatgg tatatettge gggcgtaaaa 19860 cttgcccaga ctgagcatgg aatagttaat ggcggccacc ttgtcagcca ggctcaagct 19920 gcgctcctgc accactatgc tctgcagaat gtttatcaaa tcgagcagcc agcggccctc 19980 gggctctact atgtttagca gcgcatccct gaatgcctcg ttgtccctgc tgtgctgcac 20040 tataaggaac agctgcgcca tgagcggctt gctatttggg ttttgctcca gcgcgcttac 20100 aaagtcccac agatgcatca gtcctatagc cacctcctcg cgcgccacaa gcgtgcgcac 20160 gtggttgtta aagetttttt gaaagttaat eteetggtte aeegtetget egtaegeggt 20220 taccaggtcg gcggccgcca cgtgtgcgcg cgcgggacta atcccggtcc gcgcgtcggg 20280 ctcaaagtcc tcctcgcgca gcaaccgctc gcggttcagg ccatgccgca actcgcgccc 20340 tgcgtggaac tttcgatccc gcatctcctc gggctcctct ccctcgcggt cgcgaaacag 20400 gttctgccgc ggcacgtacg cctcgcgcgt gtcacgcttc agctgcaccc ttgggtgtcg 20460 ctcaggagag ggcgctccta gccgcgccag gccctcgccc tcctccaagt ccaggtagtg 20520 ccgggcccgg cgccgcgggg gttcgtaatc accatctgcc gccgcgtcag ccgcggatgt 20580 tgcccctcct gacgcggtag gagaagggga gggtgccctg catgtctgcc gctgctcttg 20640 ctcttgccgc tgctgaggag gggggcgcat ctgccgcagc accggatgca tctgggaaaa 20700 gcaaaaaagg ggctcgtccc tgtttccgga ggaatttgca agcggggtct tgcatgacgg 20760 qqaqqcaaac ceccqttcqc cqcaqtccqq ccqqcccqaq actcqaaccq ggggtcctgc 20820 gactcaaccc ttggaaaata accctccggc tacagggagc gagccactta atgctttcgc 20880 tttccagcct aaccgcttac gccgcgcgcg gccagtggcc aaaaaagcta gcgcagcagc 20940 cgccgcgcct ggaaggaagc caaaaggagc gctcccccgt tgtctgacgt cgcacacctg 21000 ggttcgacac gcgggcggta accgcatgga tcacggcgga cggccggatc cggggttcga 21060 accocggtcg tecgecatga taccettgcg aatttateca ecagaceacg gaagagtgce 21120 cgcttacagg ctctcctttt gcacggtcta gagcgtcaac gactgcgcac gcctcaccgg 21180 ccagagcgtc ccgaccatgg agcacttttt gccgctgcgc aacatctgga accgcgtccg 21240 cgactttccg cgcgcctcca ccaccgccgc cggcatcacc tggatgtcca ggtacatcta 21300 cggatateat egeettatgt tggaagaeet egeecegga geeceggeea eectacgetg 21360 qcccctctac cqccaqccqc cqccqcactt tttqqtqqqa tatcaqtacc tggtqcgqac 21420 ttgcaacgac tacgtetttg acteaaggge ttactegegt etcaggtaca eegagetete 21480

gcagccgggt caccagaccg ttaactggtc cgttatggcc aactgcactt acaccatcaa 21540 cacgggcgca taccaccgct ttgtggacat ggatgacttc cagtctaccc tcacgcaggt 21600 gcagcaggcc atattagccg agcgcgttgt cgccgacctg gccctgcttc agccgatgag 21660 gggcttcggg gtcacacgca tgggaggaag agggcgccac ctacggccaa actccgccgc 21720 cgccgtagcg atagatgcaa gagatgcagg acaagaggaa ggagaagaag aagtgccggt 21780 agaaaggctc atgcaagact actacaaaga cctgcgccga tgtcaaaacg aagcctgggg 21840 catggccgac cgcctgcgca ttcagcaggc cggacccaag gacatggtgc ttctgtcgac 21900 categgegt eteaagaceg cetaetttaa ttacateate ageageacet eegeeagaaa 21960 caaccccgac cgccacccgc tgccgcccgc cacggtgctc agcctacctt gcgactgtga 22020 ctggttagac gcctttctcg agaggttttc cgatccggtc gatgcggact cgctcaggtc 22080 cctcggtggc ggagtaccta cacaacaatt gttgagatgc atcgttagcg ccgtatccct 22140 gccgcacggc agcccccgc caacccataa ccgggacatg acgggcggcg tcttccaact 22200 gegeeecege gagaacggee gegeegteac egagaceatg egeegtegee geggggagat 22260 gategagege thtgtegace geeteeeggt gegeegtegt egeegeegtg teceeectee 22320 cccaccgccg ccagaagaag aagaagaagg ggaggccctt atggaagagg agattgaaga 22380 agaagaggcc cctgtagcct ttgagcgcga ggtgcgcgac actgtcgccg agctcatccg 22440 tcttctggag gaggagttaa ccgtgtcggc gcgcaactcc cagtttttca acttcgccgt 22500 ggacttctac gaggccatgg agcgccttga ggccttgggg gatatcaacg aatccacgtt 22560 gcgacgctgg gttatgtact tcttcgtggc agaacacacc gccaccaccc tcaactacct 22620 ctttcagcgc ctgcgaaact acgccgtctt cgcccggcac gtggagctca atctcgcgca 22680 ggtggtcatg cgcgccgcg atgccgaagg gggcgtggtc tacagccgcg tctggaacga 22740 gggaggcctc aacgccttct cgcagctcat ggcccgcatc tccaacgacc tcgccgccac 22800 cgtggagcga gccggacgcg gagatctcca ggaggaagag atcgagcagt tcatggccga 22860 aatcgcctat caagacaact caggagacgt gcaggagatt ttgcgccagg ccgccgtcaa 22920 cgacaccgaa attgattctg tcgaactctc tttcaggttc aagctcaccg ggcccgtcgt 22980 cttcacgcag aggcgccaga ttcaggagat caaccgccgc gtcgtcgcgt tcgccagcaa 23040 cctccgcgcg cagcaccagc tcctgcccgc gcgcggcgcc gacgtgcccc tgcccctct 23100 cccggcgggt cccgagcccc ccctacctcc gggggcccgc ccgcgtcacc gcttttagat 23160 gcatcatcca aggacaccc cgcggcccac cgccgccgc gcggtaccgt agtcgcgccg 23220 cggggatgcg gcctcttgca agtcatcgac gccgccacca accagcccct ggaaatcagg 23280 tateacetgg acetageeeg egecetgace eggetatgeg aggtaaacet geaggagete 23340 ccgcctgacc tgtcgccgcg ggagctccag accatggaca gctcccatct gcgcgatgtt 23400 gtcatcaage teegacegee gegegeggae atetggaett tgggetegeg eggegtggtg 23460 gtccgatcca ccataactcc cctcgagcag ccagacggtc aaggacaagc agccgaagta 23520 gaagaccacc agccaaaccc gccaggcgag gggctcaaat tcccactctg cttccttgtg 23580 cgcggtcgtc aggtcaacct cgtgcaggat gtacagcccg tgcaccgctg ccagtactgc 23640 gcacgttttt acaaaagcca gcacgagtgt tcggcccgtc gcagggactt ctactttcac 23700 cacatcaaca gccactcctc caactggtgg cgggagatcc agttcttccc gatcggctcg 23760 catectegea eegagegtet etttgteace taegatgtag agacetatae ttggatgggg 23820 gcctttggga agcagctcgt gcccttcatg ctggttatga agttcggcgg agatgagcct 23880 ctggtgaccg ccgcgcgaga cctagccgtg gaccttggat gggaccgctg ggaacaagac 23940 ccgcttacct tctactgcat caccccagaa aaaatggcca taggtcgcca gtttaggacc 24000 tttcgcgacc acctgcaaat gctaatggcc cgtgacctgt ggagctcatt cgtcgcttcc 24060 aaccetcate ttgcagactg ggccctgtca gaacacgggc tcagetcece tgaggagete 24120 acctacgagg aacttaaaaa attgccctcc atcaagggca ccccgcgctt cttggaactt 24180 tacatcgtgg gccacaacat caacggcttc gacgagatcg tgctcgccgc ccaggtaatt 24240 aacaaccgtt ccgaggtgcc gggacccttc cgcatcacac gcaactttat gcctcgcgcg 24300 ggaaagatac ttttcaacga tgtcaccttc gccctgccaa acccgcgttc caaaaagcgc 24360 acggactttt tgctctggga gcagggcgga tgcgacgaca ctgacttcaa ataccagtac 24420 ctcaaagtca tggttaggga cacctttgcg ctcacccaca cctcgctccg gaaggccgcg 24480 caggeatacg cgctacccgt agaaaaggga tgctgcgcct accaggccgt caaccagttc 24540 tacatgctag gctcttaccg ttcggaggcc gacgggtttc cgatccaaga gtactggaaa 24600 gaccgcgaag agtttgtcct caaccgcgag ctgtggaaaa aaaagggaca ggataagtat 24660 gacatcatca aggaaaccct ggactactgc gccctagacg tgcaggtcac cgccgagctg 24720 gtcaacaagc tgcgcgactc ctacgcctcc ttcgtgcgtg acgcggtagg tctcacagac 24780 gccagcttca acgtcttcca gcgtccaacc atatcatcca actcacatgc catcttcagg 24840 cagatagtet teegageaga geageeegee egtageaace teggteeega ceteeteget 24900 ccctcgcacg aactatacga ttacgtgcgc gccagcatcc gcggtggaag atgctaccct 24960

acatatettg gaatacteag agageceete taegtttaeg acatttgegg catgtaegee 25020 teegegetea eecaceceat gecatgggt eececaetea acceatacga gegegegett 25080 gccgcccgcg catggcagca ggcgctagac ttgcaaggat gcaagataga ctacttcgac 25140 gcgcgcctgc tgcccggggt ctttaccgtg gacgcagacc ccccggacga gacgcagcta 25200 gacccactac cgccattctg ttcgcgcaag ggcggccgcc tctgctggac caacgagcgc 25260 ctacgcggag aggtagccac cagcgttgac cttgtcaccc tgcacaaccg cggttggcgc 25320 gtgcacctgg tgcccgacga gcgcaccacc gtctttcccg aatggcggtg cgttgcgcgc 25380 ctgcgctcca tcgccaagtt gctgtccaac gccctctacg ggtcgtttgc caccaagctt 25500 gacaacaaaa agattgtctt ttctgaccag atggacgcgg ccaccctcaa aggcatcacc 25560 gcgggccagg tgaatatcaa atcctcctcg tttttggaaa ctgacaatct tagcgcagaa 25620 gtcatgcccg cttttgagag ggagtactca ccccaacagc tggccctcgc agacagcgat 25680 geggaagaga gtgaggaega aegegeeee acceetttt atageeeeee tteaggaaca 25740 cccggtcacg tggcctacac ctataaacca atcaccttcc ttgatgccga agagggcgac 25800 atgtgtcttc acaccetgga gegagtggac eccetagtgg acaacgaceg etacceetee 25860 cacttagect cettegtget ggeetggaeg egageetteg teteagagtg gteegagttt 25920 ctatacgagg aggaccgcgg aacaccgctc gaggacaggc ctctcaagtc tgtatacggg 25980 gacacggaca gccttttcgt caccgagcgt ggacaccggc tcatggaaac cagaggtaag 26040 aaacgcatca aaaagcatgg gggaaacctg gtttttgacc ccgaacggcc agagctcacc 26100 tggctcgtgg aatgcgagac cgtctgcggg gcctgcggcg cggatgccta ctccccggaa 26160 teggtattte tegegeecaa getetaegee ettaaaagte tgeactgeee etegtgegge 26220 gcctcctcca agggcaagct gcgcgccaag ggccacgccg cggaggggct ggactatgac 26280 accatggtca aatgctacct ggccgacgcg cagggcgaag accggcagcg cttcagcacc 26340 agcaggacca gcctcaagcg caccctggcc agcgcgcagc ccggagcgca ccccttcacc 26400 gtgacccaga ctacgctgac gaggaccctg cgcccgtgga aagacatgac cctggcccgt 26460 ctggacgagc accgactact gccgtacagc gaaagccgcc ccaacccgcg aaacgaggag 26520 atatqctqqa tcqaqatqcc qtaqaqcacq tqaccqaqct qtqqqaccqc ctqqaactqc 26580 ttggtcaaac gctcaaaagc atgcctacgg cggacggcct caaaccgttg aaaaactttg 26640 cttccttgca agaactgcta tcgctgggcg gcgagcgcct tctggcgcat ttggtcaggg 26700 aaaacatgca agtcagggac atgcttaacg aagtggcccc cctgctcagg gatgacggca 26760 gctgcagctc tcttaactac cagttgcagc cggtaatagg tgtgatttac gggcccaccg 26820 gctgcggtaa gtcgcagctg ctcaggaacc tgctttcttc ccagctgatc tcccctaccc 26880 cggaaacggt tttcttcatc gccccgcagg tagacatgat ccccccatct gaactcaaag 26940 cgtgggaaat gcaaatctgt gagggtaact acgcccctgg gccggatgga accattatac 27000 cgcagtctgg caccctccgc ccgcgctttg taaaaatggc ctatgacgat ctcatcctgg 27060 aacacaacta tgacgttagt gatcccagaa atatcttcgc ccaggccgcc gcccgtgggc 27120 ccattgccat cattatggac gaatgcatgg aaaatctcgg aggtcacaag ggcgtctcca 27180 agttetteca egeattteet tetaagetae atgacaaatt teecaagtge aceggataea 27240 ctgtgctggt ggttctgcac aacatgaatc cccggaggga tatggctggg aacatagcca 27300 acctaaaaat acagtccaag atgcatctca tatccccacg tatgcaccca tcccagctta 27360 accgctttgt aaacacttac accaagggcc tgcccctggc aatcagcttg ctactgaaag 27420 acatttttag gcaccacgcc cagcgctcct gctacgactg gatcatctac aacaccaccc 27480 cgcagcatga agetetgcag tggtgctacc tecaceccag agaegggett atgeccatgt 27540 atctgaacat ccagagtcac ctttaccacg tcctggaaaa aatacacagg accctcaacg 27600 accgagaccg ctggtcccgg gcctaccgcg cgcgcaaaac ccctaaataa agacagcaag 27660 acacttgctt gatcaaaatc caaacagagt ctggttttta tttatgtttt aaaccgcatt 27720 gggagggag gaagcettea gggeagaaac etgetggege agateeaaca getgetgaga 27780 aacgacatta agttcccggg tcaaagaatc caattgtgcc aaaagagccg tcaacttgtc 27840 ategegggeg gatgaacggg aagetgeact gettgeaage gggeteagga aageaaagte 27900 agtcacaatc ccgcgggcgg tggctgcagc ggctgaagcg gcggcggagg ctgcagtctc 27960 $\verb|caacggcgtt| | \verb|ccagacacgg| | tctcgtaggt| | caaggtagta| | gagtttgcgg| | gcaggacggg| | 28020|$ gcgaccatca atgctggagc ccatcacatt ctgacgcacc ccggcccatg ggggcatgcg 28080 cgttgtcaaa tatgagctca caatgcttcc atcaaacgag ttggcgctca tggcggcggc 28140 tgctgcaaaa cagatacaaa actacatgag accccacct tatatattct ttcccaccct 28200 taagccccgc ccatcgatgg caaacagcta ttatgggtat tatgggtgct agcgacatga 28260 ggttgccccg tattcagtgt cgctgatttg tattgtctga agttgttttt acgttaagtt 28320 gatgcagatc aattaatacg atacctgcgt cataattgat tatttgacgt ggtttgatgg 28380 cctccacgca cgttgtgata tgtagatgat aatcattatc actttacggg tcctttccgg 28440

```
tgatccgaca ggttacgggg cggcgacctc gcgggttttc gctatttatg aaaattttcc 28500
ggtttaaggc gtttccgttc ttcttcgtca taacttaatg tttttattta aaataccctc 28560
tgaaaagaaa ggaaacgaca ggtgctgaaa gcgaggcttt ttggcctctg tcgtttcctt 28620
tctctgtttt tgtccgtgga atgaacaatg gaagttaacg gatccaggcc gcgagcaaaa 28680
ggccagcaaa aggccaggaa ccgtaaaaag gccgcgttgc tggcgttttt ccataggctc 28740
cgccccctg acgagcatca caaaaatcaa cgctcaagtc agaggtggcg aaacccgaca 28800
ggactataaa gataccaggc gtttccccct ggaagctccc tcgtgcgctc tcctgttccg 28860
accetgeege ttaceggata cetgteegee ttteteeett egggaagegt ggegetttet 28920
catagctcac gctgtaggta tctcagttcg gtgtaggtcg ttcgctccaa gctgggctgt 28980
gtgcacgaac cccccgttca gcccgaccgc tgcgccttat ccggtaacta tcgtcttgag 29040
tccaacccgg taagacacga cttatcgcca ctggcagcag ccactggtaa caggattagc 29100
agagegaggt atgtaggegg tgctacagag ttcttgaagt ggtggcctaa ctacggctac 29160
actagaagaa cagtatttgg tatctgcgct ctgccaaagc cagttacctt cggaaaaaaga 29220
gttggtagct cttgatccgg caaacaaacc accgctggta gcggtggttt ttttgtttgc 29280
aagcagcaga ttacgcgcag aaaaaaagga tctcaagaag atcctttgat cttttctacg 29340
gggtctgacg ctcagtggaa cgaaaactca cgttaaggga ttttggtcat cagattatca 29400
aaaaggatct tcacctagat ccttttaaat taaaaatgaa gttttaaatc aatctaaagt 29460
atatatgagt aaacttggtc tgacagttac caatgcttaa tcagtgaggc acctatctca 29520
gcgatctgtc tatttcgttc atccatagtt gcctgactcc ccgtagtgta gataactacg 29580
atacgggagg gcttaccatc cggccccagt gctgcaatga taccgcgtga cccacgctca 29640
ccggctcctg atttatcagc aataaaccag ccagccggaa gtgccgagcg cagaagtggt 29700
cctgcaactt tatccgcctc catccagtct attagttgtt gccgggaagc tagagtaagt 29760
agttcgccag ttaatagttt tcgcaacgtt gttgccattg ctacaggcat cgtggtgtca 29820
cgctcgtcgt ttggtatggc ttcattcagc tccggttccc aacgatcaag gcgagttaca 29880
tgatccccca tgttgtgcaa aaaagcggtt agctccttcg gtcctccgat agttgtcaga 29940
agtaagttgg ccgcagtgtt atcactcatg gttatggcag cactgcataa ttctcttact 30000
gtcatgccat ccgtaagatg cttttctgtg actggtgagt attcaaccaa gaatacggga 30060
taataccgcg ccacatagca gaactttaaa agtgctcatc attgggaaac gttcttcggg 30120
gegaaaacte teaaggatet tacegetgtt gagateeagt tegatgtaac ceaetegege 30180
acccaagtga tettetgeat ettttaettt caccagegtt tetgggtgag caaaaacagg 30240
aaggcaaaat gccgcaaaaa agggaataag ggcgacacgg aaatgttgaa tactcatact 30300
tttccttttt caatattatt gaagcattta tcagggttat tgtctcatca gcggatacat 30360
atttg
                                                                  30365
<210> 5
<211> 33
<212> DNA
<213> Homo sapiens
<400> 5
                                                                  33
gcggaattcg gcttggtgac ttagagaaca gag
< 2.10 > 6
<211> 33
<212> DNA
<213> Homó sapiens
<400> 6
gegggatect tgaaceegga eeeteteaca eta
                                                                  33
<210> 7
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
```

<223> derived from Adenovirus	
<400> 7 actctcttcc gcatcgctgt	20
<210> 8 <211> 21 <212> DNA <213> Artificial Sequence	
<220> <223> derived from Adenovirus	
<400> 8 cttgcgactg tgactggtta g	21
<210> 9 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> derived from Adenovirus	
<400> 9 ccgcacccac tatcttcata	20
<210> 10 <211> 20 <212> DNA <213> Artificial Sequence	
<220> <223> derived from Adenovirus	
<400> 10 ggtgtccaaa ggttcggaga	20

INTERNATIONAL SEARCH REPORT

International application No. PCT/US01/27682

1	SSIFICATION OF SUBJECT MATTER				
	:C12N 15/86, 15/861, 5/10, 15/11, 15/63, 15/64, 15/65; A61K 48/00 :Please See Extra Sheet.				
	to International Patent Classification (IPC) or to both national classification and IPC	·			
	LDS SEARCHED				
Minimum documentation searched (classification system followed by classification symbols) U.S.: 424/93.1, 93.2, 93.6; 435/320.1, 69.1, 455, 456, 457, 325, 369, 91.1, 91.4, 91.42					
0.3.	+24/93.1, 93.2, 93.6; 435/320.1, 69.1, 455, 456, 457, 325, 369, 91.1, 91.4, 91.42				
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched					
ì	data base consulted during the international search (name of data base and, where practicable Extra Sheet.	e, search terms used)			
C. DOC	CUMENTS CONSIDERED TO BE RELEVANT				
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No			
X	US 6,080,576 A (ZAMBROWICZ et al.) 27 June 2000 (27.06.00), see entire document, especially Figure 2, claims 1-3 and columns 10 and 16.	1-2, 4-11, 13			
A	US 5,919,676 A (GRAHAM et al.) 06 July 1999 (06.07.99), see entire document, particularly claims 1-6 and columns 2 and 5-6.				
A	AGAH et al. Gene recombination in postmitotic cells. Journal of Clinical Investigation. July 1997, Vol. 100, No. 1, pages 169-179, especially pages 171-173.	1-34			
Furt	her documents are listed in the continuation of Box C. See patent family annex.				
* Sp	ecial categories of cited documents: "T" later document published after the inte				
	cument defining the general state of the art which is not considered and not in conflict with the appl be of particular relevance the principle or theory underlying the				
1	rlier document published on or after the international filing date "X" document of particular relevance; the considered novel or cannot be considered.				
cit	"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special pagen (as specified) "Y" document is taken alone "Y" document is taken alone "Y" document is taken alone				
"O" do	special reason (as specified) considered to involve an inventive step when the document is combined				
	coment published prior to the international filing date but later "%" document member of the same patent an the priority date claimed	family			
Date of the	actual completion of the international search Date of mailing of the international search	arch report			
01 NOVE	EMBER 2001 31 EC 2001				
Commission Box PCT	mailing address of the ISA/US oner of Patents and Trademarks n. D.C. 20231 Authorized officer David Guzo	ages for			
Facsimile N	No. (703) 305-3230 Telephone No. (703) 308-0196				

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US01/27682

<u>.</u> -		PCT/US01/27682				
	A. CLASSIFICATION OF SUBJECT MATTER: US CL :	•				
	424/93.1, 93.2, 93.6; 435/320.1, 69.1, 455, 456, 457, 325, 369, 91.1, 91.4, 91.42					
	B. FIELDS SEARCHED Electronic data bases consulted (Name of data base and where practicable terms used):					
	WEST, Dialog, NTIS, Medline, Biotech, Biosis, Biosci, Chemical Abstracts Search terms: adenovirus, recombinase, target site, Cre, cleavage site, gene therapy					
		Α.				
1						